

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 1. WEEK ENDING SATURDAY, JANUARY 4, 1902.

The number of Deaths registered in Eight of the Principal Towns of Scotland during the week ending with Saturday, January 4, 1902, was 750, being at the annual rate of 23·2 per thousand of estimated population. This rate is 4·3 above that for the corresponding week of last year, and 0·6 above that for the previous week.

The rate of mortality was lowest in Leith, viz., 14·6 per thousand; and highest in Greenock, viz., 27·2 per thousand.

From the seven principal Epidemic or Zymotic Diseases 70 deaths were registered, being at the rate of 2·2 per thousand, or 0·5 below that for last week. Measles was the most fatal of these diseases, having caused 30 Deaths, of which 24 occurred in Glasgow, 3 in Dundee, 2 in Greenock and 1 in Paisley.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 182, being 20 above the number for the previous week.

The Mean Temperature was 42°·3, being 7°·8 above that for the week immediately preceding, and 2°·5 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 4, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Jan. 4, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	860	750	1140	53·7	27·2	42·3	1·24
GLASGOW, . . .	12,681	775,601	61·162	9·56	408	355	559	53·0	30·0	44·3	1·51
EDINBURGH, . .	11,416	322,966	28·291	14·06	142	143	181	53·4	32·7	43·1	0·49
DUNDEE, . . .	4,162	162,078	38·942	11·98	82	72	132	51·8	31·2	40·2	0·93
ABERDEEN, . .	6,795	157,505	23·180	15·53	98	70	90	49·0	27·2	40·1	0·60
PAISLEY, . . .	3,538	81,150	22·937	15·61	42	36	72	51·1	34·1	43·9	1·72
LEITH,	2,042	78,605	38·494	12·05	40	22	49	53·7	35·9	44·2	0·72
GREENOCK, . .	1,440	68,756	47·747	10·82	29	36	38	52·7	32·0	42·8	2·66
PERTH,	2,122	33,262	15·675	18·88	19	16	19	52·0	30·0	40·1	1·33
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	862	602	1193	48·8	28·0	39·8	0·49

Week ending Saturday, JANUARY 4, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 4, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic/Zymotic/Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	23.2	2.2	750	144	208	0	30	4	5	12	7	12	0	182	40	178	41
GLASGOW, .	23.8	3.0	355	57	92	0	24	2	0	10	5	4	0	95	20	81	29
EDINBURGH,	23.0	0.3	143	20	51	0	0	0	2	0	0	0	0	33	7	45	4
DUNDEE, . .	23.1	2.9	72	18	21	0	3	0	2	0	0	4	0	16	4	12	1
ABERDEEN, .	23.1	0.7	70	21	22	0	0	0	0	1	0	1	0	20	4	16	1
PAISLEY, . .	23.1	4.5	36	8	10	0	1	0	1	1	2	2	0	4	1	10	3
LEITH, . . .	14.6	0.0	22	5	8	0	0	0	0	0	0	0	0	5	2	5	2
GREENOCK, .	27.2	3.8	36	12	3	0	2	2	0	0	0	1	0	3	0	5	1
PERTH, . . .	25.0	0.0	16	3	1	0	0	0	0	0	0	0	0	6	2	4	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 5, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Zymotic Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	18.9	2.4	602	131	152	3	15	2	3	29	2	22	0	105	26	121	38
GLASGOW, .	18.4	2.1	271	63	57	3	0	1	2	16	2	7	0	52	18	59	24
EDINBURGH,	20.9	3.1	128	21	41	0	12	1	1	3	0	2	0	24	3	32	6
DUNDEE, . .	22.6	3.5	70	15	23	0	0	0	0	4	0	7	0	9	1	14	0
ABERDEEN, .	16.9	2.0	50	13	17	0	2	0	0	0	0	4	0	5	2	9	4
PAISLEY, . .	14.4	1.3	22	4	5	0	0	0	0	1	0	1	0	5	0	1	2
LEITH, . . .	16.1	0.7	24	7	3	0	1	0	0	0	0	0	0	5	1	3	0
GREENOCK, .	19.8	4.6	26	6	3	0	0	0	0	5	0	1	0	4	1	2	1
PERTH, . . .	17.4	0.0	11	2	3	0	0	0	0	0	0	0	0	1	0	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 2. WEEK ENDING SATURDAY, JANUARY 11, 1902.

The number of Deaths registered in Eight of the Principal Towns of Scotland during the week ending with Saturday, January 11, 1902, was 633, being at the annual rate of 19·6 per thousand of estimated population. This rate is 1·9 below that for the corresponding week of last year, and 3·6 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 10·9 per thousand; and highest in Greenock, viz., 21·9 per thousand.

From the seven principal Epidemic or Zymotic Diseases 56 deaths were registered, being at the rate of 1·7 per thousand, or 0·5 below that for last week. Of these deaths, 23 were due to Measles, being 7 below the number for the previous week. Nineteen occurred in Glasgow and 4 in Dundee.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 142, being 40 below the number for the previous week.

The Mean Temperature was 43°·3, being 1°·0 above that for the week immediately preceding, and 7°·5 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 11, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Jan. 11, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	1012	633	320	53·0	26·0	43·3	0·24
GLASGOW, . . .	12,681	775,601	61·162	9·56	501	306	172	51·9	31·8	45·2	0·28
EDINBURGH, . .	11,416	322,966	28·291	14·06	137	122	38	49·3	29·7	42·6	0·03
DUNDEE, . . .	4,162	162,078	38·942	11·98	81	60	64	52·4	29·0	42·5	0·09
ABERDEEN, . .	6,795	157,505	23·180	15·53	113	58	23	53·0	31·0	41·3	0·02
PAISLEY, . . .	3,538	81,150	22·937	15·61	54	25	9	51·9	32·0	44·1	0·40
LEITH, . . .	2,042	78,605	38·494	12·05	46	26	5	50·7	33·2	44·5	0·07
GREENOCK, . .	1,440	68,756	47·747	10·82	55	29	6	50·1	32·2	44·1	0·91
PERTH, . . .	2,122	33,262	15·675	18·88	25	7	3	52·0	26·0	42·4	0·12
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	1006	685	265	45·3	25·5	35·8	0·29

Week ending Saturday, JANUARY 11, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 11, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Unclassified Causes.
In Eight Towns,	19.6	1.7	633	119	163	0	23	2	4	5	3	19	0	142	27	148	28
GLASGOW, .	20.5	2.3	306	59	60	0	19	0	1	2	2	11	0	74	15	70	16
EDINBURGH,	19.6	0.6	122	25	38	0	0	0	1	2	0	1	0	24	3	31	3
DUNDEE, . .	19.2	1.9	60	14	18	0	4	0	1	0	0	1	0	14	1	15	1
ABERDEEN, .	19.1	1.0	58	9	23	0	0	0	0	0	0	3	0	11	2	14	2
PAISLEY, . .	16.0	1.3	25	1	6	0	0	0	0	0	0	2	0	5	2	3	2
LEITH, . . .	17.2	0.7	26	3	10	0	0	0	0	1	0	0	0	8	1	9	0
GREENOCK, .	21.9	3.8	29	8	3	0	0	2	1	0	1	1	0	5	3	4	4
PERTH, . . .	10.9	0.0	7	0	5	0	0	0	0	0	0	0	0	1	0	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 12, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Unclassified Causes.
In Eight Towns,	21.5	3.2	685	151	140	2	12	6	8	49	2	22	2	121	26	149	25
GLASGOW, .	22.3	3.9	328	71	48	2	1	3	2	36	2	12	0	56	17	61	17
EDINBURGH,	21.1	2.3	129	24	33	0	5	0	4	4	0	1	0	17	2	36	3
DUNDEE, . .	22.9	3.5	71	17	16	0	0	1	0	6	0	4	0	19	2	16	1
ABERDEEN, .	20.6	4.0	61	18	13	0	5	1	2	0	0	4	1	9	1	14	1
PAISLEY, . .	16.3	2.6	25	6	5	0	1	1	0	1	0	1	0	6	0	6	1
LEITH, . . .	21.4	0.0	32	9	13	0	0	0	0	0	0	0	1	5	2	6	1
GREENOCK, .	16.0	1.5	21	3	4	0	0	0	0	2	0	0	0	5	0	3	0
PERTH, . . .	28.4	0.0	18	3	8	0	0	0	0	0	0	0	0	4	2	7	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 3. WEEK ENDING SATURDAY, JANUARY 18, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, January 18, 1902, was 673, being at the annual rate of 20·8 per thousand of estimated population. This rate is 2·8 below that for the corresponding week of last year, but 1·2 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 14·1 per thousand; and the highest in Glasgow, viz., 23·5 per thousand.

From the seven principal Epidemic or Zymotic Diseases 64 deaths were registered, being at the rate of 2·0 per thousand, or 0·3 above that for last week. Measles was the most fatal of these diseases, having caused 23 deaths (the same as the number for the preceding week), of which 20 occurred in Glasgow, 2 in Dundee, and 1 in Greenock.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 175, or 33 above the number for the previous week.

The Mean Temperature was 36°·6, being 6°·7 below that for the week immediately preceding, and 2°·6 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 18, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Jan. 18, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	917	673	146	56·0	14·0	36·6	0·09
GLASGOW, . . .	12,681	775,601	61·162	9·56	437	351	75	56·0	16·5	36·4	0·08
EDINBURGH, . .	11,416	322,966	28·291	14·06	173	106	39	49·3	21·9	36·4	0·06
DUNDEE, . . .	4,162	162,078	38·942	11·98	91	57	3	50·9	22·8	36·3	0·03
ABERDEEN, . .	6,795	157,505	23·180	15·53	85	59	15	52·0	25·0	36·5	0·13
PAISLEY, . . .	3,538	81,150	22·937	15·61	37	36	6	50·1	19·0	36·1	0·07
LEITH,	2,042	78,605	38·494	12·05	53	29	1	50·2	25·1	38·3	0·07
GREENOCK, . .	1,440	68,756	47·747	10·82	33	26	5	50·0	24·0	37·8	0·16
PERTH,	2,122	33,262	15·675	18·88	8	9	2	52·0	14·0	35·2	0·13
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	932	752	153	49·3	22·0	39·2	0·50

Week ending Saturday, JANUARY 18, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 18, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic/Zymotic/Dis		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	20.8	2.0	673	145	159	1	23	6	6	11	4	13	1	175	18	162	18
GLASGOW, .	23.5	2.7	351	81	73	*1	20	1	1	9	2	6	1	98	9	85	12
EDINBURGH,	17.1	1.0	106	23	33	0	0	0	2	0	1	3	0	27	2	30	3
DUNDEE, . .	18.3	2.9	57	16	10	0	2	1	2	0	0	4	0	13	3	11	1
ABERDEEN, .	19.5	0.3	59	8	15	0	0	0	0	1	0	0	0	16	0	10	0
PAISLEY, . .	23.1	1.3	36	5	10	0	0	1	0	0	1	0	0	12	1	6	2
LEITH, . . .	19.2	1.3	29	6	8	0	0	0	1	1	0	0	0	3	1	12	0
GREENOCK, .	19.7	3.0	26	4	9	0	1	3	0	0	0	0	0	3	0	6	0
PERTH, . . .	14.1	0.0	9	2	1	0	0	0	0	0	0	0	0	3	2	2	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 19, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic/Zymotic/Dis		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	23.6	3.9	752	154	171	3	23	2	6	61	14	16	4	135	25	149	30
GLASGOW, .	25.6	4.6	376	69	71	3	2	1	1	44	10	7	3	67	14	84	16
EDINBURGH,	22.1	2.9	135	30	30	0	8	0	3	5	2	0	1	20	4	27	9
DUNDEE, . .	24.5	5.2	76	17	22	0	1	0	1	10	0	4	0	10	2	18	2
ABERDEEN, .	28.0	5.1	83	21	24	0	9	0	1	1	2	2	0	18	1	11	0
PAISLEY, . .	15.7	2.0	24	3	9	0	0	1	0	1	0	1	0	5	0	3	1
LEITH, . . .	15.4	2.7	23	5	4	0	3	0	0	0	0	1	0	5	2	3	0
GREENOCK, .	13.7	0.8	18	3	5	0	0	0	0	0	0	1	0	6	1	0	1
PERTH, . . .	26.8	0.0	17	6	6	0	0	0	0	0	0	0	0	4	1	3	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 4. WEEK ENDING SATURDAY, JANUARY 25, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, January 25, 1902, was 656, giving an annual mortality rate of 20·3 per thousand of estimated population. This rate is 0·5 below that for the corresponding week of last year, and also 0·5 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 11·2 per thousand ; and the highest in Glasgow, viz., 22·1 per thousand.

From the seven most familiar Epidemic or Zymotic Diseases 78 deaths were registered, being at the rate of 2·4 per thousand, or 0·4 above that for last week. Measles was the most fatal of these diseases, having caused 31 deaths (an increase of 8 over the number for each of the two preceding weeks), of which 23 occurred in Glasgow, and 6 in Dundee.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 127, being 48 below the number for the previous week.

The Mean Temperature was 42°·4, being 5°·8 above that for the week immediately preceding, and 1°·9 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, January 25, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Jan. 25, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	899	656	134	51·2	25·0	42·4	0·98
GLASGOW, . . .	12,681	775,601	61·162	9·56	432	329	64	51·0	30·0	42·9	1·04
EDINBURGH, . .	11,416	322,966	28·291	14·06	135	117	26	50·5	29·3	43·2	0·44
DUNDEE, . . .	4,162	162,078	38·942	11·98	84	64	7	49·1	27·8	41·1	0·27
ABERDEEN, . .	6,795	157,505	23·180	15·53	86	62	16	51·2	25·0	39·6	0·44
PAISLEY, . . .	3,538	81,150	22·937	15·61	51	29	9	49·9	30·1	43·5	2·03
LEITH,	2,042	78,605	38·494	12·05	52	17	4	51·0	31·0	44·0	0·42
GREENOCK, . .	1,440	68,756	47·747	10·82	45	24	4	50·5	29·0	43·3	2·95
PERTH,	2,122	33,262	15·675	18·88	14	14	4	50·5	27·0	41·4	0·23
Corresponding Week of 1901. — Eight Towns.	43,378	1,656,648	38·191	12·10	906	663	136	54·2	28·8	40·5	0·93

EDINBURGH : Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JANUARY 25, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 25, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic (Zymotic) Dis-		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20.3	2.4	656	107	180	2	31	4	5	13	3	20	1	127	27	152	15	1
GLASGOW, .	22.1	3.6	329	55	73	*2	23	1	1	10	3	13	0	63	21	79	9	1
EDINBURGH,	18.8	1.1	117	18	46	0	1	0	1	1	0	4	0	23	2	31	2	0
DUNDEE, . .	20.5	2.6	64	15	14	0	6	0	0	1	0	1	0	19	1	9	0	0
ABERDEEN, .	20.5	1.7	62	10	23	0	0	0	3	1	0	1	1	10	1	13	0	0
PAISLEY, . .	18.6	0.0	29	5	8	0	0	0	0	0	0	0	0	2	0	4	2	0
LEITH, . . .	11.2	0.0	17	3	4	0	0	0	0	0	0	0	0	5	1	6	1	0
GREENOCK, .	18.2	3.0	24	0	8	0	1	2	0	0	0	1	0	4	0	4	0	0
PERTH, . . .	21.9	1.6	14	1	4	0	0	1	0	0	0	0	0	1	1	6	1	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, January 26, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes.	From Seven Ept- demic/Zymotic Dis		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20.8	3.4	663	121	164	12	18	0	8	39	15	15	2	143	30	167	19	0
GLASGOW, .	24.0	4.4	353	67	81	11*	0	0	2	28	11	12	0	73	14	90	4	0
EDINBURGH,	20.1	2.5	123	20	35	0	8	0	3	3	1	0	1	25	7	38	9	0
DUNDEE, . .	20.6	2.6	64	11	17	0	2	0	1	4	0	1	0	16	2	14	0	0
ABERDEEN, .	14.2	3.7	42	11	12	0	7	0	0	0	3	1	1	9	3	10	1	0
PAISLEY, . .	21.5	1.3	33	5	8	0	0	0	1	1	0	0	0	10	3	5	5	0
LEITH, . . .	16.1	3.3	24	4	5	0	1	0	1	2	0	1	0	4	0	6	0	0
GREENOCK, .	15.2	1.5	20	3	5	1	0	0	0	1	0	0	0	6	1	2	0	0
PERTH, . . .	6.3	0.0	4	0	1	0	0	0	0	0	0	0	0	0	0	2	0	0

* One case of Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 5. WEEK ENDING SATURDAY, FEBRUARY 1, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, February 1, 1902, was 704, being at the annual rate of 21·8 per thousand of estimated population. This rate is the same as that for the corresponding week of last year, but 1·5 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 10·9 per thousand ; and the highest in Glasgow, viz., 23·2 per thousand.

From the seven most familiar Epidemic or Zymotic Diseases 66 deaths were registered, being at the rate of 2·0 per thousand, or 0·4 below that for last week. Measles was the most fatal of these diseases, having caused 23 deaths (being 8 less than the number for the previous week), of which 16 occurred in Glasgow and 5 in Dundee. Nineteen deaths were due to Hooping-cough, and 1 (in Glasgow) to Small-pox.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 138, being 11 above the number for the previous week.

The Mean Temperature was 27°·8, being 14°·6 below that for the week immediately preceding, and 6°·9 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 1, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Feb. 1, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	869	704	165	39·8	7·0	27·8	0·22
GLASGOW, . . .	12,681	775,601	61·162	9·56	409	346	79	38·3	12·8	28·5	0·00
EDINBURGH, . .	11,416	322,966	28·291	14·06	167	119	36	37·8	21·4	29·3	0·06
DUNDEE, . . .	4,162	162,078	38·942	11·98	74	69	7	38·2	17·0	27·7	0·06
ABERDEEN, . .	6,795	157,505	23·180	15·53	79	70	24	36·0	11·5	24·6	0·61
PAISLEY, . . .	3,538	81,150	22·937	15·61	46	29	4	39·8	12·1	28·4	0·24
LEITH,	2,042	78,605	38·494	12·05	37	34	5	38·6	24·0	31·2	0·10
GREENOCK, . .	1,440	68,756	47·747	10·82	38	30	8	39·0	21·0	29·8	0·40
PERTH,	2,122	33,262	15·675	18·88	19	7	2	36·0	7·0	22·8	0·27
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	849	695	177	46·9	20·0	34·7	0·71

Week ending Saturday, FEBRUARY 1, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 1, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	21·8	2·0	704	121	190	1	23	7	5	19	3	8	3	138	26	175	37
GLASGOW, .	23·2	2·7	346	64	79	1	16	5	2	12	2	2	1	78	16	94	20
EDINBURGH,	19·2	0·3	119	12	40	0	0	0	1	0	0	1	0	15	2	29	9
DUNDEE, . .	22·1	2·6	69	12	14	0	5	0	0	1	0	2	1	14	3	11	3
ABERDEEN, .	23·1	2·0	70	12	29	0	0	0	1	4	0	1	1	14	3	17	1
PAISLEY, . .	18·6	1·9	29	7	7	0	1	0	0	0	1	1	0	6	0	6	1
LEITH, . . .	22·5	2·0	34	9	12	0	0	0	0	2	0	1	0	6	0	8	0
GREENOCK, .	22·7	2·3	30	3	7	0	1	2	0	0	0	0	0	4	2	7	3
PERTH, . . .	10·9	1·6	7	2	2	0	0	0	1	0	0	0	0	1	0	3	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 2, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	21·8	4·0	695	120	178	24	16	3	7	43	6	27	0	123	30	173	35
GLASGOW, .	23·1	6·3	340	56	75	24	2	3	3	34	5	21	0	62	15	92	17
EDINBURGH,	20·3	2·6	124	25	29	0	8	0	1	3	1	3	0	24	6	35	13
DUNDEE, . .	21·9	1·6	68	10	20	0	2	0	0	2	0	1	0	11	3	19	0
ABERDEEN, .	22·6	2·4	67	18	19	0	4	0	1	1	0	1	0	14	4	8	2
PAISLEY, . .	20·2	1·3	31	2	11	0	0	0	0	2	0	0	0	6	0	6	1
LEITH, . . .	18·1	1·3	27	5	5	0	0	0	1	1	0	0	0	2	0	5	0
GREENOCK, .	19·8	1·5	26	2	15	0	0	0	1	0	0	1	0	3	2	7	2
PERTH, . . .	18·9	0·0	12	2	4	0	0	0	0	0	0	0	0	1	0	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 6. WEEK ENDING SATURDAY, FEBRUARY 8, 1902.

The Deaths registered in Eight of the Principal Towns during the week ending with Saturday, February 8, 1902, amounted to 771, being at the annual rate of 23·9 per thousand of estimated population. This rate is 1·1 above that for the corresponding week of last year, and 2·1 above that for the previous week of the present year.

The lowest death-rate was recorded in Leith, viz., 20·5 per thousand; and the highest in Greenock, viz., 26·5 per thousand.

From the seven principal Epidemic or Zymotic Diseases 83 deaths were registered, being at the rate of 2·6 per thousand, or 0·6 above that for last week. Of these deaths, 23 were due to Diarrhoea, 19 to Measles (of which 16 occurred in Glasgow), and 17 to Hooping-cough. One death from Small-pox was recorded in Glasgow, the same as in the preceding week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 171, being 33 above the number for the previous week.

The Mean Temperature was 34°·2, being 6°·4 above that for the week immediately preceding, but 1°·9 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 8, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Feb. 8, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	922	771	213	43·1	21·0	34·2	0·12
GLASGOW, . . .	12,681	775,601	61·162	9·56	469	357	95	43·1	27·9	35·9	0·08
EDINBURGH, . .	11,416	322,966	28·291	14·06	126	151	37	41·3	26·3	34·3	0·21
DUNDEE, . . .	4,162	162,078	38·942	11·98	82	72	23	41·4	22·2	33·5	0·05
ABERDEEN, . .	6,795	157,505	23·180	15·53	88	73	18	41·5	21·5	33·9	0·02
PAISLEY, . . .	3,538	81,150	22·937	15·61	45	37	16	42·3	26·0	32·9	0·14
LEITH,	2,042	78,605	38·494	12·05	49	31	9	41·4	27·6	35·6	0·20
GREENOCK, . .	1,440	68,756	47·747	10·82	45	35	8	42·0	27·5	34·9	0·26
PERTH,	2,122	33,262	15·675	18·88	18	15	7	42·0	21·0	32·9	0·00
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	947	726	180	51·1	23·0	36·1	0·13

Week ending Saturday, FEBRUARY 8, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 8, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	23.9	2.6	771	150	213	1	19	10	8	17	5	23	2	171	29	170	21
GLASGOW, .	23.9	3.2	357	78	78	1	16	5	4	10	2	9	2	90	13	69	7
EDINBURGH,	24.3	1.1	151	25	44	0	0	0	1	0	2	4	0	28	5	44	7
DUNDEE, . .	23.1	1.9	72	14	20	0	1	0	0	0	0	5	0	16	5	16	1
ABERDEEN, .	24.1	3.0	73	14	36	0	0	2	2	2	0	3	0	14	3	17	0
PAISLEY, . .	23.7	3.2	37	4	16	0	0	1	0	4	0	0	0	12	1	10	2
LEITH, . . .	20.5	1.3	31	6	7	0	0	0	0	1	0	1	0	3	0	4	1
GREENOCK, .	26.5	3.8	35	7	7	0	2	2	0	0	1	0	0	8	1	7	3
PERTH, . . .	23.4	3.1	15	2	5	0	0	0	1	0	0	1	0	0	1	3	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 9, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	22.8	3.2	726	160	176	11	14	6	7	37	10	18	3	155	19	152	37
GLASGOW, .	25.2	4.1	370	73	89	10	1	4	2	27	9	8	1	91	11	86	18
EDINBURGH,	20.1	2.5	123	26	29	0	6	1	2	5	0	1	1	22	1	23	10
DUNDEE, . .	21.3	2.9	66	17	16	0	1	1	2	2	0	3	0	11	2	14	2
ABERDEEN, .	19.9	3.0	59	17	11	0	6	0	1	0	0	2	0	11	3	9	1
PAISLEY, . .	27.4	2.0	42	15	11	1	0	0	0	1	1	0	0	7	0	5	3
LEITH, . . .	14.7	1.3	22	4	6	0	0	0	0	0	0	2	1	3	0	6	1
GREENOCK, .	22.1	2.3	29	7	9	0	0	0	0	2	0	1	0	8	1	5	1
PERTH, . . .	23.7	1.6	15	1	5	0	0	0	0	0	0	1	0	2	1	4	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 7. WEEK ENDING SATURDAY, FEBRUARY 15, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, February 15, 1902, was 761, being at the annual rate of 23·6 per thousand of estimated population. This rate is 1·3 above that for the corresponding week of last year, but 0·3 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 12·5 per thousand; and the highest in Glasgow, viz., 25·2 per thousand.

From the seven principal Epidemic or Zymotic Diseases 66 deaths were registered, being at the rate of 2·0 per thousand, or 0·6 below that for last week. Of these deaths, 20 were due to Hooping-cough, 16 to Diarrhoea, and 12 to Measles. Two deaths from Small-pox were recorded in Glasgow, there having been one in each of the two preceding weeks.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 210, being 39 above the number for the previous week.

The Mean Temperature was 30°·5, being 3°·7 below that for the week immediately preceding, and also 3°·7 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 15, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Feb. 15, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	908	761	209	44·1	13·0	30·5	0·06
GLASGOW, . . .	12,681	775,601	61·162	9·56	453	376	118	42·5	18·3	34·8	0·00
EDINBURGH, . .	11,416	322,966	28·291	14·06	147	144	31	44·1	21·0	30·2	0·00
DUNDEE, . . .	4,162	162,078	38·942	11·98	85	68	15	42·7	16·9	29·7	0·00
ABERDEEN, . .	6,795	157,505	23·180	15·53	82	59	16	40·4	15·0	28·3	0·23
PAISLEY, . . .	3,538	81,150	22·937	15·61	49	35	9
LEITH,	2,042	78,605	38·494	12·05	45	38	8	42·9	21·1	31·6	0·00
GREENOCK, . .	1,440	68,756	47·747	10·82	31	33	6	41·5	19·0	30·1	0·22
PERTH,	2,122	33,262	15·675	18·88	16	8	6	43·0	13·0	28·5	0·00
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	945	710	154	49·2	17·0	34·2	0·09

Week ending Saturday, FEBRUARY 15, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 15, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic (Zymotic) Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	23·6	2·0	761	120	238	2	12	3	3	20	10	16	1	210	21	180	26	3
GLASGOW, .	25·2	2·2	376	60	104	2	8	1	2	10	5	5	1	128	10	94	15	3
EDINBURGH,	23·2	1·1	144	16	53	0	1	0	0	1	3	2	0	30	4	42	8	0
DUNDEE, . .	21·8	2·9	68	12	22	0	2	0	0	1	0	6	0	13	4	6	0	0
ABERDEEN, .	19·5	0·7	59	5	28	0	0	0	1	1	0	0	0	11	1	20	0	0
PAISLEY, . .	22·4	2·6	35	9	9	0	0	0	0	3	0	1	0	7	0	5	3	0
LEITH, . . .	25·1	2·6	38	7	14	0	0	0	0	3	0	1	0	10	2	5	0	0
GREENOCK, .	25·0	5·3	33	10	3	0	1	2	0	1	2	1	0	7	0	6	0	0
PERTH, . . .	12·5	0·0	8	1	5	0	0	0	0	0	0	0	0	4	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 16, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epl. demic (Zymotic) Dis.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	22·3	3·3	710	126	193	20	25	6	10	33	4	8	3	150	32	161	29	6
GLASGOW, .	24·8	4·4	365	67	86	20	1	4	6	25	3	6	1	83	14	96	18	4
EDINBURGH,	19·3	2·6	118	15	34	0	15	0	0	0	0	1	1	16	7	28	6	1
DUNDEE, . .	20·6	3·2	64	14	19	0	1	1	1	6	1	0	0	16	2	5	2	1
ABERDEEN, .	17·2	2·4	51	9	18	0	7	0	0	0	0	0	0	10	2	8	2	0
PAISLEY, . .	20·9	2·6	32	4	11	0	0	1	1	2	0	0	0	6	2	8	1	0
LEITH, . . .	23·4	1·3	35	9	10	0	1	0	0	0	0	1	0	8	3	9	0	0
GREENOCK, .	22·1	0·8	29	5	10	0	0	0	1	0	0	0	0	7	1	3	0	0
PERTH, . . .	25·2	1·6	16	3	5	0	0	0	1	0	0	0	1	4	1	4	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 8. WEEK ENDING SATURDAY, FEBRUARY 22, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, February 22, 1902, was 817, being at the annual rate of 25·3 per thousand of estimated population. This rate is 2·0 above that for the corresponding week of last year, and 1·7 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Edinburgh, viz., 22·1 per thousand; and the highest in Greenock, viz., 37·1 per thousand.

From the seven most familiar Epidemic (Zymotic) Diseases 81 deaths were registered, being at the rate of 2·5 per thousand, or 0·5 above that for last week. Of these deaths, 22 were due to Diarrhoea, 20 to Hooping-cough, 17 to Measles, 6 each to Diphtheria and Fevers, and 7 to Small-pox, of which 6 occurred in Glasgow and 1 in Perth.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 221, being 11 above the number for the previous week.

The Mean Temperature was 35°·6, being 5°·1 above that for the week immediately preceding, but 2°·5 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, February 22, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Feb. 22, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	889	817	159	44·8	15·0	35·6	0·18
GLASGOW, . . .	12,681	775,601	61·162	9·56	455	386	74	44·8	24·5	37·0	0·03
EDINBURGH, . .	11,416	322,966	28·291	14·06	149	137	29	42·4	25·8	35·2	0·10
DUNDEE, . . .	4,162	162,078	38·942	11·98	73	75	12	39·4	19·5	33·8	0·12
ABERDEEN, . .	6,795	157,505	23·180	15·53	79	72	17	42·0	28·0	36·7	0·12
PAISLEY, . . .	3,538	81,150	22·937	15·61	50	37	10	43·6	27·0	37·0	0·43
LEITH,	2,042	78,605	38·494	12·05	41	43	8	44·5	25·9	36·4	0·19
GREENOCK, . .	1,440	68,756	47·747	10·82	34	49	8	43·2	26·0	35·8	0·28
PERTH,	2,122	33,262	15·675	18·88	8	18	1	41·0	15·0	32·7	0·21
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	978	742	227	48·3	23·5	38·1	0·10

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, FEBRUARY 22, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 22, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
	From All Causes.	From Seven Epidemic (Zymotic) Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	25·3	2·5	817	155	225	7	17	3	6	20	6	22	3	221	30	191	21	2	
GLASGOW, .	25·9	3·1	386	73	89	6	7	1	1	15	4	12	1	121	13	92	6	1	
EDINBURGH,	22·1	1·0	137	18	65	0	1	1	0	0	1	3	0	34	4	33	6	0	
DUNDEE, . .	24·1	3·2	75	21	14	0	3	0	1	1	0	5	0	16	4	15	0	0	
ABERDEEN, .	23·8	1·3	72	17	23	0	0	0	0	4	0	0	1	13	1	12	1	1	
PAISLEY, . .	23·7	1·9	37	7	10	0	2	0	0	0	0	1	0	10	0	4	4	0	
LEITH, . . .	28·4	0·7	43	11	10	0	0	0	0	0	0	1	0	9	4	13	0	0	
GREENOCK, .	37·1	6·8	49	8	5	0	4	1	3	0	1	0	1	13	4	15	4	0	
PERTH, . . .	28·1	3·1	18	0	9	1	0	0	1	0	0	0	0	5	0	7	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, February 23, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes.	From Seven Ept. demic (Zymotic) Dis.		Deaths of		Deaths from									Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.				Violence.
In Eight Towns,	23·3	3·1	742	135	177	15	19	3	4	36	6	16	1	176	25	173	38	6
GLASGOW, .	26·6	3·6	391	70	71	13	4	2	2	25	2	5	0	94	16	88	21	6
EDINBURGH,	22·4	3·1	137	19	41	0	10	1	1	3	2	2	0	29	5	39	10	0
DUNDEE, . .	21·6	3·5	67	14	17	0	2	0	0	5	2	2	0	13	0	19	1	0
ABERDEEN, .	19·9	2·4	59	15	18	1	2	0	1	1	0	2	1	16	1	17	1	0
PAISLEY, . .	19·6	2·0	30	6	12	1	0	0	0	1	0	1	0	8	0	5	1	0
LEITH, . . .	15·4	2·0	23	3	8	0	1	0	0	1	0	1	0	8	0	2	1	0
GREENOCK, .	18·3	1·5	24	6	6	0	0	0	0	0	0	2	0	5	1	1	2	0
PERTH, . . .	17·4	1·6	11	2	4	0	0	0	0	0	0	1	0	3	2	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 9.

WEEK ENDING SATURDAY, MARCH 1, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, March 1, 1902, was 729, giving an annual mortality rate of 22·6 per thousand of estimated population. This rate is 1·5 below that for the corresponding week of last year, and 2·7 below that for the previous week of the present year.

The lowest death-rate was recorded in Paisley, viz., 17·3 per thousand; and the highest in Dundee, viz., 26·3 per thousand.

From the seven principal Epidemic Diseases 75 deaths were registered, being at the rate of 2·3 per thousand, or 0·2 below that for last week. Of these deaths, 23 were due to Hooping-cough, 19 to Measles, 13 to Diarrhoea, and 10 to Small-pox, all of the last mentioned having occurred in Glasgow.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 210, being 11 below the number for the previous week.

The Mean Temperature was 40°·5, being 4°·9 above that for the week immediately preceding, and 0°·5 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 1, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Mar. 1, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	928	729	167	59·4	30·9	40·5	0·84
GLASGOW, . . .	12,681	775,601	61·162	9·56	473	358	84	59·4	32·8	44·3	0·66
EDINBURGH, . .	11,416	322,966	28·291	14·06	142	126	26	49·8	30·9	40·6	0·48
DUNDEE, . . .	4,162	162,078	38·942	11·98	83	82	15	48·8	31·8	38·4	1·17
ABERDEEN, . .	6,795	157,505	23·180	15·53	89	56	19	46·0	34·0	39·9	0·71
PAISLEY, . . .	3,538	81,150	22·937	15·61	45	27	8
LEITH,	2,042	78,605	38·494	12·05	44	35	2	50·4	32·0	41·3	0·68
GREENOCK, . .	1,440	68,756	47·747	10·82	39	32	8	48·9	33·0	40·2	1·12
PERTH,	2,122	33,262	15·675	18·88	13	13	5	49·0	33·0	38·9	1·03
Corresponding Week of 1901.—Eight Towns.	43,378	1,056,648	38·191	12·10	952	768	231	52·9	24·0	40·0	1·37

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, MARCH 1, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 1, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epl- demic/Zymotic/Dis		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.
In Eight Towns,	22.6	2.3	729	116	205	10	19	4	1	23	5	13	4	210	21	185	24	2
GLASGOW, .	24.0	2.3	358	57	101	10	6	4	0	7	2	5	2	121	6	89	13	2
EDINBURGH,	20.3	1.6	126	11	35	0	3	0	1	5	1	0	1	23	8	40	5	0
DUNDEE, . .	26.3	3.8	82	15	17	0	6	0	0	1	1	4	1	19	2	18	1	0
ABERDEEN, .	18.5	3.0	56	18	18	0	0	0	0	7	0	2	0	14	1	12	1	0
PAISLEY, . .	17.3	3.8	27	4	8	0	1	0	0	3	0	2	0	8	1	6	1	0
LEITH, . . .	23.1	0.0	35	6	10	0	0	0	0	0	0	0	0	10	2	8	1	0
GREENOCK, .	24.2	2.3	32	4	10	0	2	0	0	0	1	0	0	10	1	10	2	0
PERTH, . . .	20.3	1.6	13	1	6	0	1	0	0	0	0	0	0	5	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 2, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epl- demic/Zymotic/Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.
In Eight Towns,	24.1	3.9	768	148	195	13	13	4	2	67	1	23	4	180	13	159	40	4
GLASGOW, .	26.6	4.5	391	71	90	*13	2	1	0	43	0	7	2	104	6	88	24	4
EDINBURGH,	21.8	3.6	133	28	34	0	5	1	1	8	0	7	0	25	3	34	11	0
DUNDEE, . .	29.6	4.8	92	22	21	0	0	0	0	11	0	4	0	20	1	15	1	0
ABERDEEN, .	16.9	4.4	50	15	11	0	5	1	0	3	1	3	1	6	1	7	0	0
PAISLEY, . .	22.8	1.3	35	4	14	0	0	0	1	1	0	0	0	11	1	1	3	0
LEITH, . . .	21.4	0.7	32	3	15	0	1	0	0	0	0	0	0	7	0	8	1	0
GREENOCK, .	20.6	2.3	27	5	8	0	0	1	0	1	0	1	1	7	1	3	0	0
PERTH, . . .	12.6	1.6	8	0	2	0	0	0	0	0	0	1	0	0	0	3	0	0

One from Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 10.

WEEK ENDING SATURDAY, MARCH 8, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, March 8, 1902, was 820, being at the annual rate of 25·4 per thousand of estimated population. This rate is 2·4 above that for the corresponding week of last year, and 2·8 above that for the previous week of the present year.

The lowest rate of mortality occurred in Perth, viz., 15·6 per thousand; and the highest in Dundee, viz., 29·8 per thousand.

The seven principal Epidemic Diseases accounted for 69 deaths, being at the rate of 2·1 per thousand of population, or 0·2 below that for the preceding week. Of these deaths, 20 were due to Hooping-cough, 17 to Diarrhoea, 14 to Measles, and 2 (in Glasgow) to Small-pox.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 229, showing an increase of 19 over the number for the previous week.

The Mean Temperature was 45°·3, being 4°·8 above that for the week immediately preceding, and 4°·1 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 8, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Mar. 8, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	1003	820	250	59·0	30·0	45·3	0·36
GLASGOW, . . .	12,681	775,601	61·162	9·56	532	382	136	55·1	38·5	46·5	0·23
EDINBURGH, . .	11,416	322,966	28·291	14·06	165	167	43	52·4	38·1	45·2	0·03
DUNDEE, . . .	4,162	162,078	38·942	11·98	87	93	12	51·8	32·2	44·2	0·11
ABERDEEN, . .	6,795	157,505	23·180	15·53	90	72	25	54·2	32·0	43·9	0·33
PAISLEY, . . .	3,538	81,150	22·937	15·61	38	30	11	59·0	40·0	46·3	0·58
LEITH,	2,042	78,605	38·494	12·05	46	34	11	51·9	38·9	46·4	0·02
GREENOCK, . .	1,440	68,756	47·747	10·82	34	32	6	52·7	39·7	45·6	1·59
PERTH,	2,122	33,262	15·675	18·88	11	10	6	55·0	30·0	44·4	0·02
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	985	733	180	55·0	29·0	41·2	0·91

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, MARCH 8, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 8, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	25.4	2.1	820	152	225	2	14	7	7	20	2	17	1	229	40	189	48
GLASGOW, .	25.6	2.3	382	76	86	2	9	4	1	8	2	9	1	102	10	94	15
EDINBURGH,	26.9	1.6	167	24	50	0	1	1	0	3	0	5	0	43	*23	40	*27
DUNDEE, . .	29.8	2.6	93	17	29	0	3	0	2	2	0	1	0	32	2	17	1
ABERDEEN, .	23.8	2.3	72	15	20	0	0	0	1	5	0	1	0	18	1	12	2
PAISLEY, . .	19.2	1.3	30	8	9	0	0	1	0	1	0	0	0	12	0	9	1
LEITH, . . .	22.5	0.7	34	6	17	0	0	0	0	1	0	0	0	10	1	9	0
GREENOCK, .	24.2	3.8	32	5	10	0	1	1	2	0	0	1	0	9	3	5	2
PERTH, . . .	15.6	1.6	10	1	4	0	0	0	1	0	0	0	0	3	0	3	0

* Including 20 of crew of H.M.S. *Active*, lost off Granton.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 9, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	23.0	3.6	733	155	160	21	15	4	2	51	6	15	1	160	16	162	27
GLASGOW, .	24.9	4.2	366	78	70	*21	1	4	0	30	1	5	0	90	10	85	12
EDINBURGH,	22.1	3.9	135	22	40	0	9	0	1	10	3	1	0	26	1	40	9
DUNDEE, . .	24.2	4.2	75	20	16	0	0	0	1	6	0	6	0	17	1	11	0
ABERDEEN, .	17.5	1.0	52	15	12	0	2	0	0	0	0	1	0	10	0	9	1
PAISLEY, . .	25.4	3.9	39	8	12	0	0	0	0	3	2	1	0	9	1	6	3
LEITH, . . .	20.1	3.3	30	4	5	0	3	0	0	1	0	1	0	6	2	5	1
GREENOCK, .	20.6	0.8	27	7	3	0	0	0	0	1	0	0	1	1	1	3	1
PERTH, . . .	14.2	0.0	9	1	2	0	0	0	0	0	0	0	0	1	0	3	0

* One from Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 11.

WEEK ENDING SATURDAY, MARCH 15, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, March 15, 1902, was 763, being at the rate of 23·6 deaths per thousand persons of the estimated population per annum. This rate is 1·2 above that for the corresponding week of last year, but 1·8 below that for the previous week of the present year.

The highest rate of mortality was recorded in Greenock, viz., 34·0 per thousand; and the lowest in Paisley, viz., 17·3 per thousand.

From the seven principal Epidemic Diseases 85 deaths were registered, being at the rate of 2·6 per thousand of population, or 0·5 above that for last week. Of these deaths, Hooping-cough and Diarrhoea each accounted for 23, Measles for 14, and Small-pox for 7 (in Glasgow). During the preceding week 2 deaths from Small-pox were recorded in Glasgow.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 186, being 43 below the number for the previous week.

The Mean Temperature was 43°·8, being 1°·5 below that for the week immediately preceding, and 0°·4 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 15, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Mar. 15, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	1003	763	178	58·2	30·5	43·8	0·25
GLASGOW, . . .	12,681	775,601	61·162	9·56	488	337	77	55·8	38·3	46·6	0·25
EDINBURGH, . .	11,416	322,966	28·291	14·06	158	128	43	51·6	34·7	43·6	0·10
DUNDEE,	4,162	162,078	38·942	11·98	85	94	18	50·8	32·6	41·8	0·10
ABERDEEN, . .	6,795	157,505	23·180	15·53	111	84	23	52·4	32·0	41·6	0·31
PAISLEY, . . .	3,538	81,150	22·937	15·61	47	27	3	58·2	37·1	45·4	0·35
LEITH,	2,042	78,605	38·494	12·05	47	30	5	52·6	37·1	45·0	0·10
GREENOCK, . .	1,440	68,756	47·747	10·82	52	45	4	52·5	36·7	44·4	0·68
PERTH,	2,122	33,262	15·675	18·88	15	18	5	55·0	30·5	41·8	0·15
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	991	713	157	64·0	31·0	44·2	0·15

Week ending Saturday, MARCH 15, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 15, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Epi- demic/Zymotic/Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	23.6	2.6	76.3	121	217	7	14	8	6	23	4	23	3	186	28	186	13	1
GLASGOW, .	22.6	2.9	33.7	54	80	7	4	4	3	12	2	11	2	93	17	87	7	1
EDINBURGH,	20.6	1.3	12.8	23	47	0	0	2	1	1	1	3	1	24	6	41	4	0
DUNDEE, . .	30.2	3.5	94	16	24	0	5	0	0	1	1	4	0	30	1	17	0	0
ABERDEEN, .	27.7	2.6	84	11	32	0	0	0	0	7	0	1	0	17	2	12	2	0
PAISLEY, . .	17.3	0.6	27	1	9	0	0	0	1	0	0	0	0	9	0	11	0	0
LEITH, . . .	19.8	3.3	30	7	8	0	0	0	0	2	0	3	0	6	0	6	0	0
GREENOCK, .	34.0	5.3	45	6	13	0	4	2	0	0	0	1	0	3	2	6	0	0
PERTH, . . .	28.1	3.1	18	3	4	0	1	0	1	0	0	0	0	4	0	6	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 16, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Epi- demic/Zymotic/Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.4	3.1	71.3	148	181	24	10	5	7	40	6	6	5	166	20	174	26	4
GLASGOW, .	24.1	4.0	35.4	68	75	24	2	4	1	22	3	3	1	89	13	95	18	4
EDINBURGH,	24.7	3.3	15.1	29	43	0	5	1	6	7	0	1	2	33	4	38	3	0
DUNDEE, . .	21.9	2.3	6.8	21	14	0	0	0	0	5	1	1	0	17	1	14	0	0
ABERDEEN, .	18.2	1.0	54	17	18	0	2	0	0	0	0	1	2	10	0	12	1	0
PAISLEY, . .	21.5	1.3	33	2	15	0	0	0	0	2	0	0	0	8	0	6	0	0
LEITH, . . .	11.4	1.3	17	2	5	0	1	0	0	0	1	0	0	2	0	3	0	0
GREENOCK, .	21.3	3.8	28	8	8	0	0	0	0	4	1	0	0	3	1	4	4	0
PERTH, . . .	12.6	0.0	8	1	3	0	0	0	0	0	0	0	0	4	1	2	0	0

WEEKLY RETURN

OF,

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 12.

WEEK ENDING SATURDAY, MARCH 22, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, March 22, 1902, was 767, giving an annual mortality rate of 23·7 per thousand of the estimated population. This rate is 2·9 above that for the corresponding week of last year, and 0·1 above that for the previous week of the present year.

The lowest death-rate occurred in Perth, viz., 12·5 per thousand; and the highest in Paisley, viz., 26·3 per thousand.

From the seven principal Epidemic Diseases 83 deaths were registered, being at the rate of 2·6 per thousand of population, the same rate as recorded for the previous week. Of these deaths, 28 were due to Hooping-cough, 25 to Diarrhoea, and 11 to Measles. Six deaths from Small-pox were recorded in Glasgow, being one less than the number for the preceding week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 213, being 27 above the number for the previous week.

The Mean Temperature was 43°·7 being 0°·1 below that for the week immediately preceding, but 4°·0 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 22, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Mar. 22, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	1006	767	173	61·4	28·0	43·7	0·67
GLASGOW, . . .	12,681	775,601	61·162	9·56	492	363	82	55·8	33·8	45·5	0·52
EDINBURGH, . .	11,416	322,966	28·291	14·06	152	138	39	55·9	32·9	43·8	0·39
DUNDEE, . . .	4,162	162,078	38·942	11·98	84	78	7	57·3	32·6	42·7	0·32
ABERDEEN, . .	6,795	157,505	23·180	15·53	115	78	16	61·4	28·0	43·5	0·47
PAISLEY, . . .	3,538	81,150	22·937	15·61	54	41	8	55·0	34·0	43·9	0·97
LEITH,	2,042	78,605	38·494	12·05	42	37	9	56·7	35·0	44·7	0·47
GREENOCK, . .	1,440	68,756	47·747	10·82	51	24	9	52·0	33·0	42·6	1·82
PERTH,	2,122	33,262	15·675	18·88	16	8	3	57·0	31·0	43·2	0·43
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	993	663	164	50·0	31·0	39·7	0·12

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, MARCH 22, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 22, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic/Zymotic/Dis		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	23·7	2·6	767	151	181	6	11	5	4	28	4	25	4	213	26	184	30	3
GLASGOW, .	24·3	2·8	363	67	73	6	6	1	0	15	2	12	3	108	10	86	12	3
EDINBURGH,	22·2	1·1	138	27	40	0	0	0	2	4	0	1	0	29	9	40	9	0
DUNDEE, . .	25·0	3·8	78	16	19	0	2	0	2	3	0	5	1	29	2	13	0	0
ABERDEEN, .	25·8	2·6	78	24	19	0	0	0	0	4	0	4	0	20	2	14	2	0
PAISLEY, . .	26·3	3·2	41	7	7	0	1	0	0	2	1	1	0	9	0	15	5	0
LEITH, . . .	24·5	2·6	37	8	13	0	1	1	0	0	0	2	0	11	2	6	1	0
GREENOCK, .	18·2	3·8	24	2	5	0	1	3	0	0	1	0	0	6	1	7	1	0
PERTH, . . .	12·5	0·0	8	0	5	0	0	0	0	0	0	0	0	1	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 23, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include															
	From All Causes.	From Seven Epl. demic/Zymotic/Dis.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified causes.	
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	20·8	2·8	663	119	175	12	8	2	7	38	6	15	2	124	27	145	30	0	
GLASGOW, .	22·8	2·9	335	58	67	*12	0	2	3	18	3	5	1	69	16	76	17	0	
EDINBURGH,	20·1	3·1	123	15	36	0	5	0	3	6	3	2	0	17	5	33	5	0	
DUNDEE, . .	23·5	4·5	73	24	17	0	1	0	1	8	0	4	1	12	2	13	1	0	
ABERDEEN, .	17·5	1·0	52	9	25	0	0	0	0	0	0	3	0	12	0	11	2	0	
PAISLEY, . .	17·6	2·6	27	5	10	0	1	0	0	3	0	0	0	4	1	4	4	0	
LEITH, . . .	18·1	2·7	27	5	8	0	1	0	0	3	0	0	0	6	2	1	1	0	
GREENOCK, .	13·7	0·8	18	3	8	0	0	0	0	0	0	1	0	4	1	2	0	0	
PERTH, . . .	12·6	0·0	8	0	4	0	0	0	0	0	0	0	0	0	0	5	0	0	

* One caused by Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 13. WEEK ENDING SATURDAY, MARCH 29, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, March 29, 1902, was 655, being at the annual rate of 20·3 per thousand of the estimated population. This rate is 1·0 below that for the corresponding week of last year, and 3·4 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Edinburgh, viz., 12·1 per thousand; and the highest in Aberdeen, viz., 28·4 per thousand.

From the seven most familiar Epidemic Diseases 59 deaths were registered, being at the rate of 1·8 per thousand of population, or 0·8 below that for last week. Of these deaths, 22 were due to Diarrhoea, 14 to Measles (of which 12 occurred in Glasgow), and 13 to Hooping-cough.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 173, being 40 below the number for the previous week.

The Mean Temperature was 39°·6, being 4·1 below that for the week immediately preceding, but 5·8 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, March 29, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Mar. 29, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	989	655	175	54·2	22·0	39·6	0·39
GLASGOW, . . .	12,681	775,601	61·162	9·56	487	330	85	50·7	31·8	44·2	0·25
EDINBURGH, . .	11,416	322,966	28·291	14·06	145	75	35	48·7	28·8	38·7	0·28
DUNDEE, . . .	4,162	162,078	38·942	11·98	95	61	7	46·1	27·0	37·6	0·48
ABERDEEN, . .	6,795	157,505	23·180	15·53	109	86	20	50·0	28·0	38·9	0·28
PAISLEY, . . .	3,538	81,150	22·937	15·61	43	28	12	54·2	28·0	41·3	0·48
LEITH,	2,042	78,605	38·494	12·05	47	39	4	50·4	30·1	40·3	0·30
GREENOCK, . .	1,440	68,756	47·747	10·82	43	27	8	47·5	22·0	38·2	0·86
PERTH,	2,122	33,262	15·675	18·88	20	9	4	49·0	24·0	38·0	0·22
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	945	678	163	49·0	12·0	33·8	0·48

Week ending Saturday, MARCH 29, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 29, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Epidemic(Zymotic)Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	20.3	1.8	655	109	189	0	14	3	6	13	1	22	0	173	13	155	22
GLASGOW, .	22.1	2.3	330	62	70	0	12	2	4	6	0	11	0	96	9	75	15
EDINBURGH,	12.1	0.2	75	6	39	0	0	0	0	0	0	1	0	17	1	18	4
DUNDEE, . .	19.6	1.6	61	9	21	0	1	0	1	0	1	2	0	20	0	15	0
ABERDEEN, .	28.4	1.7	86	12	34	0	0	0	0	4	0	1	0	19	1	21	1
PAISLEY, . .	17.9	3.2	28	7	8	0	0	1	0	1	0	3	0	7	0	9	1
LEITH, . . .	25.8	2.6	39	8	8	0	0	0	0	2	0	2	0	7	1	8	0
GREENOCK, .	20.4	3.0	27	4	6	0	1	0	1	0	0	2	0	7	0	4	1
PERTH, . . .	14.1	0.0	9	1	3	0	0	0	0	0	0	0	0	0	1	5	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, March 30, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.
	From All Causes.	From Seven Epidemic(Zymotic)Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.		
In Eight Towns,	21.3	3.0	678	122	165	11	17	4	6	36	4	16	3	124	26	152	27
GLASGOW, .	22.5	3.1	331	59	63	* 11	5	3	2	14	2	8	2	74	13	84	12
EDINBURGH,	23.4	2.9	143	21	46	0	8	0	2	5	1	2	1	24	6	27	10
DUNDEE, . .	19.0	3.2	59	12	14	0	0	0	0	8	0	2	0	11	3	11	1
ABERDEEN, .	17.5	1.7	52	9	22	0	3	0	0	0	0	2	0	7	1	11	1
PAISLEY, . .	20.9	5.9	32	9	6	0	0	1	1	5	0	2	0	1	0	9	1
LEITH, . . .	20.1	3.3	30	7	5	0	1	0	1	3	0	0	0	2	2	6	0
GREENOCK, .	16.8	1.5	22	5	6	0	0	0	0	1	1	0	0	4	0	1	2
PERTH, . . .	14.2	0.0	9	0	3	0	0	0	0	0	0	0	0	1	1	3	0

* One caused by Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 14.

WEEK ENDING SATURDAY, APRIL 5, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, April 5, 1902, was 687, being at the annual rate of 21·3 per thousand of the estimated population. This rate is 2·5 below that for the corresponding week of last year, but 1·0 above that for the previous week of the present year.

The death-rate for the week was lowest in Paisley, viz., 16·0 per thousand; and highest in Greenock, viz., 26·5 per thousand.

From the seven principal Epidemic Diseases 59 deaths were registered, giving a rate of 1·8 per thousand of population, the same as that for the previous week. Of these deaths, 15 were due to Diarrhœa, 14 to Hooping-cough, and 11 to Measles. Two deaths from Small-pox were recorded in Glasgow.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 159, being 14 below the number for the previous week.

The Mean Temperature was 41°·6, being 2°·0 above that for the week immediately preceding, and 1°·3 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 5, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending April 5, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	1095	687	338	54·0	25·0	41·6	0·31
GLASGOW, . . .	12,681	775,601	61·162	9·56	552	326	173	53·8	32·8	43·0	0·19
EDINBURGH, . .	11,416	322,966	28·291	14·06	183	122	83	51·6	29·9	40·4	0·37
DUNDEE, . . .	4,162	162,078	38·942	11·98	81	73	31	52·0	29·5	41·5	0·12
ABERDEEN, . .	6,795	157,505	23·180	15·53	107	60	18	52·0	28·0	40·5	0·14
PAISLEY, . . .	3,538	81,150	22·937	15·61	67	25	8	53·2	32·5	42·9	0·35
LEITH,	2,042	78,605	38·494	12·05	49	35	6	52·5	33·1	42·6	0·33
GREENOCK, . .	1,440	68,756	47·747	10·82	37	35	13	49·0	32·0	41·0	0·78
PERTH,	2,122	33,262	15·675	18·88	19	11	6	54·0	25·0	40·8	0·20
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	899	757	245	54·0	25·5	40·3	1·20

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & Boyd, Edinburgh.

Week ending Saturday, APRIL 5, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 5, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic (Zymotic) Dis		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.3	1.8	687	124	197	2	11	8	5	14	4	15	1	159	30	162	29	5
GLASGOW, .	21.9	2.1	326	54	78	2	5	3	3	7	2	9	1	82	19	87	15	4
EDINBURGH,	19.6	0.8	122	21	43	0	0	0	1	2	1	1	0	25	4	28	8	0
DUNDEE, . .	23.4	3.2	73	15	21	0	5	1	1	0	0	3	0	17	2	11	1	0
ABERDEEN, .	19.8	1.3	60	14	27	0	0	0	0	2	0	2	0	14	0	10	1	1
PAISLEY, . .	16.0	0.6	25	5	4	0	0	0	0	1	0	0	0	4	1	5	2	0
LEITH, . . .	23.1	0.7	35	8	12	0	0	0	0	1	0	0	0	8	1	7	1	0
GREENOCK, .	26.5	5.3	35	6	7	0	1	4	0	1	1	0	0	8	3	11	1	0
PERTH, . . .	17.2	0.0	11	1	5	0	0	0	0	0	0	0	0	1	0	3	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 6, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic (Zymotic) Dis.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified causes.
In Eight Towns,	23.8	3.2	757	151	178	6	16	2	8	57	6	8	2	148	21	156	44	5
GLASGOW, .	25.1	3.7	369	74	79	*6	2	1	5	31	4	5	0	82	10	75	20	4
EDINBURGH,	20.3	4.3	124	24	25	0	8	1	3	13	0	1	0	16	2	30	18	0
DUNDEE, . .	27.4	3.2	85	19	26	0	0	0	0	10	0	0	0	14	3	11	0	1
ABERDEEN, .	24.3	0.7	72	15	14	0	1	0	0	0	0	1	1	17	2	20	0	0
PAISLEY, . .	28.0	2.0	43	11	12	0	1	0	0	1	0	1	0	10	0	8	5	0
LEITH, . . .	13.4	2.7	20	3	5	0	3	0	0	1	0	0	1	2	1	3	0	0
GREENOCK, .	23.6	3.0	31	5	9	0	1	0	0	1	2	0	0	5	2	6	1	0
PERTH, . . .	20.5	0.0	13	0	8	0	0	0	0	0	0	0	0	2	1	3	0	0

* One caused by Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 15. WEEK ENDING SATURDAY, APRIL 12, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, April 12, 1902, was 715, giving an annual mortality rate of 22·1 per thousand of the estimated population. This rate is 0·7 below that for the corresponding week of last year, but 0·8 above that for the previous week of the present year.

The lowest rate of mortality occurred in Leith, viz., 13·9 per thousand; and the highest in Greenock, viz., 26·5 per thousand.

From the seven principal Epidemic Diseases 56 deaths were registered, being at the rate of 1·7 per thousand of population, or 0·1 below that for last week. Hooping-cough was the most fatal of these diseases, having caused 21 deaths, of which 8 occurred in Aberdeen. Measles caused 10 deaths, Scarlet Fever and Diarrhœa each 8, and Small-pox in Glasgow, 2, being the same number as for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 187, being 28 above the number for the previous week.

The total deaths from Violence during the week were 52, of which 35 occurred in Glasgow, many of these resulting from the accident at the football match on the 5th instant at Ibrox Football Field.

The Mean Temperature was 40°·3, being 1°·3 below that for the week immediately preceding, and 3°·3 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 12, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending April 12, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	1030	715	204	55·4	24·0	40·3	0·39
GLASGOW, . . .	12,681	775,601	61·162	9·56	513	338	88	55·4	30·0	44·0	0·02
EDINBURGH, . .	11,416	322,966	28·291	14·06	155	125	48	50·2	32·1	36·3	0·11
DUNDEE, . . .	4,162	162,078	38·942	11·98	99	67	27	53·8	27·2	39·7	0·69
ABERDEEN, . .	6,795	157,505	23·180	15·53	103	76	12	55·0	28·0	40·5	0·81
PAISLEY, . . .	3,538	81,150	22·937	15·61	46	37	11	54·2	29·0	42·0	0·15
LEITH,	2,042	78,605	38·494	12·05	53	21	7	51·7	34·1	41·4	0·35
GREENOCK, . .	1,440	68,756	47·747	10·82	44	35	8
PERTH,	2,122	33,262	15·675	18·88	17	16	3	55·0	24·0	38·5	0·61
Corresponding Week of 1901. — Eight Towns.	43,378	1,656,648	38·191	12·10	1012	726	320	58·9	29·0	43·6	0·77

Week ending Saturday, APRIL 12, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 12, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic/Zymotic/Dia.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.1	1.7	715	116	202	2	10	8	2	21	5	8	1	187	52	177	34	2
GLASGOW, .	22.7	1.6	338	53	80	2	4	4	2	7	3	2	1	80	35	93	18	1
EDINBURGH,	20.1	1.4	125	15	45	0	3	1	0	2	1	2	0	32	7	29	7	0
DUNDEE, . .	21.5	1.6	67	10	21	0	2	0	0	2	0	1	0	20	5	16	0	0
ABERDEEN, .	25.1	2.6	76	17	23	0	0	0	0	8	0	0	0	16	2	16	3	1
PAISLEY, . .	23.7	0.0	37	6	13	0	0	0	0	0	0	0	0	14	0	7	4	0
LEITH, . . .	13.9	2.6	21	6	4	0	0	0	0	0	1	3	0	5	1	3	0	0
GREENOCK, .	26.5	3.8	35	7	11	0	1	3	0	1	0	0	0	13	2	6	2	0
PERTH, . . .	25.0	1.6	16	2	5	0	0	0	0	1	0	0	0	7	0	7	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 13, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic/Zymotic/Dia.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.8	3.0	726	148	168	6	17	3	4	51	1	13	1	154	36	172	32	7
GLASGOW, .	23.8	3.2	350	74	66	6	3	1	4	27	0	6	1	81	18	89	25	7
EDINBURGH,	23.2	3.8	142	19	35	0	10	2	0	10	1	0	0	18	8	38	7	0
DUNDEE, . .	23.5	2.6	73	16	22	0	0	0	0	6	0	2	0	24	0	14	0	0
ABERDEEN, .	22.6	1.7	67	21	18	0	1	0	0	0	0	4	0	12	3	12	0	0
PAISLEY, . .	18.9	3.3	29	9	7	0	1	0	0	4	0	0	0	8	3	4	0	0
LEITH, . . .	19.4	3.3	29	6	7	0	2	0	0	2	0	1	0	7	0	8	0	0
GREENOCK, .	19.8	1.5	26	2	8	0	0	0	0	2	0	0	0	3	4	3	0	0
PERTH, . . .	15.8	0.0	10	1	5	0	0	0	0	0	0	0	0	1	0	4	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 16. WEEK ENDING SATURDAY, APRIL 19, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, April 19, 1902, was 795, being at the annual rate of 24·6 per thousand of the estimated population. This rate is 1·9 above that for the corresponding week of last year, and 2·5 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Paisley, viz., 19·9 per thousand; and the highest in Greenock, viz., 34·0 per thousand.

From the seven principal Epidemic Diseases 63 deaths were registered, being at the rate of 2·0 per thousand of population, or 0·3 above that for last week. Of these deaths 21 were due to Hooping-cough, of which 8 occurred in Aberdeen; 18 to Measles, of which 6 occurred in Glasgow, 5 in Edinburgh, and 4 in Perth; 7 to Diphtheria, of which 2 occurred in Leith; and 1 from Small-pox, in Glasgow.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 197, being 10 above the number for the previous week.

The Mean Temperature was 45°·9, being 5°·6 above that for the week immediately preceding, and 0°·4 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 19, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending April 19, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	1086	795	252	60·6	24·0	45·9	0·39
GLASGOW, . . .	12,681	775,601	61·162	9·56	582	384	96	59·5	35·0	48·8	0·10
EDINBURGH, . .	11,416	322,966	28·291	14·06	201	140	50	58·3	34·6	46·0	0·36
DUNDEE, . . .	4,162	162,078	38·942	11·98	67	66	68	59·3	33·0	45·3	0·39
ABERDEEN, . .	6,795	157,505	23·180	15·53	92	77	8	59·4	32·8	45·2	0·98
PAISLEY, . . .	3,538	81,150	22·937	15·61	48	31	12	60·5	33·2	46·7	0·12
LEITH,	2,042	78,605	38·494	12·05	45	32	5	60·6	35·4	47·2	0·39
GREENOCK, . .	1,440	68,756	47·747	10·82	37	45	10	57·1	24·0	43·9	0·33
PERTH,	2,122	33,262	15·675	18·88	14	20	3	60·0	29·0	43·9	0·42
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	1010	722	199	67·8	27·0	45·5	0·32

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, APRIL 19, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 19, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epidemic/Zymotic/Dis.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	24.6	2.0	795	153	214	1	18	2	7	21	4	10	2	197	16	169	18	2		
GLASGOW, .	25.7	1.8	384	73	96	1	6	0	3	7	4	6	1	105	11	84	9	0		
EDINBURGH,	22.5	1.6	140	27	43	0	5	1	1	2	0	1	0	30	0	37	5	0		
DUNDEE, . .	21.2	1.0	66	6	24	0	1	0	0	1	0	1	0	20	1	21	0	0		
ABERDEEN, .	25.4	3.0	77	18	18	0	0	0	0	8	0	1	0	14	1	14	2	1		
PAISLEY, . .	19.9	1.3	31	7	8	0	1	0	0	1	0	0	0	5	0	2	1	1		
LEITH, . . .	21.2	2.0	32	8	8	0	0	0	2	1	0	0	0	6	2	3	1	0		
GREENOCK, .	34.0	2.3	45	8	12	0	1	1	1	0	0	0	1	14	1	5	0	0		
PERTH, . . .	31.2	9.4	20	6	5	0	4	0	0	1	0	1	0	3	0	3	0	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 20, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epi- demic (Zymotic) Dis-		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unsuspected Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.					
In Eight Towns,	22.7	3.7	722	134	184	10	21	2	1	56	4	23	1	129	25	171	34	3		
GLASGOW, .	21.8	4.5	320	61	64	10	2	2	1	37	2	12	1	49	12	70	11	2		
EDINBURGH,	22.9	4.6	140	24	44	0	8	0	0	14	1	5	0	28	5	43	16	0		
DUNDEE, . .	29.6	3.5	92	22	22	0	5	0	0	2	0	4	0	29	1	24	0	0		
ABERDEEN, .	19.5	0.7	58	7	21	0	1	0	0	0	0	1	0	8	1	13	0	0		
PAISLEY, . .	21.5	2.6	33	6	12	0	1	0	0	2	0	1	0	5	1	8	3	0		
LEITH, . . .	24.8	4.0	37	4	8	0	4	0	0	1	1	0	0	5	4	7	1	1		
GREENOCK, .	23.6	0.0	31	6	10	0	0	0	0	0	0	0	0	4	1	3	2	0		
PERTH, . . .	17.4	0.0	11	4	3	0	0	0	0	0	0	0	0	1	0	3	1	0		

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 17. WEEK ENDING SATURDAY, APRIL 26, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, April 26, 1902, was 682, being at the annual rate of 21·1 per thousand of the estimated population. This rate is 1·4 below that for the corresponding week of last year, and 3·5 below that for the previous week of the present year.

The lowest rate of mortality occurred in Perth, viz., 17·2 per thousand; and the highest in Greenock, viz., 23·4 per thousand.

From the seven principal Epidemic Diseases 70 deaths were registered, being at the rate of 2·2 per thousand of population, or 0·2 above that for last week. Of these deaths 29 were due to Hooping-cough, of which 10 occurred in Aberdeen; 13 to Measles, of which 4 occurred in Dundee, 3 in Paisley, and 3 in Perth; 4 to Diphtheria, all of which occurred in Glasgow; and 1 to Small-pox, in Glasgow, being the same number as for the previous week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 160, being 37 below the number for the previous week.

The Mean Temperature was 50°·2, being 4°·3 above that for the week immediately preceding, but 1°·0 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, April 26, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending April 26, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	1010	682	247	63·0	35·0	50·2	0·53
GLASGOW, . . .	12,681	775,601	61·162	9·56	509	338	122	62·0	40·0	51·8	0·10
EDINBURGH, . .	11,416	322,966	28·291	14·06	151	115	59	58·4	38·6	49·4	0·20
DUNDEE, . . .	4,162	162,078	38·942	11·98	102	69	19	60·8	36·7	48·9	0·51
ABERDEEN, . .	6,795	157,505	23·180	15·53	89	55	14	63·0	35·4	48·1	0·66
PAISLEY, . . .	3,538	81,150	22·937	15·61	52	32	14	62·0	42·0	51·9	0·37
LEITH,	2,042	78,605	38·494	12·05	52	31	7	61·8	40·9	51·2	0·22
GREENOCK, . .	1,440	68,756	47·747	10·82	37	31	8	58·2	40·1	50·5	1·54
PERTH,	2,122	33,262	15·675	18·88	18	11	4	61·0	35·0	49·9	0·63
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	995	717	261	76·0	30·0	51·2	0·08

Week ending Saturday, APRIL 26, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 26, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic(Zymotic)Dis.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.1	2.2	682	127	154	1	13	5	4	29	1	17	1	160	18	163	18	7
GLASGOW, .	22.7	2.1	338	59	62	1	2	3	4	12	1	9	1	87	8	80	10	6
EDINBURGH,	18.5	0.3	115	21	33	0	0	1	0	1	0	0	0	21	2	32	4	1
DUNDEE, . .	22.1	3.8	69	13	23	0	4	0	0	4	0	4	0	14	3	12	1	0
ABERDEEN, .	18.2	4.3	55	14	11	0	0	1	0	10	0	2	0	13	3	16	3	0
PAISLEY, . .	20.5	1.9	32	6	10	0	3	0	0	0	0	0	0	6	0	9	0	0
LEITH, . . .	20.5	1.3	31	9	7	0	0	0	0	1	0	1	0	12	0	6	0	0
GREENOCK, .	23.4	1.5	31	5	4	0	1	0	0	0	0	1	0	6	1	3	0	0
PERTH, . . .	17.2	6.2	11	0	4	0	3	0	0	1	0	0	0	1	1	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, April 27, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epl- demic/Zymotic/Dis		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.					
In Eight Towns,	22.5	3.8	717	150	158	3	25	8	4	62	5	13	1	168	18	152	36	5		
GLASGOW, .	23.3	4.1	343	78	61	3	7	4	2	34	3	7	1	85	10	78	23	4		
EDINBURGH,	23.9	4.3	146	28	33	0	6	1	1	18	0	0	0	22	2	34	8	0		
DUNDEE, . .	19.7	2.6	61	15	16	0	0	0	0	5	0	3	0	20	2	10	0	0		
ABERDEEN, .	21.2	1.0	63	11	25	0	0	1	0	0	0	2	0	15	1	14	3	0		
PAISLEY, . .	22.2	7.2	34	6	5	0	3	1	1	4	1	1	0	12	0	6	0	0		
LEITH, . . .	24.1	6.0	36	8	9	0	7	1	0	1	0	0	0	7	3	3	1	1		
GREENOCK, .	20.6	2.3	27	3	7	0	2	0	0	0	1	0	0	6	0	6	1	0		
PERTH, . . .	11.0	0.0	7	1	2	0	0	0	0	0	0	0	0	1	0	1	0	0		

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 18. WEEK ENDING SATURDAY, MAY 3, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, May 3, 1902, was 612, being at the annual rate of 18·9 per thousand of the estimated population. This rate is 2·0 below that for the corresponding week of last year, and 2·2 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Edinburgh and Aberdeen, viz., 15·8 per thousand ; and the highest in Greenock, viz., 23·4 per thousand.

From the seven principal Epidemic Diseases 78 deaths were registered, being at the rate of 2·4 per thousand of population, or 0·2 above that for last week. Of these deaths 28 were due to Hooping-cough, of which 16 occurred in Glasgow and 6 in Aberdeen ; 23 to Diarrhœa ; 15 to Measles, of which 5 occurred in Edinburgh and the same number in Dundee ; 4 to Diphtheria, and 1 to Smallpox, in Glasgow, being the same number as for the preceding week.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 137, being 23 below the number for the previous week.

The Mean Temperature was 45°·3, being 4°·9 below that for the week immediately preceding, and also 4°·9 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 3, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending May 3, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	1042	612	402	61·0	30·0	45·3	0·31
GLASGOW, . . .	12,681	775,601	61·162	9·56	530	307	235	56·2	34·2	45·5	0·23
EDINBURGH, . .	11,416	322,966	28·291	14·06	174	98	73	56·0	36·6	44·5	0·16
DUNDEE, . . .	4,162	162,078	38·942	11·98	86	59	27	61·0	34·0	45·0	0·28
ABERDEEN, . .	6,795	157,505	23·180	15·53	94	48	20	59·2	33·5	45·1	0·87
PAISLEY, . . .	3,538	81,150	22·937	15·61	49	33	20	58·2	34·1	46·5	0·21
LEITH,	2,042	78,605	38·494	12·05	39	25	15	58·2	38·6	46·9	0·20
GREENOCK, . .	1,440	68,756	47·747	10·82	59	31	11	54·0	36·2	45·5	0·32
PERTH,	2,122	33,262	15·675	18·88	11	11	1	61·0	30·0	43·7	0·19
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	1016	666	375	73·6	33·0	50·2	0·14

EDINBURGH : Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, MAY 3, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 3, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epl- demic/Zymotic/Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18·9	2·4	612	111	149	1	15	2	4	28	5	23	1	137	25	134	25	1
GLASGOW, .	20·6	2·7	307	61	63	1	4	0	2	16	3	14	0	76	10	69	14	1
EDINBURGH,	15·8	1·6	98	15	29	0	5	1	0	3	0	1	0	21	5	25	4	0
DUNDEE, . .	18·9	3·2	59	8	13	0	5	0	0	2	0	3	0	11	3	9	0	0
ABERDEEN, .	15·8	2·3	48	6	17	0	0	0	0	6	0	1	1	8	1	14	1	0
PAISLEY, . .	21·1	0·6	33	5	13	0	0	0	0	1	0	0	0	11	1	7	1	0
LEITH, . . .	16·5	1·3	25	7	7	0	0	0	1	0	0	1	0	6	0	3	2	0
GREENOCK, .	23·4	3·8	31	7	3	0	0	1	0	0	2	2	0	4	4	6	3	0
PERTH, . . .	17·2	4·7	11	2	4	0	1	0	1	0	0	1	0	0	1	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 4, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Epidemic (Zymotic) Diseases.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	20·9	2·6	666	127	140	3	17	8	2	39	2	12	3	122	28	137	40	6	
GLASGOW, .	19·7	2·4	290	50	57	3	6	6	0	16	0	4	1	50	12	64	13	4	
EDINBURGH,	22·7	4·1	139	28	28	0	4	1	1	15	1	3	0	25	7	31	18	0	
DUNDEE, . .	25·1	2·9	78	15	15	0	0	0	0	8	0	1	1	24	4	17	3	1	
ABERDEEN, .	18·5	1·3	55	15	16	0	1	0	0	0	1	2	0	10	2	6	4	0	
PAISLEY, . .	22·2	2·0	34	2	10	0	2	1	0	0	0	0	0	2	0	7	0	0	
LEITH, . . .	19·4	4·0	29	10	3	0	4	0	0	0	0	2	1	7	3	6	2	1	
GREENOCK, .	22·1	0·8	29	4	5	0	0	0	1	0	0	0	0	2	0	4	0	0	
PERTH, . . .	18·9	0·0	12	3	6	0	0	0	0	0	0	0	0	2	0	2	0	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 19.

WEEK ENDING SATURDAY, MAY 10, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, May 10, 1902, was 586, being at the annual rate of 18·1 per thousand of the estimated population. This rate is 0·9 below that for the corresponding week of last year, and 0·8 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 9·9 per thousand; and the highest in Paisley, viz., 21·1 per thousand.

From the seven principal Epidemic Diseases 46 deaths were recorded, being at the rate of 1·4 per thousand of population, or 1·0 below that for last week. Of these deaths 16 were due to Hooping-cough, of which 8 occurred in Glasgow and 5 in Aberdeen; 13 to Diarrhœa; 9 to Measles; and 4 to Scarlet Fever.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 112, being 25 below the number for the previous week.

The Mean Temperature was 43°·6, being 1°·7 below that for the week immediately preceding, and 4°·2 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 10, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending May 10, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	1009	586	102	61·0	28·0	43·6	0·33
GLASGOW, . . .	12,681	775,601	61·162	9·56	517	290	51	57·5	29·0	44·7	0·04
EDINBURGH, . .	11,416	322,966	28·291	14·06	160	105	26	50·7	33·3	41·5	0·37
DUNDEE, . . .	4,162	162,078	38·942	11·98	95	54	7	54·0	32·2	42·6	0·85
ABERDEEN, . .	6,795	157,505	23·180	15·53	92	52	7	52·0	34·0	42·7	0·60
PAISLEY, . . .	3,538	81,150	22·937	15·61	50	33	1	61·0	31·5	46·1	0·14
LEITH,	2,042	78,605	38·494	12·05	45	15	3	53·7	36·0	44·7	0·34
GREENOCK, . .	1,440	68,756	47·747	10·82	43	24	5	55·5	33·7	44·2	0·17
PERTH,	2,122	33,262	15·675	18·88	7	13	2	57·0	28·0	42·4	0·12
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	1033	606	96	67·5	33·0	47·8	0·63

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, MAY 10, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 10, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic (Zymotic) Dis.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	18.1	1.4	586	124	130	0	9	4	3	16	1	13	1	112	25	145	20	1
GLASGOW, .	19.4	1.5	290	63	55	0	3	2	3	8	0	6	0	63	17	68	11	1
EDINBURGH,	16.9	1.3	105	17	27	0	1	1	0	2	0	4	0	20	3	33	5	0
DUNDEE, . .	17.3	0.6	54	9	9	0	2	0	0	0	0	0	1	6	2	5	1	0
ABERDEEN, .	17.2	2.3	52	16	17	0	0	0	0	5	0	2	0	9	2	13	0	0
PAISLEY, . .	21.1	1.9	33	7	8	0	2	0	0	0	1	0	0	4	1	12	2	0
LEITH, . . .	9.9	0.0	15	2	5	0	0	0	0	0	0	0	0	5	0	3	0	0
GREENOCK, .	18.2	1.5	24	9	6	0	1	1	0	0	0	0	0	4	0	6	1	0
PERTH, . . .	20.3	3.1	13	1	3	0	0	0	0	1	0	1	0	1	0	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 11, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic(Zymotic)Dis		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	19.0	3.1	606	117	143	1	17	8	4	49	0	20	2	114	13	122	26	2
GLASGOW, .	19.0	2.7	279	55	49	1	5	2	1	21	0	9	0	55	7	49	7	2
EDINBURGH,	20.8	4.3	127	21	36	0	6	2	1	16	0	1	1	21	4	33	14	0
DUNDEE, . .	23.8	4.5	74	17	19	0	0	3	0	6	0	5	0	14	0	16	0	0
ABERDEEN, .	11.5	0.7	34	8	13	0	0	0	1	0	0	1	1	5	1	5	0	0
PAISLEY, . .	21.5	3.3	33	6	12	0	0	0	1	2	0	2	0	6	0	8	2	0
LEITH, . . .	16.7	6.7	25	5	3	0	6	0	0	3	0	1	0	4	0	3	0	0
GREENOCK, .	19.0	1.5	25	3	7	0	0	1	0	1	0	0	0	6	1	6	3	0
PERTH, . . .	14.2	1.6	9	2	4	0	0	0	0	0	0	1	0	3	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 20.

WEEK ENDING SATURDAY, MAY 17, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, May 17, 1902, was 628, being at the annual rate of 19·4 per thousand of the estimated population. This rate is 0·5 below that for the corresponding week of last year, but 1·3 above that for the previous week of the present year.

The lowest death-rate occurred in Leith, viz., 11·2 per thousand; and the highest in Perth, viz., 25·0 per thousand.

From the seven principal Epidemic Diseases 74 deaths were registered, being at the rate of 2·3 per thousand of population, or 0·9 above that for last week. Of these deaths 25 were due to Hooping-cough, of which 10 occurred in Glasgow, 5 in Edinburgh, and 7 in Aberdeen; 21 to Measles, of which 6 occurred in Edinburgh, 5 in Paisley, and 3 in Perth; and 19 to Diarrhoea.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 112, being the same number as for the previous week.

The Mean Temperature was 44°·0, being 0°·4 above that for the week immediately preceding, but 7°·9 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 17, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending May 17, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	990	628	75	60·1	30·5	44·0	0·66
GLASGOW, . . .	12,681	775,601	61·162	9·56	472	322	36	57·0	34·8	45·0	0·43
EDINBURGH, . .	11,416	322,966	28·291	14·06	176	95	17	51·0	32·9	42·7	0·41
DUNDEE, . . .	4,162	162,078	38·942	11·98	102	56	8	53·8	32·2	42·9	0·67
ABERDEEN, . .	6,795	157,505	23·180	15·53	91	63	5	51·0	33·6	42·4	1·07
PAISLEY, . . .	3,538	81,150	22·937	15·61	47	33	2	60·1	34·9	46·6	0·83
LEITH,	2,042	78,605	38·494	12·05	44	17	2	52·8	35·9	45·1	0·52
GREENOCK, . .	1,440	68,756	47·747	10·82	42	26	3	55·0	34·0	43·8	0·76
PERTH,	2,122	33,262	15·675	18·88	16	16	2	55·0	30·5	43·6	0·62
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	997	633	84	76·0	32·9	51·9	0·00

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, MAY 17, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 17, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.4	2.3	628	107	157	0	21	1	4	25	4	19	2	112	24	154	15
GLASGOW, .	21.6	2.1	322	54	66	0	4	1	4	10	2	11	2	58	12	87	10
EDINBURGH,	15.3	2.3	95	15	29	0	6	0	0	5	0	3	0	10	7	26	3
DUNDEE, . .	18.0	1.3	56	15	17	0	1	0	0	0	0	3	0	12	1	11	0
ABERDEEN, .	20.8	3.0	63	9	18	0	0	0	0	7	1	1	0	16	0	15	0
PAISLEY, . .	21.1	4.5	33	4	10	0	5	0	0	1	1	0	0	6	1	6	1
LEITH, . . .	11.2	0.7	17	4	5	0	0	0	0	1	0	0	0	3	2	3	0
GREENOCK, .	19.7	2.3	26	3	8	0	2	0	0	0	0	1	0	5	1	3	1
PERTH, . . .	25.0	6.2	16	3	4	0	3	0	0	1	0	0	0	2	0	3	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 18, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.9	2.8	633	129	132	3	15	2	6	41	4	18	0	101	29	136	28
GLASGOW, .	20.9	3.2	307	73	49	3	9	1	4	18	2	10	0	53	15	71	13
EDINBURGH,	19.0	3.9	116	15	31	0	4	0	1	14	1	4	0	10	5	36	9
DUNDEE, . .	16.8	2.9	52	7	18	0	1	0	1	5	0	2	0	11	0	7	0
ABERDEEN, .	20.6	1.0	61	16	14	0	1	0	0	1	0	1	0	7	6	10	0
PAISLEY, . .	18.9	2.0	29	7	8	0	0	0	0	1	1	1	0	5	0	6	2
LEITH, . . .	19.4	1.3	29	6	6	0	0	0	0	2	0	0	0	8	2	4	1
GREENOCK, .	19.0	0.0	25	3	3	0	0	0	0	0	0	0	0	3	1	0	3
PERTH, . . .	22.1	1.6	14	2	3	0	0	1	0	0	0	0	0	4	0	2	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 21.

WEEK ENDING SATURDAY, MAY 24, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, May 24, 1902, was 656, being at the annual rate of 20·3 per thousand of the estimated population. This rate is 0·4 below that for the corresponding week of last year, but 0·9 above that for the previous week of the present year.

The lowest death-rate occurred in Leith, viz., 9·3 per thousand; and the highest in Glasgow, viz., 22·5 per thousand.

From the seven most familiar Epidemic Diseases 55 deaths were registered, being at the rate of 1·7 per thousand of population, or 0·6 below that for last week. Of these deaths 16 were due to Measles, of which 5 occurred in Edinburgh, and 3 each in Dundee, Paisley, and Perth; 14 to Hooping-cough; 14 to Diarrhœa; and 1 to Small-pox in Glasgow, there having been none for the two preceding weeks.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 155, being 43 above the number for the previous week.

The Mean Temperature was 49°·0, being 5°·0 above that for the week immediately preceding, but 5°·7 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 24, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending May 24, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	980	656	104	78·0	31·0	49·0	0·35
GLASGOW, . . .	12,681	775,601	61·162	9·56	455	336	50	61·8	33·2	49·3	0·23
EDINBURGH, . .	11,416	322,966	28·291	14·06	165	128	16	63·1	34·9	47·9	0·53
DUNDEE, . . .	4,162	162,078	38·942	11·98	98	63	13	73·6	35·6	49·5	0·20
ABERDEEN, . .	6,795	157,505	23·180	15·53	94	49	15	78·0	38·0	49·9	0·36
PAISLEY, . . .	3,538	81,150	22·937	15·61	69	35	1	65·5	34·2	49·4	0·34
LEITH,	2,042	78,605	38·494	12·05	38	14	3	65·8	38·1	50·3	0·60
GREENOCK, . .	1,440	68,756	47·747	10·82	45	22	5	58·0	36·0	47·1	0·25
PERTH,	2,122	33,262	15·675	18·88	16	9	1	72·0	31·0	48·8	0·29
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	899	659	88	75·1	35·0	54·7	0·00

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, MAY 24, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 24, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
				Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
	From All Causes.	From Seven Epl. demic (Zymotic) Dis.				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.			
In Eight Towns,	20·3	1·7	656	139	181	1	16	6	1	14	3	14	1	155	19	151	21	3
GLASGOW, .	22·5	1·3	336	59	94	1	2	3	0	5	1	7	1	88	11	76	7	3
EDINBURGH,	20·6	1·1	128	23	40	0	5	0	0	0	1	1	0	26	2	38	10	0
DUNDEE, . .	20·2	2·6	63	23	18	0	3	1	1	2	1	0	0	15	2	11	2	0
ABERDEEN, .	16·2	2·6	49	17	10	0	0	0	0	5	0	3	0	6	2	11	0	0
PAISLEY, . .	22·4	1·9	35	4	11	0	3	0	0	0	0	0	0	10	0	9	2	0
LEITH, . . .	9·3	0·0	14	3	5	0	0	0	0	0	0	0	0	3	1	1	0	0
GREENOCK, .	16·6	3·8	22	6	2	0	0	1	0	1	0	3	0	6	1	3	0	0
PERTH, . . .	14·1	7·8	9	4	1	0	3	1	0	1	0	0	0	1	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 25, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Epi- demic(Zymotic)Dis		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.				
In Eight Towns,	20·7	3·0	659	133	135	1	19	2	2	40	0	30	0	101	18	147	24	1	
GLASGOW, .	20·0	3·3	294	62	40	1	10	1	1	19	0	17	0	45	11	61	7	1	
EDINBURGH,	21·9	3·3	134	21	34	0	2	1	1	13	0	3	0	20	3	42	11	0	
DUNDEE, . .	23·6	2·3	73	14	25	0	1	0	0	3	0	3	0	15	2	13	1	0	
ABERDEEN, .	22·0	1·0	65	16	20	0	0	0	0	0	0	3	0	8	1	12	1	0	
PAISLEY, . .	20·2	3·3	31	5	7	0	2	0	0	1	0	2	0	3	1	7	1	0	
LEITH, . . .	18·9	3·4	28	6	4	0	1	0	0	4	0	0	0	4	0	9	0	0	
GREENOCK, .	19·2	2·3	25	7	2	0	3	0	0	0	0	0	0	6	0	2	2	0	
PERTH, . . .	14·2	3·2	9	2	3	0	0	0	0	0	0	2	0	0	0	1	1	0	

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 22. WEEK ENDING SATURDAY, MAY 31, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, May 31, 1902, was 624, giving an annual mortality rate of 19·3 per thousand of the estimated population. This rate is 0·8 below that for the corresponding week of last year, and 1·0 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 15·2 per thousand ; and the highest in Perth, viz., 25·0 per thousand.

From the seven principal Epidemic Diseases 57 deaths were registered, being at the rate of 1·8 per thousand of population, or 0·1 above that for last week. Of these deaths 22 were due to Hooping-cough, of which 14 occurred in Glasgow ; 15 to Diarrhœa ; 13 to Measles ; and 4 to Diphtheria, of which 3 occurred in Edinburgh.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 127, being 28 below the number for the previous week.

The Mean Temperature was 50°·0, being 1°·0 above that for the week immediately preceding, but 5°·8 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, May 31, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending May 31, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	956	624	102	65·0	36·0	50·0	0·69
GLASGOW, . . .	12,681	775,601	61·162	9·56	473	307	37	61·2	39·4	50·6	0·32
EDINBURGH, . .	11,416	322,966	28·291	14·06	173	106	23	60·2	38·5	48·9	0·67
DUNDEE, . . .	4,162	162,078	38·942	11·98	81	60	12	62·7	38·5	50·4	0·17
ABERDEEN, . .	6,795	157,505	23·180	15·53	92	58	20	65·0	37·5	51·2	1·13
PAISLEY, . . .	3,538	81,150	22·937	15·61	48	33	5	59·0	38·3	49·4	0·66
LEITH,	2,042	78,605	38·494	12·05	44	23	2	62·9	40·7	50·8	0·65
GREENOCK, . .	1,440	68,756	47·747	10·82	33	21	2	60·5	38·0	49·6	1·26
PERTH,	2,122	33,262	15·675	18·88	12	16	1	62·0	36·0	49·4	0·69
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	1043	638	99	70·0	41·0	55·8	1·34

EDINBURGH : Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, MAY 31, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, May 31, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.3	1.8	624	90	158	0	13	1	4	22	2	15	2	127	32	150	22	1
GLASGOW, .	20.6	2.1	307	39	67	0	8	1	0	14	2	6	2	72	15	60	7	1
EDINBURGH,	17.1	1.4	106	15	29	0	2	0	3	2	0	2	0	19	7	44	8	0
DUNDEE, . .	19.2	1.9	60	12	16	0	1	0	0	2	0	3	0	10	3	13	1	0
ABERDEEN, .	19.1	1.3	58	10	19	0	0	0	1	2	0	1	0	10	1	17	1	0
PAISLEY, . .	21.1	1.9	33	5	9	0	1	0	0	0	0	2	0	9	0	3	2	0
LEITH, . . .	15.2	2.0	23	5	7	0	0	0	0	2	0	1	0	2	3	6	1	0
GREENOCK, .	15.9	0.0	21	4	4	0	0	0	0	0	0	0	0	3	1	4	1	0
PERTH, . . .	25.0	1.6	16	0	7	0	1	0	0	0	0	0	0	2	2	3	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 1, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20.1	3.1	638	137	144	2	17	1	4	47	3	24	1	106	29	142	26	4
GLASGOW, .	19.1	3.9	281	64	50	1	12	1	2	22	3	16	1	41	15	60	11	3
EDINBURGH,	22.3	3.9	136	28	28	0	2	0	1	17	0	4	0	16	9	41	6	0
DUNDEE, . .	19.7	1.6	61	14	17	*1	0	0	0	2	0	2	0	23	2	8	3	1
ABERDEEN, .	18.9	1.0	56	10	18	0	1	0	0	1	0	1	0	11	2	10	1	0
PAISLEY, . .	26.7	3.3	41	6	11	0	0	0	0	4	0	1	0	5	0	15	1	0
LEITH, . . .	12.9	0.7	19	7	5	0	0	0	0	1	0	0	0	2	0	2	0	0
GREENOCK, .	25.3	2.3	33	7	8	0	2	0	1	0	0	0	0	6	1	5	4	0
PERTH, . . .	17.4	0.0	11	1	7	0	0	0	0	0	0	0	0	2	0	1	0	0

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 23.

WEEK ENDING SATURDAY, JUNE 7, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, June 7, 1902, was 623, being at the annual rate of 19·3 per thousand of the estimated population. This rate is 0·3 below that for the corresponding week of last year, and the same as that for the previous week of the present year.

The lowest death rate occurred in Leith, viz., 10·6 per thousand; and the highest in Paisley, viz., 27·5 per thousand.

From the seven principal Epidemic Diseases 61 deaths were registered, being at the rate of 1·9 per thousand of population, or 0·1 above that for last week. Of these deaths 22 were due to Measles, of which 7 occurred in Paisley, 7 in Glasgow, and 4 in Edinburgh; 16 to Diarrhœa, of which 6 occurred in Dundee; and 15 to Hooping-cough, of which 13 were in Glasgow.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 115, being 12 below the number for the previous week.

The Mean Temperature was 52°·1, being 2°·1 above that for the week immediately preceding, but 5°·0 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 7, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending June 7, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	974	623	418	74·0	41·4	52·1	0·85
GLASGOW, . . .	12,681	775,601	61·162	9·56	485	308	184	74·0	42·2	53·6	0·60
EDINBURGH, . .	11,416	322,966	28·291	14·06	151	112	117	60·6	41·5	49·5	1·08
DUNDEE, . . .	4,162	162,078	38·942	11·98	71	48	27	67·0	42·0	52·4	0·71
ABERDEEN, . .	6,795	157,505	23·180	15·53	101	51	42	70·0	41·4	51·9	0·90
PAISLEY, . . .	3,538	81,150	22·937	15·61	51	43	8	67·0	44·0	53·7	0·67
LEITH,	2,042	78,605	38·494	12·05	49	16	17	62·7	43·4	50·7	0·99
GREENOCK, . .	1,440	68,756	47·747	10·82	45	31	15	66·0	43·2	52·5	0·90
PERTH,	2,122	33,262	15·675	18·88	21	14	8	66·0	42·0	52·9	0·98
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	1035	625	388	80·0	40·0	57·1	0·31

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JUNE 7, 1902.

TABLE II.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, June 7, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.3	1.9	623	115	164	0	22	3	3	15	2	16	1	115	27	156	17	4
GLASGOW, .	20.7	1.7	308	61	71	0	7	1	0	13	1	4	0	65	13	70	11	3
EDINBURGH,	18.0	1.4	112	18	31	0	4	1	1	1	0	2	1	20	5	41	1	0
DUNDEE, . .	15.4	2.9	48	12	13	0	2	0	1	0	0	6	0	5	1	11	1	1
ABERDEEN, .	16.8	1.0	51	9	22	0	0	0	0	0	0	3	0	6	4	14	3	0
PAISLEY, . .	27.5	5.1	43	6	12	0	7	0	0	1	0	0	0	10	1	6	0	0
LEITH, . . .	10.6	0.0	16	1	4	0	0	0	0	0	0	0	0	3	1	3	0	0
GREENOCK, .	23.4	3.0	31	6	8	0	1	1	0	0	1	1	0	3	2	7	1	0
PERTH, . . .	21.9	3.1	14	2	3	0	1	0	1	0	0	0	0	3	0	4	0	0

TABLE III.—DEATHS and RATE of MORTALITY in Eight Principal Towns during the Week ending Saturday, June 8, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.6	3.2	625	128	148	1	21	1	7	48	6	18	0	98	34	133	23	1
GLASGOW, .	21.4	4.0	315	66	55	1	13	1	4	25	4	11	0	48	17	59	17	1
EDINBURGH,	19.8	2.8	121	25	34	0	3	0	1	11	0	2	0	22	8	39	5	0
DUNDEE, . .	19.3	3.2	60	16	17	0	1	0	0	6	0	3	0	14	3	11	1	0
ABERDEEN, .	13.8	0.7	41	8	15	0	0	0	0	0	1	1	0	4	2	11	0	0
PAISLEY, . .	13.7	1.3	21	1	5	0	1	0	0	1	0	0	0	4	1	5	0	0
LEITH, . . .	20.1	3.3	30	6	14	0	1	0	0	4	0	0	0	2	2	2	0	0
GREENOCK, .	19.1	3.8	25	3	3	0	2	0	2	0	1	0	0	3	0	3	0	0
PERTH, . . .	18.9	3.2	12	3	5	0	0	0	0	1	0	1	0	1	1	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 24. WEEK ENDING SATURDAY, JUNE 14, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, June 14, 1902, was 614, being at the annual rate of 19·0 per thousand of the estimated population. This rate is 2·1 above that for the corresponding week of last year, but 0·3 below that for the previous week of the present year.

The lowest death rate occurred in Leith, viz., 13·9 per thousand; and the highest in Dundee, viz., 20·5 per thousand.

From the seven principal Epidemic Diseases 68 deaths were registered, being at the rate of 2·1 per thousand of population, or 0·2 above that for last week. Of these deaths 21 were due to Hooping-cough, of which 13 occurred in Glasgow; and 18 each to Measles and Diarrhoea.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 126, being 11 above the number for the previous week. Three deaths from Croup occurred in Glasgow.

The Mean Temperature was 49°·4, being 2°·7 below that for the week immediately preceding, and 2°·5 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 14, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending June 14, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	1016	614	595	63·8	34·0	49·4	0·58
GLASGOW, . . .	12,681	775,601	61·162	9·56	495	303	286	61·9	38·2	50·3	0·40
EDINBURGH, . .	11,416	322,966	28·291	14·06	191	123	125	57·7	37·5	47·4	0·54
DUNDEE, . . .	4,162	162,078	38·942	11·98	75	64	47	60·4	38·4	49·4	0·56
ABERDEEN, . .	6,795	157,505	23·180	15·53	91	46	52	58·0	39·0	48·6	0·47
PAISLEY, . . .	3,538	81,150	22·937	15·61	53	29	23	63·8	39·2	50·9	1·02
LEITH,	2,042	78,605	38·494	12·05	47	21	30	58·7	40·4	49·6	0·51
GREENOCK, . .	1,440	68,756	47·747	10·82	48	19	15	59·9	41·7	49·9	0·67
PERTH,	2,122	33,262	15·675	18·88	16	9	17	61·0	34·0	49·0	0·49
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	1005	539	644	73·0	34·0	51·9	0·28

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JUNE 14, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 14, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.0	2.1	614	115	136	0	18	4	3	21	4	18	3	126	34	157	27
GLASGOW, .	20.3	2.5	303	49	52	0	10	2	2	13	2	9	3	68	17	74	12
EDINBURGH,	19.8	1.4	123	20	37	0	3	0	0	4	1	1	0	20	8	44	8
DUNDEE, . .	20.5	3.2	64	19	13	0	1	1	0	2	0	6	0	18	4	13	0
ABERDEEN, .	15.2	0.3	46	10	13	0	0	0	1	0	0	0	0	5	2	11	1
PAISLEY, . .	18.6	2.6	29	6	7	0	1	0	0	2	0	1	0	6	2	6	5
LEITH, . . .	13.9	0.7	21	6	5	0	1	0	0	0	0	0	0	2	0	4	1
GREENOCK, .	14.4	3.0	19	4	5	0	1	1	0	0	1	1	0	6	1	2	0
PERTH, . . .	14.1	1.6	9	1	4	0	1	0	0	0	0	0	0	1	0	3	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 15, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	16.9	2.4	539	102	119	0	17	3	3	32	3	17	0	101	29	113	31
GLASGOW, .	17.8	2.6	262	57	40	0	9	1	0	16	3	9	0	59	16	48	12
EDINBURGH,	17.2	2.9	105	19	23	0	2	1	1	9	0	5	0	10	5	30	13
DUNDEE, . .	15.8	1.9	49	8	24	0	2	0	1	3	0	0	0	10	2	13	0
ABERDEEN, .	12.5	0.7	37	3	11	0	0	0	0	1	0	1	0	10	3	7	3
PAISLEY, . .	15.7	2.6	24	5	2	0	1	0	0	2	0	1	0	2	0	2	1
LEITH, . . .	16.7	2.0	25	6	7	0	1	0	0	1	0	1	0	6	1	6	0
GREENOCK, .	19.8	3.0	26	3	8	0	2	1	1	0	0	0	0	3	1	5	1
PERTH, . . .	17.4	0.0	11	1	4	0	0	0	0	0	0	0	0	1	1	2	1

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 25.

WEEK ENDING SATURDAY, JUNE 21, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, June 21, 1902, was 531, being at the annual rate of 16·4 per thousand of the estimated population. This rate is 2·2 below that for the corresponding week of last year, and 2·6 below that for the previous week of the present year.

The lowest rate of mortality occurred in Leith, viz., 12·6 per thousand; and the highest in Paisley, viz., 19·2 per thousand.

From the seven principal Epidemic Diseases 55 deaths were registered, being at the rate of 1·7 per thousand of population, or 0·4 below that for last week. Measles was the most fatal of these diseases, having caused 18 deaths, of which 7 occurred in Glasgow, 4 each in Edinburgh and Paisley, 1 in Leith, and 2 in Perth. Diarrhoea caused 17 deaths, and Hooping-cough 13.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 95, being 31 below the number for the previous week.

The Mean Temperature was 50°·7, being 1°·3 above that for the week immediately preceding, but 4°·3 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 21, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending June 21, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	1031	531	477	69·8	30·5	50·7	0·20
GLASGOW, . . .	12,681	775,601	61·162	9·56	519	270	260	69·8	39·8	52·3	0·16
EDINBURGH, . .	11,416	322,966	28·291	14·06	168	93	93	65·7	43·5	49·0	0·27
DUNDEE, . . .	4,162	162,078	38·942	11·98	102	42	21	58·8	38·2	49·2	0·09
ABERDEEN, . .	6,795	157,505	23·180	15·53	92	45	51	61·0	43·8	50·2	0·03
PAISLEY, . . .	3,538	81,150	22·937	15·61	47	30	12	69·1	44·9	52·9	0·15
LEITH,	2,042	78,605	38·494	12·05	50	19	15	66·8	45·4	50·7	0·49
GREENOCK, . .	1,440	68,756	47·747	10·82	40	23	12	63·0	44·5	51·7	0·19
PERTH,	2,122	33,262	15·675	18·88	13	9	13	59·0	30·5	49·6	0·26
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	1047	592	510	70·4	33·0	55·0	1·31

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JUNE 21, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 21, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic/Zymotic/Dis		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.4	1.7	531	99	128	*1	18	4	2	13	0	17	1	95	21	128	26	1
GLASGOW, .	18.1	1.8	270	53	65	*1	7	1	1	4	0	13	1	54	11	63	12	1
EDINBURGH,	15.0	1.4	93	16	22	0	4	1	0	3	0	1	0	12	6	27	9	0
DUNDEE, . .	13.5	1.0	42	9	10	0	0	1	1	0	0	1	0	8	1	9	0	0
ABERDEEN, .	14.9	0.7	45	12	8	0	0	0	0	2	0	0	0	9	2	13	2	0
PAISLEY, . .	19.2	5.1	30	3	7	0	4	1	0	2	0	1	0	6	0	6	1	0
LEITH, . . .	12.6	0.7	19	3	6	0	1	0	0	0	0	0	0	0	0	3	2	0
GREENOCK, .	17.4	0.8	23	2	10	0	0	0	0	0	0	1	0	4	1	5	0	0
PERTH, . . .	14.1	6.2	9	1	0	0	2	0	0	2	0	0	0	2	0	2	0	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 22, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
	From All Causes,	From Seven Epl- demic(Zymotic)Dis.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	18.6	3.0	592	99	139	1	25	8	3	44	3	13	0	92	24	155	32	3
GLASGOW, .	19.9	3.8	292	57	62	1	15	5	1	24	2	8	0	45	16	75	11	3
EDINBURGH,	18.5	2.9	113	15	26	0	3	1	2	12	0	0	0	12	2	37	11	0
DUNDEE, . .	18.0	1.6	56	8	16	0	3	0	0	2	0	0	0	10	3	18	0	0
ABERDEEN, .	17.9	0.7	53	8	19	0	0	1	0	0	0	1	0	3	2	11	5	0
PAISLEY, . .	17.6	3.3	27	5	7	0	1	1	0	0	0	3	0	7	0	6	4	0
LEITH, . . .	14.1	5.4	21	4	1	0	3	0	0	4	0	1	0	5	0	1	0	0
GREENOCK, .	14.5	1.5	19	2	6	0	0	0	0	2	0	0	0	5	1	2	1	0
PERTH, . . .	17.4	1.6	11	0	2	0	0	0	0	0	1	0	0	5	0	5	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 26.

WEEK ENDING SATURDAY, JUNE 28, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, June 28, 1902, was 620, being at the annual rate of 19·2 per thousand of the estimated population. This rate is 1·9 above that for the corresponding week of last year, and 2·8 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 15·9 per thousand; and the highest in Perth, viz., 29·7 per thousand.

From the seven principal Epidemic Diseases 57 deaths were registered, being at the rate of 1·8 per thousand of population, or 0·1 above that for last week. Of these deaths 16 were due to Diarrhœa, of which 7 occurred in Glasgow, and 4 each in Edinburgh and Aberdeen; 15 to Measles, of which 6 occurred in Edinburgh, and 3 in Paisley; and 14 to Hooping-cough, of which 4 occurred in Edinburgh, and 2 each in Aberdeen, Paisley, and Perth.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 100, being 5 above the number for the previous week.

The Mean Temperature was 59·8, being 9·1 above that for the week immediately preceding, and 2·6 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, June 28, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending June 28, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	904	620	599	86·2	41·7	59·8	0·17
GLASGOW, . . .	12,681	775,601	61·162	9·56	469	276	295	86·2	48·0	63·3	0·20
EDINBURGH, . .	11,416	322,966	28·291	14·06	124	112	110	78·3	41·7	58·4	0·22
DUNDEE, . . .	4,162	162,078	38·942	11·98	102	64	55	71·6	45·4	57·8	0·17
ABERDEEN, . .	6,795	157,505	23·180	15·53	71	54	63	74·0	45·0	57·2	0·05
PAISLEY, . . .	3,538	81,150	22·937	15·61	41	38	21	85·3	46·0	63·9	0·15
LEITH,	2,042	78,605	38·494	12·05	36	24	13	69·9	47·0	57·6	0·31
GREENOCK, . .	1,440	68,756	47·747	10·82	45	33	36	82·0	47·0	60·5	0·04
PERTH,	2,122	33,262	15·675	18·88	16	19	6	77·0	45·0	60·1	0·20
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	1017	552	452	72·3	37·0	57·2	0·66

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JUNE 28, 1902.

TABLE II. - DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 28, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Unclassified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.2	1.8	620	121	166	0	15	4	4	14	4	16	1	100	27	148	24	4
GLASGOW, .	18.5	1.2	276	56	65	0	3	4	0	3	1	7	1	54	8	65	10	3
EDINBURGH,	18.0	2.9	112	21	23	0	6	0	2	4	2	4	0	11	10	38	3	0
DUNDEE, . .	20.5	1.3	64	18	22	0	2	0	0	1	1	0	0	17	2	11	2	0
ABERDEEN, .	17.8	2.6	54	12	17	0	0	0	2	2	0	4	0	2	2	16	1	0
PAISLEY, . .	24.3	3.2	38	5	12	0	3	0	0	2	0	0	0	6	2	4	6	1
LEITH, . . .	15.9	0.0	24	1	12	0	0	0	0	0	0	0	0	3	1	11	0	0
GREENOCK, .	25.0	1.5	33	6	7	0	1	0	0	0	0	1	0	5	1	1	1	0
PERTH, . . .	29.7	3.1	19	2	8	0	0	0	0	2	0	0	0	2	1	2	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, June 29, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Unclassified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.3	2.7	552	98	126	1	25	2	4	30	0	24	3	92	17	107	27	2
GLASGOW, .	18.6	3.2	273	60	50	1	15	2	4	14	0	11	2	52	7	43	15	2
EDINBURGH,	16.4	2.0	100	14	25	0	1	0	0	7	0	4	0	12	2	29	9	0
DUNDEE, . .	19.0	3.9	59	9	16	0	4	0	0	5	0	3	0	10	3	11	0	0
ABERDEEN, .	16.5	0.3	49	7	13	0	0	0	0	0	0	1	1	11	0	10	1	0
PAISLEY, . .	17.6	3.9	27	2	6	0	1	0	0	2	0	3	0	3	2	3	1	0
LEITH, . . .	10.0	2.0	15	0	5	0	2	0	0	1	0	0	0	1	0	6	0	0
GREENOCK, .	17.5	3.8	23	4	9	0	2	0	0	1	0	2	0	3	1	2	1	0
PERTH, . . .	9.5	0.0	6	2	2	0	0	0	0	0	0	0	0	0	2	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 27.

WEEK ENDING SATURDAY, JULY 5, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, July 5, 1902, was 528, equivalent to an annual mortality rate of 16·3 per thousand of the estimated population. This rate is 2·7 below that for the corresponding week of last year, and 2·9 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 7·8 per thousand; and the highest in Dundee, viz., 18·0 per thousand.

From the seven most familiar Epidemic Diseases 66 deaths were registered, being at the rate of 2·0 per thousand of population, or 0·2 above that for last week. Of these deaths 24 were due to Diarrhœa, of which 13 occurred in Glasgow and 4 in Dundee; 16 to Hooping-cough, of which 10 occurred in Glasgow; and 13 to Measles, of which 6 occurred in Edinburgh and 3 in Paisley.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 86, being 14 below the number for the previous week.

The Mean Temperature was 57°·9, being 1°·9 below that for the week immediately preceding, and 0°·5 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 5, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending July 5, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	1081	528	507	79·0	38·0	57·9	0·33
GLASGOW, . . .	12,681	775,601	61·162	9·56	548	265	256	75·0	46·2	60·2	0·95
EDINBURGH, . .	11,416	322,966	28·291	14·06	160	103	93	74·0	43·6	55·7	0·27
DUNDEE, . . .	4,162	162,078	38·942	11·98	98	56	33	74·6	40·1	56·6	0·18
ABERDEEN, . .	6,795	157,505	23·180	15·53	98	33	43	72·0	45·2	56·4	0·21
PAISLEY, . . .	3,538	81,150	22·937	15·61	52	28	19	75·1	48·0	60·6	0·17
LEITH,	2,042	78,605	38·494	12·05	45	20	23	76·9	46·0	57·2	0·43
GREENOCK, . .	1,440	68,756	47·747	10·82	57	18	29	78·5	43·7	58·7	0·42
PERTH,	2,122	33,262	15·675	18·88	23	5	11	79·0	38·0	57·8	0·00
Corresponding Week of 1901. — Eight Towns.	43,378	1,656,648	38·191	12·10	1014	606	467	82·5	43·0	58·4	0·05

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JULY 5, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 5, 1902.

[illegible]

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 6, 1901.

[illegible]

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 28.

WEEK ENDING SATURDAY, JULY 12, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, July 12, 1902, was 523, representing an annual mortality rate of 16·2 per thousand of the estimated population. This rate is 1·0 below that for the corresponding week of last year, and 0·1 below that for the previous week of the present year.

The lowest death-rate occurred in Aberdeen, viz., 13·5 per thousand; and the highest in Paisley, viz., 19·2 per thousand.

From the seven principal Epidemic Diseases 62 deaths were registered, being at the annual rate of 1·9 per thousand of population, or 0·1 below that for last week. Measles was the most fatal of these diseases, having caused 22 deaths, of which 12 occurred in Edinburgh and 3 in Paisley. Fifteen deaths were due to Diarrhoea and 14 to Hooping-cough, 6 of the latter having occurred in Edinburgh, and 3 in Aberdeen.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 74, being 12 below the number for the previous week.

The Mean Temperature was 56°·5, being 1°·4 below that for the week immediately preceding, and 6°·8 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 12, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending July 12, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	998	523	266	72·4	40·0	56·5	0·92
GLASGOW, . . .	12,681	775,601	61·162	9·56	477	241	103	68·0	40·8	57·5	0·61
EDINBURGH, . .	11,416	322,966	28·291	14·06	186	111	76	67·9	43·7	55·6	0·49
DUNDEE, . . .	4,162	162,078	38·942	11·98	97	49	11	70·8	42·9	56·5	0·62
ABERDEEN, . .	6,795	157,505	23·180	15·53	91	41	30	72·4	42·4	56·1	1·09
PAISLEY, . . .	3,538	81,150	22·937	15·61	51	30	15	66·1	42·3	56·8	1·34
LEITH,	2,042	78,605	38·494	12·05	50	22	11	71·9	46·9	57·6	0·66
GREENOCK, . .	1,440	68,756	47·747	10·82	40	19	7	70·0	42·0	55·8	2·12
PERTH,	2,122	33,262	15·675	18·88	6	10	13	71·0	40·0	55·9	0·43
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	990	549	426	87·8	42·0	63·3	0·05

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, JULY 12, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 12, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Epl- demic/Zymotic/Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.2	1.9	523	113	111	0	22	2	3	14	6	15	0	74	18	128	19	1
GLASGOW, .	16.2	1.3	241	52	45	0	4	1	1	3	3	8	0	38	9	61	8	1
EDINBURGH,	17.9	3.9	111	28	28	0	12	0	1	6	1	4	0	13	3	33	6	0
DUNDEE, . .	15.7	1.0	49	10	9	0	0	1	0	1	0	1	0	9	0	10	1	0
ABERDEEN, .	13.5	1.7	41	13	12	0	0	0	0	3	0	2	0	4	3	6	1	0
PAISLEY, . .	19.2	3.8	30	4	5	0	3	0	0	1	2	0	0	4	1	4	3	0
LEITH, . . .	14.6	0.0	22	3	6	0	0	0	0	0	0	0	0	3	1	5	0	0
GREENOCK, .	14.4	1.5	19	3	3	0	2	0	0	0	0	0	0	2	1	5	0	0
PERTH, . . .	15.6	3.1	10	0	3	0	1	0	1	0	0	0	0	1	0	4	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, July 13, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of			Deaths from											
	From All Causes.	From Seven Epl- demic/Zymotic/Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	17.2	2.8	549	110	130	1	22	7	2	22	6	29	0	75	17	117	23	1
GLASGOW, .	17.2	3.6	253	51	49	1	14	5	2	14	2	15	0	33	8	52	9	0
EDINBURGH,	15.0	1.8	92	27	23	0	1	0	0	6	1	3	0	8	1	21	10	0
DUNDEE, . .	24.2	3.9	75	14	19	0	6	0	0	1	0	5	0	10	1	16	0	0
ABERDEEN, .	11.5	0.7	34	7	10	0	1	0	0	0	1	0	0	9	0	9	0	0
PAISLEY, . .	20.2	2.6	31	4	9	0	0	0	0	1	1	2	0	7	2	4	4	1
LEITH, . . .	12.7	0.0	19	3	4	0	0	0	0	0	0	0	0	5	0	5	0	0
GREENOCK, .	23.6	3.8	31	4	9	0	0	2	0	0	1	2	0	2	3	7	0	0
PERTH, . . .	22.1	3.2	14	0	7	0	0	0	0	0	0	2	0	1	2	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 29.

WEEK ENDING SATURDAY, JULY 19, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, July 19, 1902, was 475, equivalent to an annual mortality rate of 14·7 per thousand of the estimated population. This rate is 3·7 below that for the corresponding week of last year, and 1·5 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 13·2 per thousand; and the highest in Dundee, viz., 20·2 per thousand.

From the seven principal Epidemic Diseases 44 deaths were registered, being at the annual rate of 1·4 per thousand of population, or 0·5 below that for last week. Of these deaths 15 were due to Measles, of which 7 occurred in Edinburgh; 15 to Hooping-cough, of which 7 occurred in Glasgow, and 3 in Dundee; and 13 to Diarrhœa.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 62, being 12 below the number for the previous week.

The Mean Temperature was 58°·2, being 1°·7 above that for the week immediately preceding, but 6°·5 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 19, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending July 19, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	966	475	320	78·0	39·0	58·2	0·25
GLASGOW, . . .	12,681	775,601	61·162	9·56	449	205	165	67·9	46·8	58·6	0·27
EDINBURGH, . .	11,416	322,966	28·291	14·06	173	95	71	66·6	46·4	57·2	0·14
DUNDEE, . . .	4,162	162,078	38·942	11·98	91	63	22	74·7	45·2	59·8	0·08
ABERDEEN, . .	6,795	157,505	23·180	15·53	99	43	27	78·0	43·0	58·3	0·65
PAISLEY, . . .	3,538	81,150	22·937	15·61	42	22	10	70·2	44·8	58·8	0·18
LEITH,	2,042	78,605	38·494	12·05	63	20	14	69·9	48·5	59·4	0·11
GREENOCK, . .	1,440	68,756	47·747	10·82	34	18	3	65·2	46·0	56·8	0·29
PERTH,	2,122	33,262	15·675	18·88	15	9	8	71·0	39·0	56·6	0·32
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	956	585	590	82·9	44·0	64·7	0·43

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue.
and sold by OLIVER & BOYD, Edinburgh.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 30. WEEK ENDING SATURDAY, JULY 26, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, July 26, 1902, was 512, equivalent to an annual mortality rate of 15·8 per thousand of the estimated population. This rate is 2·0 below that for the corresponding week of last year, but 1·1 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Paisley, viz., 8·3 per thousand ; and the highest in Glasgow, viz., 18·1 per thousand.

From the seven principal Epidemic Diseases 57 deaths were registered, being at the annual rate of 1·8 per thousand of population, or 0·4 above that for last week. Of these deaths 21 were due to Diarrhoea, of which 13 occurred in Glasgow, and 6 in Dundee ; 13 to Hooping-cough ; and 10 to Measles, of which 7 occurred in Edinburgh.

The Deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 79, being 17 above the number for the previous week.

The Mean Temperature was 52°·5, being 5°·7 below that for the week immediately preceding, and 9°·6 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, July 26, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending July 26, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	943	512	613	70·7	37·0	52·5	1·35
GLASGOW, . . .	12,681	775,601	61·162	9·56	449	270	357	67·0	41·1	54·2	0·43
EDINBURGH, . .	11,416	322,966	28·291	14·06	155	97	128	61·0	44·7	51·8	1·63
DUNDEE, . . .	4,162	162,078	38·942	11·98	86	54	48	63·0	40·8	51·6	1·90
ABERDEEN, . .	6,795	157,505	23·180	15·53	106	33	36	61·2	40·0	49·5	1·81
PAISLEY, . . .	3,538	81,150	22·937	15·61	49	13	15	70·7	41·9	55·4	0·90
LEITH,	2,042	78,605	38·494	12·05	44	17	12	62·8	43·0	53·1	1·44
GREENOCK, . .	1,440	68,756	47·747	10·82	33	17	6	64·5	41·2	53·5	1·11
PERTH,	2,122	33,262	15·675	18·88	21	11	11	65·0	37·0	51·1	1·55
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	988	567	372	79·2	43·0	62·1	0·88

Week ending Saturday, JULY 26, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 26, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epl-demic/Zymotic/Dia.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	15.8	1.8	512	95	121	*2	10	6	4	13	1	21	1	79	24	144	17
GLASGOW, .	18.1	1.8	270	58	51	0	0	5	2	7	0	13	0	54	14	64	12
EDINBURGH,	15.6	1.9	97	16	23	*2	7	0	0	3	0	0	1	9	4	37	2
DUNDEE, .	17.3	3.2	54	7	17	0	2	0	0	1	1	6	0	11	1	9	0
ABERDEEN, .	10.9	0.7	33	5	11	0	0	0	1	0	0	1	0	0	2	15	2
PAISLEY, . .	8.3	1.3	13	1	4	0	1	0	0	1	0	0	0	0	0	6	1
LEITH, . . .	11.2	1.3	17	4	4	0	0	0	0	1	0	1	0	2	1	6	0
GREENOCK, .	12.9	1.5	17	4	2	0	0	1	1	0	0	0	0	1	2	2	0
PERTH, . . .	17.2	0.0	11	0	9	0	0	0	0	0	0	0	0	2	0	5	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, July 27, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epl-demic/Zymotic/Dia.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17.8	4.2	567	165	103	0	16	6	2	9	2	99	0	56	28	122	24
GLASGOW, .	18.4	5.2	271	99	32	0	11	4	1	5	0	56	0	29	17	45	12
EDINBURGH,	17.0	2.6	104	21	22	0	0	1	1	3	0	11	0	5	5	37	6
DUNDEE, . .	15.1	5.2	47	8	14	0	5	0	0	0	0	11	0	8	1	14	1
ABERDEEN, .	14.2	0.7	42	5	14	0	0	0	0	0	1	1	0	5	2	8	0
PAISLEY, . .	16.3	3.9	25	7	4	0	0	0	0	0	1	5	0	3	0	7	0
LEITH, . . .	22.8	5.4	34	15	9	0	0	0	0	0	0	8	0	2	1	6	2
GREENOCK, .	22.9	5.3	30	8	3	0	0	1	0	1	0	5	0	3	2	1	3
PERTH, . . .	22.1	3.2	14	2	5	0	0	0	0	0	0	2	0	1	0	4	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 31. WEEK ENDING SATURDAY, AUGUST 2, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, August 2, 1902, was 535, representing an annual mortality rate of 16·6 per thousand of the estimated population. This rate is 3·2 below that for the corresponding week of last year, but 0·8 above that for the previous week of the present year.

The lowest death-rate was recorded in Leith, viz., 9·9 per thousand ; and the highest in Dundee, viz., 18·9 per thousand.

From the seven principal Epidemic diseases 48 deaths were registered, being at the annual rate of 1·5 per thousand of population, or 0·3 below that for last week. Of these deaths 19 were due to Diarrhoea, of which 9 occurred in Glasgow, and 6 in Dundee ; and 12 to Measles, of which 8 occurred in Edinburgh.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 79, being the same as the number for the previous week.

The Mean Temperature was 55°·0, being 2°·5 above that for the week immediately preceding, but 6°·9 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 2, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Aug. 2, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	953	535	357	67·0	39·0	55·0	0·34
GLASGOW, . . .	12,681	775,601	61·162	9·56	492	250	83	63·8	46·0	55·5	0·08
EDINBURGH, . .	11,416	322,966	28·291	14·06	152	104	87	61·6	44·7	54·1	0·18
DUNDEE, . . .	4,162	162,078	38·942	11·98	74	59	101	66·9	43·6	55·3	0·38
ABERDEEN, . .	6,795	157,505	23·180	15·53	80	49	42	64·8	42·0	53·5	0·47
PAISLEY, . . .	3,538	81,150	22·937	15·61	53	25	12	67·0	43·4	56·0	0·40
LEITH,	2,042	78,605	38·494	12·05	43	15	19	65·8	47·3	56·8	0·51
GREENOCK, . .	1,440	68,756	47·747	10·82	44	24	11	63·0	44·0	54·0	0·56
PERTH,	2,122	33,262	15·675	18·88	15	9	2	67·0	39·0	55·0	0·15
Corresponding Week of 1901. — Eight Towns.	43,378	1,656,648	38·191	12·10	914	630	257	80·0	38·5	61·9	0·07

EDINBURGH : Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, AUGUST 2, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 2, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epidemic/Zymotic/Dis.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	16.6	1.5	535	110	120	0	12	3	4	7	3	19	0	79	22	136	29	3		
GLASGOW, .	16.8	1.5	250	54	49	0	3	2	3	4	1	9	0	33	14	68	18	2		
EDINBURGH,	16.7	1.9	104	13	29	0	8	0	1	1	0	2	0	18	4	32	5	0		
DUNDEE, . .	18.9	2.2	59	16	17	0	0	0	0	1	0	6	0	11	0	12	1	0		
ABERDEEN, .	16.2	0.0	49	9	14	0	0	0	0	0	0	0	0	6	2	12	2	1		
PAISLEY, . .	16.0	0.6	25	5	3	0	0	0	0	0	1	0	0	2	0	3	2	0		
LEITH, . . .	9.9	0.7	15	5	4	0	0	0	0	1	0	0	0	0	0	2	0	0		
GREENOCK, .	18.2	3.0	24	7	3	0	0	1	0	0	1	2	0	6	2	4	1	0		
PERTH, . . .	14.1	1.6	9	1	1	0	1	0	0	0	0	0	0	3	0	3	0	0		

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 3, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic/Zymotic Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.8	5.5	630	232	112	*1	13	2	1	28	2	128	0	65	22	107	34	1
GLASGOW, .	21.4	6.8	314	121	41	0	7	1	0	19	0	73	0	33	9	49	15	1
EDINBURGH,	17.3	3.4	106	23	32	0	2	1	0	5	1	12	0	7	4	28	8	0
DUNDEE, . .	22.9	7.4	71	32	13	*1	3	0	0	3	1	15	0	8	1	8	5	0
ABERDEEN, .	15.8	1.3	47	14	11	0	0	0	0	0	0	4	0	5	3	7	4	0
PAISLEY, . .	14.4	2.6	22	6	4	0	0	0	0	1	0	3	0	5	1	5	1	0
LEITH, . . .	18.7	6.7	28	14	3	0	0	0	1	0	0	9	0	2	3	8	0	0
GREENOCK, .	22.1	6.9	29	16	3	0	1	0	0	0	0	8	0	5	0	0	1	0
PERTH, . . .	20.5	6.3	13	6	5	0	0	0	0	0	0	4	0	0	1	2	0	0

* Chicken-pox.

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 32. WEEK ENDING SATURDAY, AUGUST 9, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, August 9, 1902, was 449, representing an annual mortality rate of 13·9 per thousand of the estimated population. This rate is 5·3 below that for the corresponding week of last year, and 2·7 below that for the previous week of the present year.

The lowest death-rate was recorded in Paisley, viz., 12·2 per thousand; and the highest in Greenock viz., 18·9 per thousand.

From the seven principal Epidemic diseases 46 deaths were registered, being at the annual rate of 1·4 per thousand of population, or 0·1 below that for last week. Of these deaths 16 were due to Hooping-cough, of which 9 occurred in Glasgow, and 2 each in Edinburgh, Paisley, and Leith; 16 to Diarrhoea; and 5 to Measles, of which 3 occurred in Edinburgh.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 61, being 18 below the number for the previous week.

The Mean Temperature was 54°·2, being 0°·8 below that for the week immediately preceding, and 5°·2 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 9, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Aug. 9, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	887	449	226	71·5	44·0	54·2	0·38
GLASGOW, . . .	12,681	775,601	61·162	9·56	413	202	82	67·3	45·4	55·4	0·07
EDINBURGH, . .	11,416	322,966	28·291	14·06	133	88	55	61·7	46·9	52·5	0·16
DUNDEE, . . .	4,162	162,078	38·942	11·98	95	45	17	68·1	44·2	54·0	0·75
ABERDEEN, . .	6,795	157,505	23·180	15·53	105	41	36	61·2	44·0	53·0	1·03
PAISLEY, . . .	3,538	81,150	22·937	15·61	44	19	14	71·5	46·0	55·9	0·02
LEITH,	2,042	78,605	38·494	12·05	46	19	5	66·0	48·7	54·7	0·15
GREENOCK, . .	1,440	68,756	47·747	10·82	40	25	7	66·2	47·5	54·0	0·03
PERTH,	2,122	33,262	15·675	18·88	11	10	10	66·0	46·0	54·1	0·81
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	910	613	241	76·1	38·0	59·4	1·56

Week ending Saturday, AUGUST 9, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 9, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epl- demic/Zymotic/Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	13.9	1.4	449	72	130	0	5	3	2	16	4	16	2	61	24	107	12
GLASGOW, .	13.5	1.5	202	36	49	0	1	2	0	9	1	9	0	29	13	58	4
EDINBURGH,	14.2	1.4	88	12	29	0	3	1	1	2	0	2	1	9	5	27	1
DUNDEE, . .	14.4	1.0	45	6	15	0	0	0	0	0	1	2	0	7	1	5	1
ABERDEEN, .	13.5	1.3	41	8	16	0	0	0	0	1	1	2	0	7	3	7	3
PAISLEY, . .	12.2	1.9	19	3	3	0	0	0	0	2	1	0	1	3	0	2	0
LEITH, . . .	12.6	2.0	19	2	4	0	1	0	0	2	0	0	0	1	1	2	0
GREENOCK, .	18.9	1.5	25	5	8	0	0	0	1	0	0	1	0	5	1	2	3
PERTH, . . .	15.6	0.0	10	0	6	0	0	0	0	0	0	0	0	0	0	4	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 10, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epl- demic/Zymotic/Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.2	5.3	613	207	100	0	13	3	5	12	6	129	1	43	17	144	23
GLASGOW, .	20.8	6.8	306	115	45	0	9	2	1	9	2	77	1	21	7	70	13
EDINBURGH,	17.7	4.4	108	33	20	0	2	1	3	2	0	19	0	6	6	30	4
DUNDEE, . .	20.6	4.5	64	17	13	0	1	0	0	0	3	10	0	6	1	18	1
ABERDEEN, .	13.5	0.7	40	9	10	0	0	0	0	0	0	2	0	5	0	8	0
PAISLEY, . .	15.0	3.9	23	7	2	0	0	0	1	1	0	4	0	2	2	6	2
LEITH, . . .	18.1	6.0	27	15	1	0	0	0	0	0	0	9	0	0	0	4	0
GREENOCK, .	19.8	4.6	26	6	5	0	1	0	0	0	0	5	0	3	1	4	2
PERTH, . . .	30.0	6.3	19	5	4	0	0	0	0	0	1	3	0	0	0	4	1

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 33. WEEK ENDING SATURDAY, AUGUST 16, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, August 16, 1902, was 507, representing an annual mortality rate of 15·7 per thousand of the estimated population. This rate is 3·3 below that for the corresponding week of last year, but 1·8 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 11·9 per thousand ; and the highest in Greenock, viz., 21·2 per thousand.

From the seven principal Epidemic diseases 65 deaths were registered, being at the annual rate of 2·0 per thousand of population, or 0·6 above that for last week. Of these deaths 25 were due to Hooping-cough, of which 14 occurred in Glasgow, 5 in Aberdeen, and 2 each in Edinburgh, Dundee, and Leith ; 9 to Measles, of which 5 occurred in Paisley ; and 23 to Diarrhea, the number for the corresponding week of last year having been 111.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 72, being 11 above the number for the previous week.

The Mean Temperature was 55°·0, being 0°·8 above that for the week immediately preceding, but 3°·8 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 16, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Aug. 16, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	1008	507	236	73·3	36·0	55·0	0·12
GLASGOW, . . .	12,681	775,601	61·162	9·56	486	226	93	72·3	43·8	57·2	0·00
EDINBURGH, . .	11,416	322,966	28·291	14·06	180	99	61	69·8	40·3	53·7	0·13
DUNDEE, . . .	4,162	162,078	38·942	11·98	119	44	14	73·3	39·7	54·1	0·19
ABERDEEN, . .	6,795	157,505	23·180	15·53	89	53	30	65·0	44·0	51·7	0·31
PAISLEY, . . .	3,538	81,150	22·937	15·61	35	30	18	73·1	44·2	58·2	0·02
LEITH,	2,042	78,605	38·494	12·05	41	18	7	71·9	43·9	55·6	0·24
GREENOCK, . .	1,440	68,756	47·747	10·82	45	28	7	70·0	43·0	55·3	0·01
PERTH,	2,122	33,262	15·675	18·88	13	9	6	72·0	36·0	54·2	0·08
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	892	606	195	71·5	34·0	58·8	1·16

Week ending Saturday, AUGUST 16, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 16, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	15.7	2.0	507	93	115	*1	9	1	1	25	5	23	1	72	26	127	17
GLASGOW, .	15.2	2.0	226	36	39	0	2	1	0	14	2	11	1	42	17	59	6
EDINBURGH,	15.9	1.4	99	18	32	0	2	0	0	2	2	3	0	12	3	33	5
DUNDEE, . .	14.1	1.3	44	7	9	0	0	0	0	2	0	2	0	7	2	12	0
ABERDEEN, .	17.5	3.0	53	12	15	0	0	0	0	5	0	4	0	5	2	11	2
PAISLEY, . .	19.2	3.8	30	10	4	0	5	0	1	0	0	0	0	2	1	5	3
LEITH, . . .	11.9	2.6	18	4	4	0	0	0	0	2	0	2	0	0	0	2	0
GREENOCK, .	21.2	2.3	28	6	9	*1	0	0	0	0	1	1	0	4	1	2	1
PERTH, . . .	14.1	0.0	9	0	3	0	0	0	0	0	0	0	0	0	0	3	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 17, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Diseases.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.0	4.7	606	192	123	0	11	3	2	18	5	111	2	51	15	115	14
GLASGOW, .	20.8	5.7	306	100	52	0	11	2	1	10	2	58	1	30	8	60	5
EDINBURGH,	18.3	2.8	112	31	33	0	0	1	0	4	0	12	1	7	2	25	5
DUNDEE, . .	18.0	6.8	56	17	12	0	0	0	0	2	1	18	0	6	1	6	1
ABERDEEN, .	16.5	1.0	49	17	8	0	0	0	0	0	0	3	0	4	1	9	0
PAISLEY, . .	19.6	5.2	30	10	4	0	0	0	1	2	2	3	0	2	2	7	2
LEITH, . . .	12.7	6.7	19	8	3	0	0	0	0	0	0	10	0	1	0	3	0
GREENOCK, .	19.1	3.0	25	5	8	0	0	0	0	0	0	4	0	1	1	4	0
PERTH, . . .	14.2	4.7	9	4	3	0	0	0	0	0	0	3	0	0	0	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 34. WEEK ENDING SATURDAY, AUGUST 23, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, August 23, 1902, was 464, being at the annual rate of 14·4 per thousand of the estimated population. This rate is 3·4 below that for the corresponding week of last year, and 1·3 below that for the previous week of the present year.

The lowest death-rate was recorded in Leith, viz., 4·6 per thousand; and the highest in Paisley, viz., 17·3 per thousand.

From the seven principal Epidemic diseases 52 deaths were registered, being at the rate of 1·6 per thousand of population, or 0·4 below that for last week. Of these deaths 5 were due to Measles, 7 to Scarlet Fever, 14 to Hooping-cough, and 22 to Diarrhœa. In the corresponding week of last year, 92 deaths were caused by Diarrhœa.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 67, being 5 less than the number for the previous week.

The Mean Temperature was 55°·6, being 0°·6 above that for the week immediately preceding, but 3°·8 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 23, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Aug. 23, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	961	464	276	71·9	37·0	55·6	1·60
GLASGOW, . . .	12,681	775,601	61·162	9·56	471	223	117	69·8	46·2	56·7	0·63
EDINBURGH, . .	11,416	322,966	28·291	14·06	171	91	42	67·3	45·8	54·9	0·95
DUNDEE, . . .	4,162	162,078	38·942	11·98	83	43	23	70·9	38·2	54·3	1·83
ABERDEEN, . .	6,795	157,505	23·180	15·53	71	47	24	68·4	43·0	54·3	1·18
PAISLEY, . . .	3,538	81,150	22·937	15·61	59	27	46	68·7	44·8	57·6	1·83
LEITH,	2,042	78,605	38·494	12·05	54	7	10	71·9	47·3	57·0	1·28
GREENOCK, . .	1,440	68,756	47·747	10·82	43	19	12	67·5	43·0	55·8	2·92
PERTH,	2,122	33,262	15·675	18·88	9	7	2	69·0	37·0	54·4	2·16
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	956	566	191	76·6	40·0	59·4	0·18

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, AUGUST 23, 1902.

TABLE II. - DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 23, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic/Zymotic/Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	14.4	1.6	464	91	115	0	5	7	2	14	2	22	1	67	23	127	17
GLASGOW, .	15.0	1.9	223	43	51	0	4	3	1	9	1	10	0	30	15	59	7
EDINBURGH,	14.7	1.8	91	12	27	0	1	0	0	4	0	6	0	15	4	30	5
DUNDEE, . .	13.8	1.3	43	8	10	0	0	1	1	0	1	1	0	14	1	11	0
ABERDEEN, .	15.5	1.0	47	8	16	0	0	0	0	1	0	2	0	4	2	10	1
PAISLEY, . .	17.3	1.9	27	8	5	0	0	2	0	0	0	1	0	2	0	9	1
LEITH, . . .	4.6	0.7	7	1	1	0	0	0	0	0	0	1	0	1	1	4	1
GREENOCK, .	14.4	1.5	19	9	2	0	0	1	0	0	0	1	1	1	0	2	2
PERTH, . . .	10.9	0.0	7	2	3	0	0	0	0	0	0	0	0	0	0	2	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 24, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic/Zymotic/Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17.8	3.9	566	160	126	0	12	3	0	8	9	92	1	50	28	118	21
GLASGOW, .	18.4	4.4	271	81	46	0	8	1	0	6	4	45	0	28	13	60	11
EDINBURGH,	17.3	2.6	106	26	25	0	2	0	0	1	2	11	1	9	4	24	5
DUNDEE, . .	20.6	7.1	64	22	18	0	1	0	0	0	1	20	0	6	2	9	0
ABERDEEN, .	14.5	2.7	43	14	14	0	0	1	0	1	1	5	0	2	3	11	3
PAISLEY, . .	14.4	0.7	22	3	8	0	1	0	0	0	0	0	0	2	3	3	2
LEITH, . . .	17.4	3.3	26	6	7	0	0	0	0	0	0	5	0	2	2	5	0
GREENOCK, .	18.3	4.6	24	6	5	0	0	1	0	0	1	4	0	1	1	4	1
PERTH, . . .	15.8	3.2	10	2	3	0	0	0	0	0	0	2	0	1	0	2	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 35. WEEK ENDING SATURDAY, AUGUST 30, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, August 30, 1902, was 451, representing an annual mortality-rate of 14·0 per thousand of the estimated population. This rate is 3·4 below that for the corresponding week of last year, and 0·4 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 7·9 per thousand; and the highest in Perth, viz., 26·6 per thousand.

From the seven principal Epidemic diseases 45 deaths were registered, being at the rate of 1·4 per thousand of population, or 0·2 below that for last week. Of these deaths 17 were due to Hooping-cough, and 14 to Diarrhoeal diseases. During the corresponding week of last year, the deaths from Diarrhoea amounted to 81.

From Bronchitis, Pneumonia, and Pleurisy 54 deaths resulted, being 13 below the number for the previous week.

The Mean Temperature was 56°·6, being 1°·0 above that for the week immediately preceding, and 0°·4 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, August 30, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Aug. 30, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	934	451	234	71·1	34·0	56·6	0·30
GLASGOW, . . .	12,681	775,601	61·162	9·56	474	216	123	68·0	37·0	57·1	0·58
EDINBURGH, . .	11,416	322,966	28·291	14·06	167	86	40	67·2	44·2	56·5	0·00
DUNDEE, . . .	4,162	162,078	38·942	11·98	74	41	17	69·2	39·1	56·1	0·09
ABERDEEN, . .	6,795	157,505	23·180	15·53	84	40	32	69·8	42·0	56·5	0·11
PAISLEY, . . .	3,538	81,150	22·937	15·61	50	18	3	68·8	41·0	57·2	0·52
LEITH,	2,042	78,605	38·494	12·05	37	12	10	71·1	44·9	58·8	0·34
GREENOCK, . .	1,440	68,756	47·747	10·82	36	21	7	67·0	45·0	56·8	0·48
PERTH,	2,122	33,262	15·675	18·88	12	17	2	67·0	34·0	54·1	0·29
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	916	555	217	77·2	43·0	56·2	0·73

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, AUGUST 30, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 30, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	14.0	1.4	451	86	120	0	4	5	1	17	4	14	0	54	20	117	11
GLASGOW, .	14.5	1.6	216	43	51	0	1	2	1	10	1	9	0	32	10	45	7
EDINBURGH,	13.8	1.1	86	16	23	0	1	2	0	3	1	0	0	8	5	27	2
DUNDEE, . .	13.2	1.0	41	9	13	0	0	1	0	1	0	1	0	5	1	12	0
ABERDEEN, .	13.2	1.3	40	11	12	0	0	0	0	1	1	2	0	4	1	16	1
PAISLEY, . .	11.5	1.9	18	2	4	0	1	0	0	1	0	1	0	3	2	7	1
LEITH, . . .	7.9	0.7	12	0	3	0	1	0	0	0	0	0	0	0	1	4	0
GREENOCK, .	15.9	0.8	21	2	6	0	0	0	0	0	0	1	0	1	0	2	0
PERTH, . . .	26.6	3.1	17	3	8	0	0	0	0	1	1	0	0	1	0	4	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, August 31, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	17.4	3.7	555	149	108	0	12	1	2	12	11	81	2	60	31	135	20
GLASGOW, .	17.5	3.9	257	71	45	0	12	1	1	3	7	34	1	30	18	64	12
EDINBURGH,	18.8	3.6	115	26	26	0	0	0	1	3	2	16	0	10	4	35	3
DUNDEE, . .	18.0	5.2	56	18	12	0	0	0	0	2	0	14	0	6	2	8	0
ABERDEEN, .	14.5	1.3	43	10	14	0	0	0	0	1	0	3	0	4	3	7	2
PAISLEY, . .	22.8	6.5	35	10	4	0	0	0	0	2	2	6	1	5	2	11	1
LEITH, . . .	14.7	2.7	22	8	3	0	0	0	0	0	0	4	0	3	1	5	1
GREENOCK, .	16.8	3.0	22	5	3	0	0	0	0	1	0	3	0	2	1	3	1
PERTH, . . .	7.9	1.6	5	1	1	0	0	0	0	0	0	1	0	0	0	2	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 36.

WEEK ENDING SATURDAY, SEPTEMBER 6, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, September 6, 1902, was 448, being at the annual rate of 13·9 per thousand of the estimated population. This rate is 3·9 below that for the corresponding week of last year, and 0·1 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 5·3 per thousand ; and the highest in Glasgow, viz., 16·5 per thousand.

From the seven principal Epidemic diseases 54 deaths were registered, being at the rate of 1·7 per thousand of population, or 0·3 above that for last week. Of these deaths 31 were due to Diarrhoeal diseases, of which 20 occurred in Glasgow ; 8 to Hooping-cough ; and 6 each to Measles and Fever. During the corresponding week of last year, the deaths from Diarrhoea amounted to 77.

From Bronchitis, Pneumonia, and Pleurisy 61 deaths resulted, being 7 above the number for the previous week.

The Mean Temperature was 56°·2, being 0°·4 below that for the week immediately preceding, but 3°·1 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 6, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Sept. 6, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	917	448	348	70·3	37·0	56·2	1·00
GLASGOW, . . .	12,681	775,601	61·162	9·56	478	246	188	70·2	37·2	57·4	1·29
EDINBURGH, . .	11,416	322,966	28·291	14·06	136	77	66	62·8	41·9	54·9	0·65
DUNDEE, . . .	4,162	162,078	38·942	11·98	85	33	23	64·9	45·7	55·9	0·57
ABERDEEN, . .	6,795	157,505	23·180	15·53	89	41	33	70·0	42·0	55·6	0·30
PAISLEY, . . .	3,538	81,150	22·937	15·61	39	21	7	69·1	44·5	57·2	1·60
LEITH,	2,042	78,605	38·494	12·05	41	8	16	70·3	42·9	57·2	0·54
GREENOCK, . .	1,440	68,756	47·747	10·82	37	14	7	68·5	47·0	56·7	2·09
PERTH,	2,122	33,262	15·675	18·88	12	8	8	65·0	37·0	54·6	0·96
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	984	568	328	68·0	33·0	53·1	0·20

EDINBURGH : Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue.
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, SEPTEMBER 6, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 6, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic(Zymotic)Dis		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
In Eight Towns,	13.9	1.7	448	95	113	0	6	1	2	8	6	31	0	61	21	103	14	2
GLASGOW, .	16.5	2.1	246	55	61	0	2	1	0	4	4	20	0	43	9	61	11	2
EDINBURGH,	12.4	1.4	77	11	19	0	2	0	1	0	2	4	0	8	4	16	1	0
DUNDEE, . .	10.6	1.6	33	6	10	0	0	0	0	0	0	5	0	3	3	10	0	0
ABERDEEN, .	13.5	1.3	41	14	9	0	0	0	1	2	0	1	0	2	2	6	1	0
PAISLEY, . .	13.5	1.3	21	3	8	0	2	0	0	0	0	0	0	3	1	4	0	0
LEITH, . . .	5.3	0.7	8	3	0	0	0	0	0	0	0	1	0	0	1	1	1	0
GREENOCK, .	10.6	0.0	14	2	4	0	0	0	0	0	0	0	0	1	1	3	0	0
PERTH, . . .	12.5	3.1	8	1	2	0	0	0	0	2	0	0	0	1	0	2	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 7, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic Zymotic Dis.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Un- suspected Causes.
In Eight Towns,	17.8	3.5	568	135	130	0	8	5	2	13	6	77	1	59	21	123	21	2
GLASGOW, .	17.1	3.1	251	54	48	0	6	1	1	7	4	26	0	31	10	56	11	1
EDINBURGH,	16.7	3.4	102	25	21	0	0	0	1	2	1	17	1	7	1	30	3	0
DUNDEE, . .	20.6	3.5	64	14	19	0	2	1	0	1	0	7	0	12	2	8	4	1
ABERDEEN, .	16.2	2.0	48	18	13	0	0	0	0	0	0	6	0	4	3	7	1	0
PAISLEY, . .	17.0	5.2	26	4	7	0	0	1	0	1	1	5	0	1	2	9	0	0
LEITH, . . .	23.4	6.7	35	11	8	0	0	0	0	1	0	9	0	1	2	5	0	0
GREENOCK, .	22.1	6.1	29	7	9	0	0	2	0	1	0	5	0	1	1	5	1	0
PERTH, . . .	20.5	3.2	13	2	5	0	0	0	0	0	0	2	0	2	0	3	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 37. WEEK ENDING SATURDAY, SEPTEMBER 13, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, September 13, 1902, was 479, being at the annual rate of 14·8 per thousand of the estimated population. This rate is 2·7 below that for the corresponding week of last year, but 0·9 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 6·6 per thousand; and the highest in Paisley, viz., 16·7 per thousand.

From the seven principal Epidemic diseases 52 deaths were registered, being at the rate of 1·6 per thousand of population, or 0·1 below that for last week. Of these deaths 21 were due to Diarrhoeal diseases, 8 to Scarlet Fever, and 7 each to Measles and Hooping-cough.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 82, being 21 above the number for the previous week.

The Mean Temperature was 52°·4, being 3°·8 below that for the week immediately preceding, and 5°·4 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 13, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Sept. 13, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	870	479	271	70·5	35·5	52·4	0·09
GLASGOW, . . .	12,681	775,601	61·162	9·56	427	240	147	67·8	42·4	54·5	0·02
EDINBURGH, . .	11,416	322,966	28·291	14·06	158	90	52	67·2	35·7	50·4	0·24
DUNDEE, . . .	4,162	162,078	38·942	11·98	70	45	16	69·7	36·8	52·7	0·04
ABERDEEN, . .	6,795	157,505	23·180	15·53	85	43	29	68·0	37·6	50·6	0·08
PAISLEY, . . .	3,538	81,150	22·937	15·61	43	26	8	69·2	35·5	53·5	0·03
LEITH,	2,042	78,605	38·494	12·05	32	10	4	70·2	38·8	53·7	0·19
GREENOCK, . .	1,440	68,756	47·747	10·82	44	17	10	66·0	35·5	53·2	0·05
PERTH,	2,122	33,262	15·675	18·88	11	8	5	70·5	37·0	50·8	0·08
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	941	556	247	70·8	44·0	57·8	0·31

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending **Saturday, SEPTEMBER 13, 1902.**

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 13, 1902.

[illegible]

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 14, 1901.

[illegible]

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 38. WEEK ENDING SATURDAY, SEPTEMBER 20, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, September 20, 1902, was 456, representing an annual mortality-rate of 14·1 per thousand of the estimated population. This rate is 2·1 below that for the corresponding week of last year, and 0·7 below that for the previous week of the present year.

The lowest death-rate was recorded in Aberdeen and Perth, viz., 12·5 per thousand; and the highest in Leith, viz., 15·9 per thousand.

From the seven principal Epidemic diseases 43 deaths were registered, being at the rate of 1·3 per thousand of population, or 0·3 below that for last week. Of these deaths 21 were due to Diarrhœal diseases, and 10 to Hooping-cough. During the corresponding week of last year, the deaths from Diarrhœa amounted to 53.

From Bronchitis, Pneumonia, and Pleurisy 56 deaths resulted, being 26 below the number for the previous week.

The Mean Temperature was 50°·9, being 1°·5 below that for the week immediately preceding, and 3°·5 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 20, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Sept. 20, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	934	456	265	65·5	34·1	50·9	0·47
GLASGOW, . . .	12,681	775,601	61·162	9·56	477	211	115	61·8	34·1	51·8	0·42
EDINBURGH, . .	11,416	322,966	28·291	14·06	133	85	71	59·7	39·6	50·7	0·14
DUNDEE, . . .	4,162	162,078	38·942	11·98	78	46	17	63·3	38·9	50·7	0·30
ABERDEEN, . .	6,795	157,505	23·180	15·53	89	38	38	57·5	38·2	48·6	0·24
PAISLEY, . . .	3,538	81,150	22·937	15·61	46	24	9	65·5	39·0	53·3	1·00
LEITH,	2,042	78,605	38·494	12·05	41	24	6	61·9	41·4	52·8	0·07
GREENOCK, . .	1,440	68,756	47·747	10·82	46	20	6	58·8	40·5	50·0	1·45
PERTH,	2,122	33,262	15·675	18·88	24	8	3	64·0	36·0	49·7	0·15
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	899	517	220	65·6	36·0	54·4	0·70

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, SEPTEMBER 20, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 20, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic/Zymotic/Dis.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14.1	1.3	456	106	108	0	3	2	3	10	4	21	1	56	19	112	16	1
GLASGOW, .	14.1	1.3	211	44	46	0	0	1	1	4	2	11	0	24	10	53	6	0
EDINBURGH,	13.7	1.3	85	19	27	0	2	1	1	2	0	2	0	8	3	21	4	0
DUNDEE, . .	14.8	1.3	46	9	11	0	0	0	0	1	1	2	1	6	3	11	3	0
ABERDEEN, .	12.5	1.0	38	13	6	0	0	0	0	1	0	2	0	6	2	15	1	1
PAISLEY, . .	15.4	1.3	24	11	2	0	0	0	0	1	0	1	0	6	0	3	1	0
LEITH, . . .	15.9	1.3	24	5	11	0	0	0	0	1	0	1	0	3	0	5	1	0
GREENOCK, .	15.1	2.3	20	4	4	0	1	0	0	0	1	1	0	2	1	3	0	0
PERTH, . . .	12.5	3.1	8	1	1	0	0	0	1	0	0	1	0	1	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 21, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic/Zymotic/Dis.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.2	2.6	517	121	106	0	5	2	4	13	6	53	3	78	20	116	24	1
GLASGOW, .	16.6	2.7	244	60	41	0	2	0	2	7	5	24	2	39	7	56	11	1
EDINBURGH,	15.4	2.6	94	22	18	0	2	0	1	3	0	10	1	17	3	25	5	0
DUNDEE, . .	11.3	2.6	35	6	11	0	1	0	0	1	0	6	0	5	3	5	2	0
ABERDEEN, .	20.9	1.7	62	17	17	0	0	0	0	0	0	5	0	10	1	13	0	0
PAISLEY, . .	15.0	3.3	23	7	4	0	0	1	0	0	1	3	0	3	0	3	2	0
LEITH, . . .	17.4	4.0	26	5	6	0	0	0	0	2	0	4	0	3	0	8	1	0
GREENOCK, .	21.3	1.5	28	4	8	0	0	1	0	0	0	1	0	1	6	3	3	0
PERTH, . . .	7.9	1.6	5	0	1	0	0	0	1	0	0	0	0	0	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 39. WEEK ENDING SATURDAY, SEPTEMBER 27, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, September 27, 1902, was 507, equivalent to an annual mortality-rate of 15·7 per thousand of the estimated population. This rate is 0·3 below that for the corresponding week of last year, but 1·6 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Aberdeen, viz., 12·5 per thousand; and the highest in Greenock, viz., 22·7 per thousand.

From the seven principal Epidemic diseases 48 deaths were recorded, being at the rate of 1·5 per thousand of population, or 0·2 above that for last week. Of these deaths 27 were due to Diarrhoeal diseases, 7 to Hooping-cough, 6 to Enteric Fever, and 5 to Scarlet Fever.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 83, being 27 above the number for the previous week.

The Mean Temperature was 54°·9, being 4°·0 above that for the week immediately preceding, but 2°·8 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, September 27, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Sept. 27, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	973	507	270	68·0	37·0	54·9	0·67
GLASGOW, . . .	12,681	775,601	61·162	9·56	496	245	140	64·9	39·5	54·3	0·51
EDINBURGH, . .	11,416	322,966	28·291	14·06	157	87	59	63·7	46·3	56·2	0·12
DUNDEE, . . .	4,162	162,078	38·942	11·98	81	50	12	64·4	40·8	53·6	0·57
ABERDEEN, . .	6,795	157,505	23·180	15·53	83	38	25	64·0	38·0	54·1	0·73
PAISLEY, . . .	3,538	81,150	22·937	15·61	47	23	9	68·0	45·6	56·9	0·81
LEITH,	2,042	78,605	38·494	12·05	49	23	9	67·8	43·9	56·8	0·20
GREENOCK, . .	1,440	68,756	47·747	10·82	44	30	10	62·2	43·5	54·9	1·40
PERTH,	2,122	33,262	15·675	18·88	16	11	6	61·0	37·0	52·8	1·00
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	885	509	269	70·2	46·0	57·7	0·46

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, SEPTEMBER 27, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 27, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	15.7	1.5	507	122	124	0	1	5	2	7	6	27	3	83	22	116	20
GLASGOW, .	16.4	1.8	245	61	44	0	0	2	1	2	3	19	1	42	8	53	13
EDINBURGH,	14.0	1.1	87	18	29	0	0	1	0	1	3	2	0	9	3	24	6
DUNDEE, . .	16.0	1.3	50	13	11	0	0	0	1	1	0	2	0	10	2	14	0
ABERDEEN, .	12.5	0.7	38	12	11	0	0	0	0	0	0	2	1	6	1	8	1
PAISLEY, . .	14.7	1.9	23	1	8	0	1	1	0	1	0	0	1	4	0	5	0
LEITH, . . .	15.2	1.3	23	4	7	0	0	0	0	1	0	1	0	3	3	3	0
GREENOCK, .	22.7	1.5	30	8	9	0	0	1	0	0	0	1	0	4	4	6	0
PERTH, . . .	17.2	1.6	11	5	5	0	0	0	0	1	0	0	0	5	1	3	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, September 28, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	16.0	2.3	509	123	112	0	12	4	1	7	7	42	1	100	19	110	12
GLASGOW, .	15.8	2.9	232	61	45	0	11	3	1	3	2	22	0	51	11	51	6
EDINBURGH,	16.5	1.5	101	19	27	0	0	1	0	3	0	5	0	16	3	26	6
DUNDEE, . .	18.7	1.0	58	9	14	0	0	0	0	0	1	2	0	13	3	10	0
ABERDEEN, .	14.8	2.4	44	14	12	0	0	0	0	0	0	7	1	5	0	6	0
PAISLEY, . .	12.4	2.6	19	6	2	0	0	0	0	1	3	0	0	5	0	7	0
LEITH, . . .	14.1	2.7	21	8	6	0	0	0	0	0	0	4	0	5	1	5	0
GREENOCK, .	18.3	3.0	24	5	4	0	1	0	0	0	1	2	0	3	1	4	0
PERTH, . . .	15.8	0.0	10	1	2	0	0	0	0	0	0	0	0	2	0	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 40. WEEK ENDING SATURDAY, OCTOBER 4, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, October 4, 1902, was 536, representing an annual mortality-rate of 16·6 per thousand of the estimated population. This rate is 2·1 above that for the corresponding week of last year, and 0·9 above that for the previous week of the current year.

The lowest rate of mortality was recorded in Leith, viz., 11·2 per thousand; and the highest in Glasgow, viz., 18·5 per thousand.

From the seven principal Epidemic diseases 56 deaths were registered, being at the rate of 1·7 per thousand of population, or 0·2 above that for last week. Of these deaths 31 were caused by Diarrhoeal diseases, 8 by Hooping-cough, 6 each by Scarlet and Enteric Fever, and 4 by Diphtheria.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 87, being 4 above the number for the previous week.

The Mean Temperature was 50°·7, being 4°·2 below that for the week immediately preceding, and 2°·8 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 4, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Oct. 4, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	978	536	321	66·2	27·0	50·7	0·11
GLASGOW, . . .	12,681	775,601	61·162	9·56	476	276	157	66·2	34·4	51·9	0·00
EDINBURGH, . .	11,416	322,966	28·291	14·06	133	103	72	57·7	39·3	48·9	0·37
DUNDEE, . . .	4,162	162,078	38·942	11·98	106	45	17	61·0	32·2	50·6	0·14
ABERDEEN, . .	6,795	157,505	23·180	15·53	101	37	34	60·0	31·5	50·6	0·08
PAISLEY, . . .	3,538	81,150	22·937	15·61	46	27	11	63·9	34·3	51·9	0·13
LEITH,	2,042	78,605	38·494	12·05	52	17	13	59·7	41·9	51·0	0·14
GREENOCK, . .	1,440	68,756	47·747	10·82	44	22	11	62·7	36·0	51·8	0·00
PERTH,	2,122	33,262	15·675	18·88	20	9	6	61·0	27·0	49·0	0·04
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	926	463	229	66·8	38·0	53·5	1·08

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, OCTOBER 4, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 4, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes
In Eight Towns,	16.6	1.7	536	133	117	0	1	6	4	8	6	31	0	87	27	123	29	3
GLASGOW, .	18.5	1.9	276	69	49	0	1	2	1	5	3	16	0	54	15	58	19	3
EDINBURGH,	16.6	1.8	103	20	28	0	0	1	2	2	2	4	0	9	1	34	3	0
DUNDEE, . .	14.4	1.0	45	10	13	0	0	0	0	0	0	3	0	4	2	9	1	0
ABERDEEN, .	12.2	2.0	37	13	12	0	0	1	0	1	0	4	0	8	2	7	0	0
PAISLEY, . .	17.3	2.6	27	6	6	0	0	1	1	0	0	2	0	7	2	5	2	0
LEITH, . . .	11.2	0.0	17	2	4	0	0	0	0	0	0	0	0	1	1	3	0	0
GREENOCK, .	16.6	3.0	22	9	2	0	0	1	0	0	1	2	0	3	3	6	3	0
PERTH, . . .	14.1	0.0	9	4	3	0	0	0	0	0	0	0	0	1	1	1	1	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 5, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic/Zymotic Dis.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	14.5	2.6	463	140	94	0	14	7	6	7	6	42	1	76	16	99	19	3
GLASGOW, .	14.9	3.0	219	59	32	0	12	5	3	5	3	16	1	30	9	56	8	2
EDINBURGH,	14.2	1.1	87	24	21	0	0	1	3	2	1	0	0	12	5	26	7	0
DUNDEE, . .	16.4	3.2	51	17	11	0	1	0	0	0	0	9	0	11	0	3	0	0
ABERDEEN, .	16.2	2.7	48	20	15	0	0	0	0	0	1	7	0	12	0	6	1	1
PAISLEY, . .	15.7	2.6	24	5	10	0	0	0	0	0	1	3	0	4	1	3	1	0
LEITH, . . .	9.4	2.0	14	6	1	0	0	0	0	0	0	3	0	4	1	1	1	0
GREENOCK, .	9.1	4.6	12	5	1	0	1	1	0	0	0	4	0	1	0	2	0	0
PERTH, . . .	12.6	0.0	8	4	3	0	0	0	0	0	0	0	0	2	0	2	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF

SCOTLAND.

By Authority of the Registrar-General.

No. 41. WEEK ENDING SATURDAY, OCTOBER 11, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, October 11, 1902, was 496, representing an annual mortality-rate of 15·4 per thousand of the estimated population. This rate is 0·7 below that for the corresponding week of last year, and 1·2 below that for the previous week of the current year.

The lowest death-rate occurred in Leith, viz., 7·3 per thousand; and the highest in Perth, viz., 29·7 per thousand.

From the seven principal Epidemic diseases 49 deaths were registered, being at the rate of 1·5 per thousand of population, or 0·2 below that for last week. Of these deaths 19 were due to Diarrhoeal diseases, 12 to Hooping-cough, 5 each to Scarlet Fever and Diphtheria, and 4 to Measles.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 103, being an increase of 16 compared with the number for the previous week.

The Mean Temperature was 45°·4, being 5°·3 below that for the week immediately preceding, and 1°·7 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 11, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Oct. 11, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	983	496	227	57·8	27·0	45·4	0·09
GLASGOW, . . .	12,681	775,601	61·162	9·56	474	261	113	57·8	32·9	47·1	0·02
EDINBURGH, . .	11,416	322,966	28·291	14·06	150	82	51	52·4	38·7	40·8	0·03
DUNDEE, . . .	4,162	162,078	38·942	11·98	93	41	22	52·3	32·6	44·9	0·16
ABERDEEN, . .	6,795	157,505	23·180	15·53	99	52	19
PAISLEY, . . .	3,538	81,150	22·937	15·61	53	15	9	57·6	35·1	47·3	0·03
LEITH,	2,042	78,605	38·494	12·05	62	11	1	53·7	42·4	48·4	0·22
GREENOCK, . .	1,440	68,756	47·747	10·82	44	15	9	57·0	36·5	46·4	0·00
PERTH,	2,122	33,262	15·675	18·88	8	19	3	52·5	27·0	42·9	0·16
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	1032	513	207	63·2	30·0	47·1	0·30

Week ending Saturday, OCTOBER 11, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 11, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epl-demic(Zymotic)Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	15.4	1.5	496	126	107	*1	4	5	5	12	3	19	3	103	19	105	16
GLASGOW, .	17.5	1.9	261	74	44	0	3	1	3	7	2	12	1	59	9	48	9
EDINBURGH,	13.2	1.3	82	12	20	0	1	0	0	2	1	4	1	10	6	26	5
DUNDEE, . .	13.2	0.3	41	15	8	0	0	0	0	0	0	1	0	11	1	11	0
ABERDEEN, .	17.2	1.0	52	15	17	0	0	0	0	2	0	1	1	11	2	5	0
PAISLEY, . .	9.6	1.3	15	4	6	0	0	1	0	1	0	0	0	5	0	5	1
LEITH, . . .	7.3	1.3	11	0	2	*1	0	0	1	0	0	0	0	1	0	3	0
GREENOCK, .	11.3	3.8	15	4	3	0	0	3	1	0	0	1	0	1	0	5	1
PERTH, . . .	29.7	0.0	19	2	7	0	0	0	0	0	0	0	0	5	1	2	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 12, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epl-demic(Zymotic)Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	16.1	1.9	513	129	113	0	6	7	6	5	6	32	2	73	26	129	16
GLASGOW, .	16.5	2.1	243	52	42	0	5	2	2	0	4	18	0	41	14	63	7
EDINBURGH,	15.9	1.8	97	16	29	0	1	0	3	3	0	4	1	7	4	32	6
DUNDEE, . .	17.7	1.3	55	17	14	0	0	1	0	0	0	3	0	7	4	8	1
ABERDEEN, .	15.8	1.3	47	23	10	0	0	0	1	1	0	2	1	10	0	8	1
PAISLEY, . .	10.4	1.3	16	3	5	0	0	0	0	1	1	0	0	2	0	2	0
LEITH, . . .	13.4	2.0	20	10	6	0	0	0	0	0	0	3	0	3	1	6	0
GREENOCK, .	23.6	4.6	31	7	6	0	0	4	0	0	1	1	0	3	2	9	1
PERTH, . . .	6.3	1.6	4	1	1	0	0	0	0	0	0	1	0	0	1	1	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 42.

WEEK ENDING SATURDAY, OCTOBER 18, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, October 18, 1902, was 581, being equivalent to an annual mortality-rate of 18·0 per thousand of the estimated population. This rate is 1·1 above that for the corresponding week of last year, and 2·6 above that for the previous week of the present year.

The lowest rate of mortality occurred in Leith, viz., 8·6 per thousand; and the highest in Paisley, viz., 30·1 per thousand.

The seven principal Epidemic diseases accounted for 56 deaths, being at the rate of 1·7 per thousand of population, or 0·2 above that for last week. Of these deaths 24 were due to Diarrhœal diseases; 11 to Hooping-cough; 8 to Diphtheria, of which 5 occurred in Glasgow and 2 in Greenock; and 8 to Scarlet Fever.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 127, being 24 above the number for the previous week.

The Mean Temperature was 47°·8, being 2°·4 above that for the week immediately preceding, and 0°·9 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 18, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Oct. 18, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	953	581	239	59·2	26·0	47·8	0·71
GLASGOW, . . .	12,681	775,601	61·162	9·56	465	288	86	59·2	38·0	50·0	0·83
EDINBURGH, . .	11,416	322,966	28·291	14·06	145	98	52	56·6	37·7	48·1	0·52
DUNDEE, . . .	4,162	162,078	38·942	11·98	90	55	63	55·3	30·9	46·9	0·49
ABERDEEN, . .	6,795	157,505	23·180	15·53	83	47	17	58·0	33·0	45·5	0·82
PAISLEY, . . .	3,538	81,150	22·937	15·61	52	47	5	58·3	33·1	49·2	1·26
LEITH,	2,042	78,605	38·494	12·05	48	13	8	57·7	34·9	49·2	0·42
GREENOCK, . .	1,440	68,756	47·747	10·82	53	22	6
PERTH,	2,122	33,262	15·675	18·88	17	11	2	56·0	26·0	45·5	0·61
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	908	537	258	59·0	28·5	46·9	1·04

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 43. WEEK ENDING SATURDAY, OCTOBER 25, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, October 25, 1902, was 543, being equivalent to an annual mortality-rate of 16·8 per thousand of the estimated population. This rate is 2·5 below that for the corresponding week of last year, and 1·2 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 11·2 per thousand; and the highest in Greenock, viz., 19·7 per thousand.

The seven principal Epidemic diseases accounted for 46 deaths, being at the rate of 1·4 per thousand of population, or 0·3 below that for last week. Of these deaths 21 were due to Diarrhœal diseases; 10 to Scarlet Fever, of which 3 each occurred in Glasgow and Greenock, 2 in Paisley, and 1 each in Edinburgh and Aberdeen; 7 to Hooping-cough; and 5 to Diphtheria.

From Bronchitis, Pneumonia, and Pleurisy 112 deaths resulted, being 15 less than the mortality from these diseases during the previous week.

The Mean Temperature was 47°·2, being 0°·6 below that for the week immediately preceding, but 3°·9 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, October 25, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Oct. 25, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	962	543	195	58·7	27·0	47·2	0·66
GLASGOW, . . .	12,681	775,601	61·162	9·56	461	284	88	58·0	31·0	48·5	0·26
EDINBURGH, . .	11,416	322,966	28·291	14·06	178	92	49	58·1	36·9	48·2	0·26
DUNDEE, . . .	4,162	162,078	38·942	11·98	106	40	12	56·8	30·1	45·1	0·44
ABERDEEN, . .	6,795	157,505	23·180	15·53	86	50	17	58·0	28·0	45·5	0·42
PAISLEY, . . .	3,538	81,150	22·937	15·61	48	22	11
LEITH,	2,042	78,605	38·494	12·05	35	17	9	58·7	35·6	49·2	0·24
GREENOCK, . .	1,440	68,756	47·747	10·82	36	26	5	56·7	38·0	48·2	2·37
PERTH,	2,122	33,262	15·675	18·88	12	12	4	57·0	27·0	45·4	0·65
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	895	616	197	59·5	26·5	43·3	0·35

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, OCTOBER 25, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 25, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic/Zymotic/Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	16.8	1.4	543	142	128	0	2	10	5	7	1	21	4	112	23	132	21	3
GLASGOW, .	19.0	1.3	284	82	55	0	0	3	3	5	0	8	3	72	11	56	12	3
EDINBURGH,	14.8	0.8	92	17	28	0	0	1	0	1	0	3	0	16	5	33	4	0
DUNDEE, . .	12.8	1.6	40	12	9	0	0	0	0	0	0	5	0	3	3	13	1	0
ABERDEEN, .	16.5	1.3	50	9	19	0	1	1	1	0	0	1	0	8	2	12	1	0
PAISLEY, . .	14.1	2.6	22	6	4	0	0	2	0	0	1	1	0	7	0	6	1	0
LEITH, . . .	11.2	1.3	17	9	1	0	0	0	0	1	0	1	0	3	2	1	0	0
GREENOCK, .	19.7	5.3	26	4	7	0	1	3	1	0	0	2	1	2	0	6	2	0
PERTH, . . .	18.7	0.0	12	3	5	0	0	0	0	0	0	0	0	1	0	5	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, October 26, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epidemic/Zymotic/Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.3	2.2	616	153	128	1	12	4	5	8	13	27	0	133	28	126	23	2
GLASGOW, .	20.0	2.9	294	73	50	*1	10	1	1	6	11	12	0	64	12	62	12	2
EDINBURGH,	15.5	1.5	95	20	25	0	0	1	3	2	0	3	0	14	7	24	5	0
DUNDEE, . .	20.6	1.0	64	18	17	0	2	0	0	0	0	1	0	26	0	11	1	0
ABERDEEN, .	23.6	3.4	70	21	18	0	0	1	1	0	1	7	0	16	0	14	0	0
PAISLEY, . .	13.7	0.7	21	4	4	0	0	0	0	0	1	0	0	3	2	5	1	0
LEITH, . . .	14.7	2.0	22	7	6	0	0	1	0	0	0	2	0	3	2	5	1	0
GREENOCK, .	29.0	1.5	38	9	5	0	0	0	0	0	0	2	0	7	4	3	3	0
PERTH, . . .	18.9	0.0	12	1	3	0	0	0	0	0	0	0	0	0	1	2	0	0

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 44.

WEEK ENDING SATURDAY, NOVEMBER 1, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, November 1, 1902, was 612, being at the annual rate of 18·9 per thousand of the estimated population. This rate is 1·0 below that for the corresponding week of last year, but 2·1 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 14·1 per thousand; and the highest in Dundee and in Paisley, viz., 19·9 per thousand.

From the seven principal Epidemic diseases 55 deaths were registered, being at the rate of 1·7 per thousand of population, or 0·3 above that for last week. Diarrhoeal diseases accounted for 18 of these deaths, of which 7 occurred in Dundee; Hooping-cough for 16, of which 8 occurred in Glasgow, and 3 in Dundee; Scarlet Fever for 7, of which 4 occurred in Edinburgh; Diphtheria for 6; and Measles for 5.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 144, being 32 above the number for the previous week.

The Mean Temperature was 49°·5, being 2°·3 above that for the week immediately preceding, and 1°·3 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 1, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Nov. 1, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	915	612	246	61·0	34·0	49·5	0·22
GLASGOW, . . .	12,681	775,601	61·162	9·56	446	295	135	61·0	36·0	50·3	0·44
EDINBURGH, . .	11,416	322,966	28·291	14·06	136	110	42	60·7	39·3	49·3	0·03
DUNDEE, . . .	4,162	162,078	38·942	11·98	89	62	15	57·7	39·0	49·3	0·22
ABERDEEN, . .	6,795	157,505	23·180	15·53	95	56	24	61·0	38·0	49·2	0·13
PAISLEY, . . .	3,538	81,150	22·937	15·61	41	31	8	57·9	38·1	49·8	0·21
LEITH,	2,042	78,605	38·494	12·05	53	28	8	59·7	41·6	50·7	0·12
GREENOCK, . .	1,440	68,756	47·747	10·82	48	21	12	57·0	40·0	49·1	0·54
PERTH,	2,122	33,262	15·675	16·88	7	9	2	59·0	34·0	48·4	0·05
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	916	634	262	67·2	31·8	48·2	0·62

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, NOVEMBER 1, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 1, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		The Deaths Registered in the Week include																		
	From All Causes.	From Seven Epidemic (Zymotic) Diseases.	Deaths from All Causes.	Deaths of		Deaths from													Deaths from Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.						
In Eight Towns,	18.9	1.7	612	165	141	0	5	7	6	16	3	18	2	144	19	127	23	4			
GLASGOW, .	19.8	1.5	295	84	47	0	4	2	4	8	1	4	0	77	14	65	10	4			
EDINBURGH,	17.7	1.4	110	19	37	0	0	4	0	2	1	2	0	24	2	31	7	0			
DUNDEE, . .	19.9	3.2	62	18	20	0	0	0	0	3	0	7	0	12	0	5	0	0			
ABERDEEN, .	18.5	1.7	56	18	16	0	1	0	1	2	0	1	0	15	1	13	0	0			
PAISLEY, . .	19.9	1.9	31	11	9	0	0	1	0	1	0	1	1	8	0	8	2	0			
LEITH, . . .	18.5	2.0	28	7	5	0	0	0	0	0	1	2	0	4	2	2	2	0			
GREENOCK, .	15.9	1.5	21	5	4	0	0	0	1	0	0	1	1	4	0	2	2	0			
PERTH, . . .	14.1	0.0	9	3	3	0	0	0	0	0	0	0	0	0	0	1	0	0			

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 2, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic(Zymotic)Dis.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	19.9	2.4	634	158	148	0	14	5	9	5	*14	32	2	131	22	145	27	3
GLASGOW, .	21.5	3.2	316	80	57	0	13	4	4	2	*10	15	2	75	11	74	12	1
EDINBURGH,	16.7	1.3	102	19	35	0	0	0	3	1	2	2	0	11	5	33	5	1
DUNDEE, . .	22.2	1.9	69	23	13	0	1	0	0	0	0	5	0	20	2	13	3	0
ABERDEEN, .	20.6	1.7	61	18	19	0	0	0	0	1	0	4	0	16	2	10	2	1
PAISLEY, . .	14.4	3.3	22	3	8	0	0	0	0	1	2	2	0	4	0	5	2	0
LEITH, . . .	22.1	2.0	33	7	5	0	0	0	1	0	0	2	0	4	1	5	1	0
GREENOCK, .	14.5	2.3	19	4	9	0	0	1	0	0	0	2	0	0	1	2	2	0
PERTH, . . .	18.9	1.6	12	4	2	0	0	0	1	0	0	0	0	1	0	3	0	0

* One Plague.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 45. WEEK ENDING SATURDAY, NOVEMBER 8, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, November 8, 1902, was 553, being at the annual rate of 17·1 per thousand of the estimated population. This rate is 4·6 below that for the corresponding week of last year, and 1·8 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Leith, viz., 9·3 per thousand; and the highest in Perth, viz., 28·1 per thousand.

The seven principal Epidemic diseases accounted for 54 deaths, being at the rate of 1·7 per thousand of population, the same as the rate for the previous week. Of these deaths, 21 were due to Diarrhoeal diseases; 18 to Hooping-cough, the mortality from this disease being relatively highest in Perth; 5 to Fevers; and 4 to Scarlet Fever.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 147, being 3 more than the number for the previous week.

The Mean Temperature was 47°·3, being 2°·2 below that for the week immediately preceding, but 2°·4 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 8, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Nov. 8, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	882	553	323	59·8	28·0	47·3	0·92
GLASGOW, . . .	12,681	775,601	61·162	9·56	432	288	171	59·8	31·0	49·5	0·13
EDINBURGH, . .	11,416	322,966	28·291	14·06	135	92	71	58·5	36·8	47·9	0·22
DUNDEE, . . .	4,162	162,078	38·942	11·98	89	54	16	55·5	32·4	46·3	1·14
ABERDEEN, . .	6,795	157,505	23·180	15·53	91	40	21	54·0	32·6	45·4	1·32
PAISLEY, . . .	3,538	81,150	22·937	15·61	30	27	20	59·5	34·8	48·4	0·99
LEITH,	2,042	78,605	38·494	12·05	43	14	15
GREENOCK, . .	1,440	68,756	47·747	10·82	50	20	7	58·2	36·2	48·2	1·84
PERTH,	2,122	33,262	15·675	18·88	12	18	2	57·0	28·0	45·2	0·81
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	874	692	235	54·8	27·0	44·9	0·76

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 8, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Epidemic (Zymotic) Diseases.		Deaths of		Deaths from													
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.	
In Eight Towns,	17.1	1.7	553	150	120	0	3	4	3	18	5	21	3	147	11	125	24	3	
GLASGOW, .	19.3	1.7	288	92	37	0	0	1	1	9	4	11	3	91	8	65	15	3	
EDINBURGH,	14.8	1.9	92	25	29	0	3	0	1	4	1	3	0	16	2	24	4	0	
DUNDEE, . .	17.3	1.0	54	8	21	0	0	0	0	0	0	3	0	11	0	13	0	0	
ABERDEEN, .	13.2	1.3	40	10	13	0	0	0	0	1	0	3	0	6	0	9	2	0	
PAISLEY, . .	17.3	1.3	27	4	5	0	0	1	0	1	0	0	0	7	0	6	2	0	
LEITH, . . .	9.3	0.0	14	4	6	0	0	0	0	0	0	0	0	7	0	1	0	0	
GREENOCK, .	15.1	1.5	20	4	4	0	0	1	1	0	0	0	0	7	0	4	1	0	
PERTH, . .	28.1	7.8	18	3	5	0	0	1	0	3	0	1	0	2	1	3	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the
Week ending Saturday, November 9, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.		The Deaths Registered in the Week include													
	From All Causes.	From Seven Epi- demic/zymotic Dis.	Deaths from All Causes.	Infants under One Year of Age.	Persons aged 60 Years & upwards.	Deaths of		Deaths from										
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.7	2.8	692	165	139	0	24	5	6	16	16	23	2	160	25	176	24	4
GLASGOW, .	24.2	4.1	356	93	53	0	19	2	5	12	12	10	1	89	11	89	17	4
EDINBURGH, .	19.3	1.0	118	21	28	0	0	1	1	1	1	2	0	16	10	40	4	0
DUNDEE, . .	24.2	3.9	75	17	19	0	4	0	0	2	0	6	0	21	3	19	0	0
ABERDEEN, .	18.5	1.7	55	16	16	0	0	1	0	0	1	3	0	12	0	13	1	0
PAISLEY, . .	18.3	2.0	28	8	6	0	1	0	0	0	2	0	0	8	0	5	2	0
LEITH, . . .	18.1	1.3	27	6	9	0	0	0	0	1	0	1	1	7	0	5	0	0
GREENOCK, .	13.7	1.5	18	2	3	0	0	1	0	0	0	1	0	2	1	2	0	0
PERTH, . . .	23.7	0.0	15	2	5	0	0	0	0	0	0	0	0	5	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 46. WEEK ENDING SATURDAY, NOVEMBER 15, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, November 15, 1902, was 529, being at the annual rate of 16·4 per thousand of the estimated population. This rate is 3·5 below that for the corresponding week of last year, and 0·7 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 10·9 per thousand; and the highest in Glasgow, viz., 18·0 per thousand.

The seven principal Epidemic diseases accounted for 41 deaths, being at the rate of 1·3 per thousand of population, or 0·4 below that for the previous week. Of these deaths, 22 were due to Diarrhœal diseases, 5 to Fever, and 4 each to Diphtheria and Measles.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 136, being 11 below the number for the previous week.

The Mean Temperature was 47°·5, being 0°·2 above that for the week immediately preceding, and 8°·9 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 15, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Nov. 15, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	924	529	238	56·5	35·0	47·5	0·70
GLASGOW, . . .	12,681	775,601	61·162	9·56	454	269	132	56·2	40·2	48·7	0·82
EDINBURGH, . .	11,416	322,966	28·291	14·06	159	90	48	54·3	39·6	47·3	0·09
DUNDEE, . . .	4,162	162,078	38·942	11·98	96	44	15	56·5	36·4	46·7	0·43
ABERDEEN, . .	6,795	157,505	23·180	15·53	82	52	16	54·6	37·0	46·5	0·43
PAISLEY, . . .	3,538	81,150	22·937	15·61	42	27	8	55·0	43·0	48·5	1·28
LEITH,	2,042	78,605	38·494	12·05	45	21	9	55·7	40·9	48·6	0·21
GREENOCK, . .	1,440	68,756	47·747	10·82	34	19	7	55·0	42·0	47·7	1·68
PERTH,	2,122	33,262	15·675	18·88	12	7	3	55·0	35·0	46·0	0·63
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	824	633	195	57·9	17·0	38·6	0·70

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & CO., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, NOVEMBER 15, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 15, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	16.4	1.3	529	118	131	*1	4	2	4	3	5	22	3	136	23	121	28
GLASGOW, .	18.0	1.2	269	69	60	0	0	0	2	1	3	12	3	82	13	61	16
EDINBURGH,	14.5	1.0	90	11	25	0	1	0	0	1	1	3	0	15	5	24	4
DUNDEE, . .	14.1	0.6	44	8	10	0	0	0	0	1	0	1	0	12	2	13	2
ABERDEEN, .	17.2	2.6	52	10	19	0	3	0	2	0	0	3	0	13	1	6	3
PAISLEY, . .	17.3	2.6	27	9	7	*1	0	1	0	0	0	2	0	7	1	7	0
LEITH, . . .	13.9	0.7	21	8	3	0	0	0	0	0	0	1	0	3	1	5	3
GREENOCK, .	14.4	0.8	19	3	3	0	0	1	0	0	0	0	0	2	0	3	0
PERTH, . . .	10.9	1.6	7	0	4	0	0	0	0	0	1	0	0	2	0	2	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 16, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include													
				Deaths of		Deaths from											
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.
In Eight Towns,	19.9	2.3	633	126	170	*1	18	8	9	3	12	22	2	188	12	129	26
GLASGOW, .	21.6	3.5	318	61	74	0	18	5	5	3	8	13	2	91	8	66	11
EDINBURGH,	16.0	1.0	98	9	39	0	0	1	3	0	1	1	0	24	2	30	6
DUNDEE, . .	19.7	1.6	61	17	13	0	0	0	1	0	0	4	0	20	0	9	2
ABERDEEN, .	19.5	1.0	58	18	20	0	0	0	0	0	0	3	0	23	0	7	1
PAISLEY, . .	20.2	1.3	31	5	11	0	0	0	0	0	2	0	0	7	0	3	4
LEITH, . . .	16.7	0.7	25	5	5	*1	0	0	0	0	0	0	0	10	0	7	0
GREENOCK, .	25.9	3.0	34	10	7	0	0	2	0	0	1	1	0	11	2	4	2
PERTH, . . .	12.6	0.0	8	1	1	0	0	0	0	0	0	0	0	2	0	3	0

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 47. WEEK ENDING SATURDAY, NOVEMBER 22, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, November 22, 1902, was 507, being at the annual rate of 15·7 per thousand of the estimated population. This rate is 5·6 below that for the corresponding week of last year, and 0·7 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 10·9 per thousand; and the highest in Paisley, viz., 20·5 per thousand.

The seven principal Epidemic diseases accounted for 43 deaths, being at the rate of 1·3 per thousand of population, or the same as that for the previous week. Diarrhoeal diseases caused 20 of these deaths; Hooping-cough, 9; and Scarlet Fever, 8.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 118, being 18 below the number for the previous week.

The Mean Temperature was 40°·3, being 7°·2 below that for the week immediately preceding, and 0°·5 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 22, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Nov. 22, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	908	507	225	52·5	26·0	40·3	0·09
GLASGOW, . . .	12,681	775,601	61·162	9·56	429	232	110	51·4	30·2	38·3	0·00
EDINBURGH, . .	11,416	322,966	28·291	14·06	175	103	50	48·9	29·8	38·8	0·02
DUNDEE, . . .	4,162	162,078	38·942	11·98	91	49	16	48·1	30·8	41·4	0·08
ABERDEEN, . .	6,795	157,505	23·180	15·53	85	42	21	51·6	39·8	44·7	0·14
PAISLEY, . . .	3,538	81,150	22·937	15·61	32	32	7
LEITH,	2,042	78,605	38·494	12·05	47	17	11	49·7	29·7	39·7	0·05
GREENOCK, . .	1,440	68,756	47·747	10·82	40	25	5	52·5	30·0	40·4	0·30
PERTH,	2,122	33,262	15·675	18·88	9	7	5	50·0	26·0	39·1	0·05
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	883	680	174	56·8	18·0	40·8	1·50

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, NOVEMBER 22, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 22, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	Epi- demic(Zymotic)Dis		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.			
In Eight Towns,	15.7	1.3	507	132	111	0	2	8	2	9	2	20	3	118	27	121	23	5
GLASGOW, .	15.6	1.5	232	62	42	0	0	3	1	6	1	11	1	55	14	52	11	4
EDINBURGH,	16.6	0.8	103	26	28	0	0	0	0	0	0	5	0	25	5	36	4	0
DUNDEE, . .	15.7	1.9	49	13	11	0	0	2	0	2	1	1	2	15	0	11	0	0
ABERDEEN, .	13.9	0.7	42	11	8	0	2	0	0	0	0	0	0	10	2	8	1	0
PAISLEY, . .	20.5	1.9	32	9	7	0	0	2	0	0	0	1	0	4	1	9	3	0
LEITH, . . .	11.2	1.3	17	5	5	0	0	0	0	1	0	1	0	4	1	0	0	0
GREENOCK, .	18.9	2.3	25	6	6	0	0	1	1	0	0	1	0	2	4	4	4	1
PERTH, . . .	10.9	0.0	7	0	4	0	0	0	0	0	0	0	0	3	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 23, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epl. demic(Zymotic)Dis.		Deaths of		Deaths from										Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.			
In Eight Towns,	21·3	2·7	680	167	171	1	29	6	6	6	8	30	3	174	24	130	25	2
GLASGOW, .	22·2	3·6	327	67	65	*1	24	4	0	5	5	14	1	90	11	51	14	1
EDINBURGH,	18·6	1·1	114	26	38	0	1	1	2	0	1	2	0	26	2	31	6	0
DUNDEE, . .	24·2	3·5	75	24	22	0	4	0	1	1	0	5	1	15	5	16	0	0
ABERDEEN, .	22·6	2·0	67	22	21	0	0	0	1	0	1	4	0	19	0	13	0	0
PAISLEY, . .	13·7	2·6	21	7	2	0	0	1	1	0	0	2	0	2	1	5	2	1
LEITH, . . .	21·4	2·7	32	11	8	0	0	0	1	0	0	3	0	8	1	5	1	0
GREENOCK, .	21·3	0·8	28	7	9	0	0	0	0	0	1	0	1	11	2	2	1	0
PERTH, . .	25·2	0·0	16	3	6	0	0	0	0	0	0	0	0	3	2	7	1	0

* Chicken-pox.

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 48. WEEK ENDING SATURDAY, NOVEMBER 29, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, November 29, 1902, was 646, being at the annual rate of 20·0 per thousand of the estimated population. This rate is 2·2 below that for the corresponding week of last year, but 4·3 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Perth, viz., 12·5 per thousand ; and the highest in Paisley, viz., 23·1 per thousand.

From the seven principal Epidemic diseases 59 deaths were registered, being at the rate of 1·8 per thousand of population, or 0·5 above that for the previous week. Diarrhoeal diseases accounted for 20 of these deaths ; Hooping-cough for 15, of which 10 occurred in Glasgow ; Diphtheria for 7, the mortality from this disease having been relatively highest in Greenock and Aberdeen ; Scarlet Fever for 6, the highest rate having occurred in Greenock ; and Measles and " Fevers " each for 5.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 130, being 12 above the number for the previous week.

The Mean Temperature was 43°·4, being 3°·1 above that for the week immediately preceding, and 2°·0 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, November 29, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Nov. 29, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	897	646	270	54·2	27·5	43·4	1·00
GLASGOW, . . .	12,681	775,601	61·162	9·56	435	293	121	54·2	33·4	46·2	0·71
EDINBURGH, . .	11,416	322,966	28·291	14·06	148	136	61	48·6	33·6	42·7	0·26
DUNDEE, . . .	4,162	162,078	38·942	11·98	68	66	24	47·5	31·4	42·6	1·24
ABERDEEN, . .	6,795	157,505	23·180	15·53	100	61	21	48·2	28·2	43·4	0·67
PAISLEY, . . .	3,538	81,150	22·937	15·61	41	36	14	49·8	34·1	43·5	1·31
LEITH,	2,042	78,605	38·494	12·05	48	21	13	48·7	35·9	44·0	0·30
GREENOCK, . .	1,440	68,756	47·747	10·82	43	25	4	50·2	31·9	42·8	2·01
PERTH,	2,122	33,262	15·675	18·88	14	8	12	48·5	27·5	42·0	1·53
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	856	706	243	54·0	17·0	41·4	0·04

Week ending Saturday, NOVEMBER 29, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 29, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic (Zymotic) Dis.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20.0	1.8	646	153	149	*1	5	6	7	15	5	20	5	130	24	130	23	2
GLASGOW, .	19.6	1.8	293	68	44	*1	1	1	1	10	2	11	2	59	10	68	13	2
EDINBURGH,	21.9	1.6	136	34	43	0	2	1	1	2	1	3	1	25	5	32	8	0
DUNDEE, . .	21.2	1.0	66	9	21	0	0	0	1	0	1	1	1	11	5	8	0	0
ABERDEEN, .	20.1	3.0	61	18	17	0	2	1	2	2	0	2	0	13	1	10	0	0
PAISLEY, . .	23.1	2.6	36	11	11	0	0	1	0	0	1	2	0	10	0	5	1	0
LEITH, . . .	13.9	1.3	21	8	5	0	0	0	0	1	0	1	1	6	1	0	0	0
GREENOCK, .	18.9	3.0	25	4	6	0	0	2	2	0	0	0	0	3	1	7	1	0
PERTH, . . .	12.5	0.0	8	1	2	0	0	0	0	0	0	0	0	3	1	0	0	0

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, November 30, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic (Zymotic) Dis.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	22.2	2.4	706	155	150	0	29	3	8	7	9	21	3	183	38	152	26	2
GLASGOW, .	24.1	3.7	355	69	65	0	23	2	5	7	6	11	1	93	17	75	14	2
EDINBURGH,	20.1	0.5	123	29	23	0	1	1	0	0	0	1	2	33	9	38	8	0
DUNDEE, . .	18.0	2.6	56	15	15	0	4	0	0	0	1	3	0	16	1	12	0	0
ABERDEEN, .	20.6	2.0	61	18	19	0	1	0	1	0	0	4	0	14	4	9	0	0
PAISLEY, . .	28.0	2.0	43	4	18	0	0	0	1	0	2	0	0	9	4	11	4	0
LEITH, . . .	21.4	1.3	32	12	5	0	0	0	1	0	0	1	0	10	0	3	0	0
GREENOCK, .	17.5	0.8	23	4	5	0	0	0	0	0	0	1	0	5	3	2	0	0
PERTH, . . .	20.5	0.0	13	4	0	0	0	0	0	0	0	0	0	3	0	2	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 49. WEEK ENDING SATURDAY, DECEMBER 6, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, December 6, 1902, was 599, representing an annual mortality rate of 18·5 per thousand of the estimated population. This rate is 2·0 below that for the corresponding week of last year, and 1·5 below that for the previous week of the present year.

The lowest rate of mortality was recorded in Aberdeen, viz., 14·9 per thousand; and the highest in Dundee, viz., 21·8 per thousand.

From the seven principal Epidemic diseases 64 deaths were recorded, being at the rate of 2·0 per thousand of population, or 0·2 above that for the previous week. Of these deaths 18 were due to Diarrheal diseases; 16 to Hooping-cough, of which 11 occurred in Glasgow and 3 in Aberdeen; 10 to Scarlet Fever, from which the mortality was relatively highest in Paisley; and 9 to Diphtheria, of which 7 occurred in Glasgow.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 132, being 2 more than the number for the previous week.

The Mean Temperature was 36°·9, being 6°·5 below that for the week immediately preceding, and 8°·1 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 6, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Dec. 6, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	925	599	352	47·5	23·2	36·9	1·34
GLASGOW, . . .	12,681	775,601	61·162	9·56	456	283	168	47·5	23·2	36·6	0·82
EDINBURGH, . .	11,416	322,966	28·291	14·06	147	110	93	46·1	27·8	36·2	0·27
DUNDEE, . . .	4,162	162,078	38·942	11·98	79	68	23	46·4	29·1	36·6	1·75
ABERDEEN, . .	6,795	157,505	23·180	15·53	84	45	29	45·0	34·0	38·6	1·03
PAISLEY, . . .	3,538	81,150	22·937	15·61	66	29	8	47·3	26·0	36·9	1·16
LEITH,	2,042	78,605	38·494	12·05	39	26	16	46·7	28·9	37·4	0·28
GREENOCK, . .	1,440	68,756	47·747	10·82	36	26	8	46·8	26·0	37·1	1·64
PERTH,	2,122	33,262	15·675	18·88	18	12	7	47·5	25·0	36·0	3·75
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	830	653	347	58·0	28·0	45·0	0·84

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue,
and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, DECEMBER 6, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 6, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include															
	From All Causes.	From Seven Epi- demic (Zymotic) Dis.		Deaths of		Deaths from											Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.				
In Eight Towns,	18.5	2.0	599	135	155	0	4	10	9	16	7	18	1	132	23	124	20	3	
GLASGOW, .	19.0	2.7	283	68	63	0	2	4	7	11	7	10	0	62	14	70	11	3	
EDINBURGH,	17.7	1.0	110	22	39	0	1	1	2	0	0	2	0	30	2	25	7	0	
DUNDEE, . .	21.8	1.6	68	14	22	0	0	0	0	1	0	4	0	13	4	12	1	0	
ABERDEEN, .	14.9	2.0	45	11	15	0	1	0	0	3	0	2	0	5	1	8	0	0	
PAISLEY, . .	18.6	2.6	29	7	3	0	0	3	0	1	0	0	0	6	0	6	1	0	
LEITH, . . .	17.2	0.0	26	8	5	0	0	0	0	0	0	0	0	9	0	2	0	0	
GREENOCK, .	19.7	0.8	26	3	5	0	0	1	0	0	0	0	1	7	1	0	0	0	
PERTH, . . .	18.7	1.6	12	2	3	0	0	1	0	0	0	0	0	0	1	1	0	0	

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 7, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epi- demic (Zymotic) Dis.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.					
In Eight Towns,	20.5	2.3	653	155	155	0	23	9	5	4	10	21	1	179	18	138	27	5		
GLASGOW, .	21.6	3.2	318	76	62	0	20	4	4	4	7	8	0	90	6	68	11	4		
EDINBURGH,	19.8	1.3	121	26	35	0	0	2	1	0	1	4	0	21	6	30	9	0		
DUNDEE, . .	17.4	2.3	54	14	14	0	2	0	0	0	0	5	1	17	2	8	1	0		
ABERDEEN, .	23.6	0.7	70	20	23	0	0	0	0	0	0	2	0	23	1	9	1	0		
PAISLEY, . .	14.4	1.3	22	2	3	0	0	0	0	0	2	0	0	7	0	6	2	0		
LEITH, . . .	24.8	1.3	37	11	12	0	0	0	0	0	0	2	0	14	2	7	3	0		
GREENOCK, .	16.8	3.0	22	5	3	0	1	3	0	0	0	0	0	5	1	6	0	0		
PERTH, . . .	14.2	0.0	9	1	3	0	0	0	0	0	0	0	0	2	0	4	0	1		

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 50. WEEK ENDING SATURDAY, DECEMBER 13, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, December 13, 1902, was 643, being at the annual rate of 19·9 per thousand of the estimated population. This rate is 0·8 below that for the corresponding week of last year, but 1·4 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Greenock, viz., 13·6 per thousand; and the highest in Perth, viz., 23·4 per thousand.

From the seven principal Epidemic diseases 72 deaths were registered, being at the rate of 2·2 per thousand of population, or 0·2 above that for last week. Of these deaths 31 were due to Hooping-cough, of which 20 occurred in Glasgow; 20 to Diarrhoeal diseases; 9 to Diphtheria, of which 6 occurred in Glasgow; and 7 to Measles.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 138, being 6 above the number for the previous week.

The Mean Temperature was 34°·7, being 2°·2 below that for the week immediately preceding, and 0°·1 below that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 13, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Proximity in Yards.	Registered during the Week ending Dec. 13, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Marriages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	925	643	283	49·9	16·0	34·7	0·17
GLASGOW, . . .	12,681	775,601	61·162	9·56	449	337	132	49·9	17·9	32·9	0·02
EDINBURGH, . .	11,416	322,966	28·291	14·06	168	107	64	48·2	24·0	34·5	0·03
DUNDEE, . . .	4,162	162,078	38·942	11·98	90	56	24	45·8	20·1	35·2	0·11
ABERDEEN, . .	6,795	157,505	23·180	15·53	95	47	30	47·0	25·0	37·4	0·20
PAISLEY, . . .	3,538	81,150	22·937	15·61	38	31	8	48·1	18·8	34·0	0·25
LEITH,	2,042	78,605	38·494	12·05	45	32	9	49·7	24·1	36·2	0·07
GREENOCK, . .	1,440	68,756	47·747	10·82	28	18	10	45·2	21·0	34·3	0·47
PERTH,	2,122	33,262	15·675	18·88	12	15	6	47·5	16·0	32·8	0·24
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	831	660	285	47·9	19·0	34·8	0·77

Week ending Saturday, DECEMBER 13, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 13, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Unclassified Causes.	Deaths from Unspecified causes.
In Eight Towns,	19.9	2.2	643	157	164	0	7	2	9	31	3	20	3	138	31	143	19	1
GLASGOW, .	22.6	3.0	337	86	80	0	4	0	6	20	2	12	1	78	16	69	5	0
EDINBURGH,	17.2	1.0	107	24	34	0	2	0	1	2	0	1	0	21	4	32	6	0
DUNDEE, . .	18.0	2.2	56	16	13	0	0	0	0	3	0	4	1	9	4	12	4	1
ABERDEEN, .	15.5	1.0	47	15	13	0	1	0	0	0	0	2	0	9	1	3	0	0
PAISLEY, . .	19.9	3.2	31	3	9	0	0	2	0	3	0	0	0	7	2	8	2	0
LEITH, . . .	21.2	0.7	32	9	6	0	0	0	0	1	0	0	0	7	2	8	2	0
GREENOCK, .	13.6	2.3	18	3	5	0	0	0	1	1	0	1	1	4	1	3	0	0
PERTH, . . .	23.4	4.7	15	1	4	0	0	0	1	1	1	0	0	3	1	8	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 14, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
	From All Causes.	From Seven Epi- demic/Zymotic Dis.		Deaths of		Deaths from												
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	20.7	2.2	660	152	158	0	28	4	3	9	11	15	2	163	29	135	22	3
GLASGOW, .	21.6	2.7	317	77	60	0	19	0	1	7	7	6	0	86	18	61	10	3
EDINBURGH,	20.4	1.6	125	26	36	0	1	3	1	1	2	2	0	29	1	33	6	0
DUNDEE, . .	24.8	3.5	77	17	22	0	6	0	0	0	0	5	2	25	3	11	0	0
ABERDEEN, .	18.5	0.0	55	10	22	0	0	0	0	0	0	0	0	9	2	13	2	0
PAISLEY, . .	15.0	3.3	23	4	3	0	2	0	0	1	2	0	0	5	1	6	2	0
LEITH, . . .	16.1	0.0	24	7	9	0	0	0	0	0	0	0	0	2	0	5	0	0
GREENOCK, .	21.3	0.8	28	8	4	0	0	1	0	0	0	0	0	4	4	3	2	0
PERTH, . . .	17.4	4.7	11	3	2	0	0	0	1	0	0	2	0	3	0	3	0	0

WEEKLY RETURN

OF

BIRTHS, DEATHS, AND MARRIAGES

IN EIGHT PRINCIPAL TOWNS OF SCOTLAND.

By Authority of the Registrar-General.

No. 51. WEEK ENDING SATURDAY, DECEMBER 20, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, December 20, 1902, was 681, being at the annual rate of 21·1 per thousand of the estimated population. This rate is 0·4 below that for the corresponding week of last year, but 1·2 above that for the previous week of the present year.

The lowest rate of mortality occurred in Perth, viz., 15·6 per thousand; and the highest in Dundee, viz., 24·4 per thousand.

From the seven principal Epidemic diseases 68 deaths were registered, being at the rate of 2·1 per thousand of population, or 0·1 below that for last week. Of these deaths 32 were due to Hooping-cough, of which 22 occurred in Glasgow; 15 to Diarrhoeal diseases, of which 6 occurred in Aberdeen; 6 to Scarlet Fever; and 6 to Typhus and Enteric Fever.

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 169, being 31 above the number for the previous week.

The Mean Temperature was 44°·0, being 9°·3 above that for the week immediately preceding, and 10°·2 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 20, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Dec. 20, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	895	681	267	55·2	32·0	44·0	1·78
GLASGOW, . . .	12,681	775,601	61·162	9·56	466	314	107	54·8	37·8	45·8	2·20
EDINBURGH, . .	11,416	322,966	28·291	14·06	128	126	53	53·4	37·6	44·2	0·85
DUNDEE, . . .	4,162	162,078	38·942	11·98	81	76	20	51·9	34·4	42·3	1·44
ABERDEEN, . .	6,795	157,505	23·180	15·53	84	67	43	50·5	33·0	41·9	0·99
PAISLEY, . . .	3,538	81,150	22·937	15·61	43	32	9	53·0	38·3	45·0	3·50
LEITH,	2,042	78,605	38·494	12·05	37	29	14	55·2	39·8	45·5	0·88
GREENOCK, . .	1,440	68,756	47·747	10·82	34	27	13	54·7	36·2	44·5	3·18
PERTH,	2,122	33,262	15·675	18·88	22	10	8	52·5	32·0	42·6	1·19
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	893	684	256	44·2	18·0	33·8	0·54

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., LTD., Bellevue, and sold by OLIVER & BOYD, Edinburgh.

Week ending Saturday, DECEMBER 20, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 20, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic(Zymotic)Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.1	2.1	681	157	175	0	5	6	4	32	6	15	1	169	21	156	24	4
GLASGOW, .	21.1	2.5	314	79	62	0	2	2	2	22	4	5	0	78	8	73	11	3
EDINBURGH,	20.3	1.1	126	22	47	0	1	1	0	3	0	2	0	33	3	39	6	0
DUNDEE, . .	24.4	0.6	76	14	23	0	0	0	0	2	0	0	0	21	4	18	0	0
ABERDEEN, .	22.1	3.6	67	28	12	0	1	1	1	2	0	6	1	15	1	9	3	0
PAISLEY, . .	20.5	1.3	32	5	10	0	0	1	0	0	1	0	0	9	1	6	2	1
LEITH, . . .	19.2	2.0	29	5	9	0	1	0	0	1	0	1	0	10	1	4	1	0
GREENOCK, .	20.4	4.5	27	3	7	0	0	1	1	2	1	1	0	2	3	6	1	0
PERTH, . . .	15.6	0.0	10	1	5	0	0	0	0	0	0	0	0	1	0	1	0	0

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 21, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include														
				Deaths of		Deaths from												
	From All Causes.	From Seven Epi- demic(Zymotic)Dis.		Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Hooping-cough.	Fever.	Diarrhoea.	Croup and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.	Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified Causes.
In Eight Towns,	21.5	2.2	684	140	186	0	30	2	3	10	7	17	0	188	30	142	28	9
GLASGOW, .	22.4	3.1	329	69	59	0	22	2	1	7	6	7	0	93	20	79	17	8
EDINBURGH,	19.0	0.2	116	24	45	0	0	0	0	1	0	0	0	29	2	28	6	1
DUNDEE, . .	27.7	4.8	86	17	31	0	7	0	2	1	0	5	0	22	3	8	0	0
ABERDEEN, .	21.6	1.0	64	15	25	0	0	0	0	1	0	2	0	22	1	9	4	0
PAISLEY, . .	17.0	1.3	26	7	9	0	0	0	0	0	1	1	0	9	0	7	1	0
LEITH, . . .	13.4	0.0	20	2	4	0	0	0	0	0	0	0	0	6	1	2	0	0
GREENOCK, .	17.5	2.3	23	4	7	0	1	0	0	0	0	2	0	3	1	1	0	0
PERTH, . . .	31.5	0.0	20	2	6	0	0	0	0	0	0	0	0	4	2	8	0	0

WEEKLY RETURN
OF
BIRTHS, DEATHS, AND MARRIAGES
IN EIGHT PRINCIPAL TOWNS OF
SCOTLAND.

By Authority of the Registrar-General.

No. 52. WEEK ENDING SATURDAY, DECEMBER 27, 1902.

The number of Deaths registered in Eight of the Principal Towns during the week ending with Saturday, December 27, 1902, was 688, representing an annual mortality rate of 21·3 per thousand of the estimated population. This rate is 1·3 below that for the corresponding week of last year, but 0·2 above that for the previous week of the present year.

The lowest rate of mortality was recorded in Aberdeen, viz., 17·5 per thousand; and the highest in Paisley, viz., 23·7 per thousand.

The seven principal Epidemic diseases accounted for 60 deaths, being at the rate of 1·9 per thousand of population, or 0·2 below that for last week. Of these deaths 20 were due to Hooping-cough, of which 16 occurred in Glasgow; 18 to Diarrhoeal diseases; and 6 each to Measles, Diphtheria, and 'Fever.'

The deaths from Bronchitis, Pneumonia, and Pleurisy amounted to 191, being 22 above the number for the previous week.

The Mean Temperature was 45°·8, being 1°·8 above that for the week immediately preceding, and 11°·3 above that for the corresponding week of 1901.

TABLE I.—BIRTHS, DEATHS, AND MARRIAGES Registered, and METEOROLOGY, during the Week ending Saturday, December 27, 1902, in Eight Principal Towns of Scotland.

TOWNS.	Area in Acres.	Population estimated to middle of Year 1902.	Persons to an Acre. 1902.	Prox-imity in Yards.	Registered during the Week ending Dec. 27, 1902.			Temperature.			Rainfall in Inches.
					Births	Deaths	Mar-riages	Highest	Lowest	Mean	
Eight Principal Towns in Scotland.	44,196	1,679,923	38·011	12·13	875	688	339	55·5	26·0	45·8	0·47
GLASGOW, . . .	12,681	775,601	61·162	9·56	438	343	142	55·5	40·1	47·7	0·10
EDINBURGH, . .	11,416	322,966	28·291	14·06	108	128	78	51·3	38·6	45·6	0·33
DUNDEE, . . .	4,162	162,078	38·942	11·98	72	57	32	53·3	36·8	45·0	0·22
ABERDEEN, . .	6,795	157,505	23·180	15·53	99	53	40	55·0	26·0	42·3	0·14
PAISLEY, . . .	3,538	81,150	22·937	15·61	47	37	14	54·0	40·0	47·2	1·11
LEITH,	2,042	78,605	38·494	12·05	48	30	12	52·6	40·9	47·7	0·17
GREENOCK, . .	1,440	68,756	47·747	10·82	45	26	9	52·0	38·5	45·8	1·32
PERTH,	2,122	33,262	15·675	18·88	18	14	12	54·0	36·0	45·5	0·36
Corresponding Week of 1901.—Eight Towns.	43,378	1,656,648	38·191	12·10	820	720	466	42·5	20·0	34·5	1·11

Week ending Saturday, DECEMBER 27, 1902.

TABLE II.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 27, 1902.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epidemic (Zymotic) Dis.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneumonia & Pleurisy.	Violence.					
In Eight Towns,	21.3	1.9	688	148	172	*1	6	3	6	20	6	18	2	191	32	149	33	4		
GLASGOW, .	23.0	2.5	343	70	76	0	2	1	3	16	5	11	1	104	14	72	18	3		
EDINBURGH,	20.6	1.4	128	28	50	*1	2	1	1	1	1	2	0	29	7	33	6	0		
DUNDEE, . .	18.3	1.0	57	6	18	0	0	0	0	2	0	1	0	13	2	15	1	0		
ABERDEEN, .	17.5	2.0	53	18	12	0	2	0	0	1	0	3	0	17	1	11	4	0		
PAISLEY, . .	23.7	1.9	37	11	3	0	0	1	1	0	0	1	0	11	4	7	1	0		
LEITH, . . .	19.8	0.0	30	6	4	0	0	0	0	0	0	0	0	8	3	4	1	1		
GREENOCK, .	19.7	0.8	26	7	7	0	0	0	1	0	0	0	1	6	1	2	2	0		
PERTH, . . .	21.9	0.0	14	2	2	0	0	0	0	0	0	0	0	3	0	5	0	0		

* Chicken-pox.

TABLE III.—DEATHS and RATE OF MORTALITY in Eight Principal Towns during the Week ending Saturday, December 28, 1901.

TOWNS.	Annual Rate of Mortality per 1000 living.		Deaths from All Causes.	The Deaths Registered in the Week include																
	From All Causes.	From Seven Epi- demic (Zymotic) Dis.		Deaths of		Deaths from												Deaths in Public Institutions.	Deaths from Uncertified Causes.	Deaths from Unspecified causes.
				Infants under One Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Group and Laryngitis.	Bronchitis, Pneu- monia & Pleurisy.	Violence.					
In Eight Towns,	22.6	2.7	720	135	181	0	36	7	8	7	5	23	4	162	34	154	27	7		
GLASGOW, .	24.8	3.5	365	68	80	0	22	4	1	6	3	15	2	96	19	71	13	7		
EDINBURGH,	21.9	0.8	134	24	38	0	0	1	1	0	1	2	0	30	6	46	3	0		
DUNDEE, . .	24.2	5.5	75	20	14	0	10	0	3	0	0	4	2	11	3	15	0	0		
ABERDEEN, .	20.6	2.0	61	9	25	0	0	0	3	1	0	2	0	10	1	4	4	0		
PAISLEY, . .	18.3	0.7	28	5	8	0	0	0	0	0	1	0	0	6	1	9	3	0		
LEITH, . . .	14.1	0.0	21	5	5	0	0	0	0	0	0	0	0	5	2	4	2	0		
GREENOCK, .	19.0	4.6	25	3	7	0	4	2	0	0	0	0	0	2	2	3	2	0		
PERTH, . . .	17.4	0.0	11	1	4	0	0	0	0	0	0	0	0	2	0	2	0	0		